



### BENCHMADE EARNS 1997 BLADE SHOW HONORS

Benchmade was the recipient of the Manufacturing Quality Award from the 1997 Blade Show.

This is an especially prestigious award because it recognizes our complete product line, and not just one particular model. We would like to both thank our peers for acknowledging our commitment to quality and our great employees for making it possible. This award truly is a statement of our employees—they are Benchmade, and they make this award possible.

The Benchmade philosophy is to produce top-quality knives that we, as connoisseurs, would be proud to own and use. We will ensure that every Benchmade knife owner has in their hands the most trustworthy knife found anywhere in the world, and to create an environment in which innovation and excellence rather than production speed is encouraged and rewarded.



I would like to thank all our many customers who share the same thoughts with us on what qualifies as a great knife. I am especially pleased to announce that our commitment to quality and excellence in addition to our customers recognition of such, is providing us with the means to build a much larger, modern, state of the art facility that will enable us to bring even more exciting cutlery products to market.

Our success is the result of pushing the envelope on modern designs, materials, processes and mechanisms. But most importantly, it is a direct result of the dedication to quality and craftsmanship of the people who are Benchmade! I am very proud of the growth, personal improvement, and constant awareness of the team spirit embraced by all our employees. It is this "team spirit" that provides for our ability to work together, using the

most difficult to manufacture materials, and continually produce knives that we are proud to own and use. Knives that we all agree are as special and hardworking as the people who made them!



Les De Asis Benchmade President



# BENCHMADE COMMITTED TO QUALITY

At Benchmade we are involved in the design and manufacture of every component of our knives. We have found that if we want it done right, we must do it ourselves. We do it all in-house, utilizing the newest technology available including laser cutting to tolerances of .0005", CNC machining, screw machining and computerized inspection equipment. Another result is our proprietary blade coating called BT2™ for salt water corrosion resistance. This new BT2 coating far exceeds the

ASTM-117 specifications and we feel that for our knives which may be exposed to salt-water, this new coating is our best ever. All this effort is necessary to ensure that our total quality manufacturing is held to a higher standard, enabling us to produce the knives worthy to be branded Benchmade.

## Custom-Designed Knives with a Technological Edge

The Benchmade Designer Series is built on a foundation of respect for the custom knife maker. We applaud the talent, the passion and the dreams, of top-notch makers, men who conceive and create one knife at a time. But at Benchmade our goal is to make those dreams attainable realities— realities that can be held, used and trusted by everyone. That's because Benchmade creates man's oldest tool using man's newest technology. Our close association with the world's premiere custom knife makers who are constantly exploring new locking designs, materials

and processes assures our customers that Benchmade products truly define state of the art. From screws and rivets to the latest in laser technology, every component and every piece of equipment is made or adapted to fit our unrelenting production standards. If the right machine to do the job does not exist, we make it. This is the level of our persistence and determination in the pursuit of quality. The result is a custom-designed knife with the soul of the original— coupled with the precise character of high-technology unequaled in our industry. Demand the best. Demand Benchmade.





## BENCHMADE SENTINEL<sup>TM</sup> MODEL 875

The Model 875 Sentinel was designed by rising star Allen Elishewitz, and is based on Allen's very successful Phantom design. This knife has a 3.75" spear point ATS-34 blade. This knife, with its liner lock design, also features double titanium liners that are anodized blue as well as a 2-piece scale design of hard black anodized 6061-T6 aluminum. When combined with the black scales, the blue liners give the knife a very upscale, non-threatening look. A black pocket-clip is attached for clip-carry and a very unique lanyard attachment point is integrated for those that prefer its use. The Sentinel is available with a plain or ComboEdge blade in satin finish or with our proprietary BT2 coating.

#### MODEL 875

Length

Material ATS-34 stainless steel 59-61 HRC

Overall Length 8.60"

Size Closed

Black anodized aluminum over blue

anodized titanium
Titanium locking liner Lock Mechanism

Weight Warranty

Limited lifetime

Satin finish blade with plain edge Satin finish blade with ComboEdge BT2 coated blade with plain edge BT2 coated blade with ComboEdge Model 875 Model 875S Model 875BT Model 875SBT



## BENCHMADE STRYKER™ & MINI STRYKER

Designed by Allen Elishewitz, the Stryker features a 3.7" ATS-34 drop point Tanto blade. The double, titanium liners are housed in G-10 scales and a black pocket-clip is featured on the reverse side of the knife. This knife, with its conventional double bevel, is designed for people who like the features of the Tanto blade shape, but do not want a chisel ground blade. The blade is offered in plain or ComboEdge with either satin finish or our BT2 coating. An ambidextrous opening disk provides quick, easy, one-handed functioning.

The new Model 905 Mini Stryker is a smaller version of the 910. The blade is 2.9" which makes this the smallest model with the Tanto style blade that we have ever offered. You get all the same full-size features and performance in a smaller package.

#### MODEL 905

Length Thickness 0.100" Material ATS-34 stainless steel 59-61 HRC Overall Lengtl 7 10" Size Closed Handle G-10 scales over double titanium liners Lock Mecha Titanium locking liner Weight Warranty 2.0 oz.

Limited lifetime Model 905 Satin finish blade with plain edge Satin finish blade with ComboEdge Model 905BT BT2 coated blade with plain edge

#### MODEL 910

Length

Material ATS-34 stainless steel 59-61 HRC

Overall Length 8.25"

Size Closed 4.68"

Handle Lock Mechanism G-10 scales over double titanium liners

Titanium locking liner

Weight Warranty Limited lifetime

Model 910 Model 910S Satin finish blade with plain edge Satin finish blade with ComboEdge Model 910S LH Satin finish blade with ComboEdge, left handed Model 910BT BT2 coated blade with plain edge

Model 910SBT BT2 coated blade with ComboEdge
Model 910SBT LH BT2 coated blade with ComboEdge, left handed



## BENCHMADE THE MEL PARDUE KNIVES

The new Model 330 was designed by Mel Pardue to appeal to our customers who had requested a smaller "gentleman's" pocketknife. With a "thinness" of .350" and a closed length of only 3.4", it's the smallest and lightest knife we have ever offered. A very classy, no frills knife fit equally well for blue jeans or black ties.

The Model 850, from its rainbow anodized titanium bolsters and liners to its ivory Micarta scales and premium ATS-34 blade steel- this hand finished design looks every bit the custom knife that it truly is.

The new Model 350 is a lightweight, molded handle, liner lock version of our best selling Model 3500 auto, also designed by Mel Pardue. The satin finished spear point blade is 2.9" long, heat-treated ATS-34 stainless steel. It features a thumb stud for easy one-handed functioning and sports a pocket-clip for accessibility.

#### MODEL 330

Length Thickness

0.080" ATS-34 stainless steel Material 59-61 HRC 5.80"

Overall Length Size Closed 3.40" Double titanium liners Handle

with 2/3 length G-10 scales Titanium locking liner Lock Mechanism Weight Warranty 1.3 oz. Limited lifetime

Model 330 Satin finish blade with plain edge Satin finish blade Model 330S with ComboEdge

#### MODEL 850

Length 0.100" ATS-34 stainless steel Material 59-61 HRC

6.75" Overall Length 3.875"

Handle Rainbow anodized titanium liners and bolsters; Ivory Micarta scales Lock Mechanism Stainless steel locking liner

Weight Warranty 2.6 oz. Limited lifetime Model 850 Satin finish blade with plain edge

Model 850S Satin finish blade with ComboEdge

#### MODEL 350

Overall Length

Length 0.100" ATS-34 stainless steel Material Hardness 59-61 HRC 7.10"

Size Closed 4.10" Black Zytel handles; black stainless steel pocket clin

Lock Mechanism Stainless steel locking liner Weight 2.0 oz. Warranty Limited lifetime

Model 350 Satin finish blade with plain edge Satin finish blade with ComboEdge BT2 coated blade with plain edge BT2 coated blade with ComboEdge Model 350S

## PAT CRAWFORD LEOPARD & LEOPARD CUB

The Leopard and Leopard Cub with their ultra lightweight aluminum handles and ATS-34 stainless steel blades remain as two of the sleekest and most functional designs that Benchmade produces.



#### MODEL 612

Thickness 0.100"

ATS-34 stainless steel, satin finish

Hardness 59-61 HRC 6.78"

Overall Length Size Closed 3.81 Handle

6061 T-6 aluminum,

anodized clear or black Lock Mechanism T-410 stainless steel locking liner

Weight 2.3 oz.

Warranty Limited lifetime

Model 612 -CIr Plain edged blade, clear anodized handle
Model 6125 -CIr ComboEdged blade, clear anodized handle
Model 612 -Bik Plain edged blade, black anodized handle
Model 6125 -Bik ComboEdged blade, black anodized handle

#### MODEL 625

Length

Thickness 0.125"

Material

ATS-34 stainless steel, satin finish Hardness 59-61 HRC

Overall Length 8.125" 4.56

Size Closed

6061 T-6 aluminum, anodized clear or black

Lock Mechanism T-410 stainless steel locking liner Weight

3.9 oz.

Limited lifetime Warranty

Model 625 Model 625 -Cir Plain edged blade, clear anodized handle Model 625 -Cir ComboEdged blade, clear anodized handle Model 625 -Bik Plain edged blade, black anodized handle -Blk ComboEdged blade, black anodized handle

## THE PHIL BOGUSZEWSKI SPIKES

This knife design features razor sharp ATS-34 blades, and symmetrically tapered, hard anodized aluminum handles. The Spikes, sport black stainless steel pocket



#### MODEL 640

Length 3.125"

Thickness

Material ATS-34 stainless steel, satin finish Hardness 59-61 HRC

Overall Length 7.312"

Size Closed

6061 T-6 aluminum Handle

Lock Mechanism T-410 stainless steel locking liner

Weight Warranty 3.0 oz. Limited lifetime

Model 640 -Blk Plain edged blade, black anodized handle
Model 640S -Blk ComboEdged blade, black anodized handle

#### MODEL 650

Length 0.125" Thickness

Material ATS-34 stainless steel, satin finish

Hardness 59-61 HRC

Overall Length Size Closed 9.33"

5.23 Handle

6061 T-6 aluminum anodized clear or black

Lock Mechanism T-410 stainless steel locking liner

Limited lifetime

Model 650

Model 650 -Bik Plain edged blade, black anodized handle
Model 650S -Bik ComboEdged blade, black anodized handle



## BENCHMADE AFCK & MINI AFCK

The AFCK (Advanced Folding Combat Knife) was designed in conjunction with a former SEAL operator. The efficiencies in design and superior materials bode well for an excellent outdoorsman knife. All models feature utility ground blades of ATS-34 steel heat-treated to 59-61 HRC which means, "It holds an edge!". Blades come in plain, ComboEdge, or full-serration; in satin finish or with our exclusive BT2 coating for durable corrosion protection. The AFCK and the Mini feature bead blasted G-10 scale handles for positive grip in all weather conditions. Ambidextrous opening holes (licensed by Spyderco®), and some models offer a true left handed configuration. All knives come with a black, stainless steel pocket-clip for ease of carry and versatility.

You get the benefit of all the custom knife features, materials and quality at a price nobody can match.

#### MODEL 800

| Material<br>Hardness | ATS-34 stainless steel<br>59-61 HRC        |
|----------------------|--|
| Overall Length       | 9.00"                                      |
| Size Closed          | 5.30"                                      |
| Handle               | Bead blasted G-10 scales                   |
| Lock Mechanism       | 6AL-4V Titanium locking line               |
| Weight               | 4.1 oz.                                    |
| Warranty             | Limited lifetime                           |
| Model 800            | Satin finish with plain edge               |
| Model 800S           | Satin finish with ComboEdge                |
| Model 800S LH        | Satin finish with ComboEdge<br>left handed |
| Model 800FS          | Satin finish with full-serration           |
| Model 800FSBT        | BT2 coated with full-serration             |
| Model 800BT          | BT2 coated with plain edge                 |
| Model 800SBT         | BT2 coated with ComboEdge                  |
| Model 800SBT LH      |  |

#### MODEL 812

| Blade           |   |
|-----------------|---|
| Length          | 3.25"                                       |
| Thickness       | 0.100"                                      |
| Material        | ATS-34 stainless steel                      |
| Hardness        | 59-61 HRC                                   |
| Overall Length  | 7.00"                                       |
| Size Closed     | 4.40"                                       |
| Handle          | Bead blasted G-10 scales                    |
| Lock Mechanism  | T-410 stainless steel locking liner         |
| Weight          | 3.0 oz.                                     |
| Warranty        | Limited lifetime                            |
| Model 812       | Satin finish with plain edge                |
| Model 812S      | Satin finish with ComboEdge                 |
| Model 812S LH   | Satin finish with ComboEdge,<br>left handed |
| Model 812FS     | Satin finish with full-serration            |
| Model 812FSBT   | BT2 coated with full-serration              |
| Model 812BT     | BT2 coated with plain edge                  |
| Model 812SBT    | BT2 coated with ComboEdge                   |
| Model 812SBT LH | BT2 coated with ComboEdge.                  |

left handed



## **BENCHMADE** ASCENT<sup>TM</sup> SERIES

The first knife in the series was the Model 830 with a 3.5" blade. The newest additions to the family are the Model 820, with a 2.9" blade and the model 840 with a 3.9" blade. All models feature utility ground blades of ATS-34 steel heat-treated to 59-61 HRC. All models are available in plain or ComboEdge in satin finish or with our exclusive BT2 coating.

The Ascent models have a number of features that set them apart from other lightweight knives. Some of those features include Zytel® handles and black, stainless steel pocket-clips which may be moved from the pivot end to the butt end on the Model 830 and 840. Ambidextrous opening holes (licensed by Spyderco®), and stainless steel inserts for pocket-clip screws. The pivot screws are also stainless steel and are approximately twice the size as most other lightweight knives.

#### MODEL 820

Length 2.90" 0.105"

ATS-34 stainless steel Material Hardness 59-61 HRC

Overall Length 6.75"

Size Closed 4.00"

Molded black Zytel with black pocket-clip Benchmade rear lock

Lock Mechanis Weight 1.8 oz.

Warranty Limited lifetime

Model 820

Satin finish with plain edge Satin finish with ComboEdge Model 820S Model 820SBT BT2 coated with ComboEdge

#### MODEL 830

Length Thickness 0.110

Material Hardness 59-61 HRC

Overall Length 8.25"

4.875 Size Closed

Molded black Zytel with reversible, black pocket-clip

Lock Mechanism Benchmade mid lock

Weight Warranty Limited lifetime

Model 830 Satin finish with plain edge Satin finish with ComboEdge

Model 830SBT BT2 coated with ComboEdge

#### MODEL 840

Length 0.115"

Material ATS-34 stainless steel 59-61 HRC

Overall Length 9.125"

Size Closed

Handle Molded black Zytel with reversible, black pocket-clip

Lock Mechanism Benchmade rear lock 3207

Weight Warranty Limited lifetime

Satin finish with plain edge Satin finish with ComboEdge Model 840

Model 840S Model 840SBT BT2 coated with ComboEdge

#### BENCHMADE RETAIL PRICE LIST

|                |  |                        | MODEL 8        | 30 ASCENT                                  |
|----------------|--|------------------------|----------------|--|
| ITEM           | BLADE & HANDLE   | SUGGESTED              | 830            | Utility with plain edge                    |
| NUMBER         | STYLE  | RETAIL                 | 830S           | Utility with comboEdge                     |
| MODEL 3        | 30 MEL PARDUE DESIGN   |                        | 830SBT         | Utility with ComboEdge and BT2 coated by   |
| 330            | With satin finished plain blade  | \$99.95                | Specifications | 3.50" Blade, Thickness: .110"; Overall ler |
| 330S           | With satin finished ComboEdge blade  | \$99.95                | Specifications | ATS-34 stainless steel blade hardened to   |
| MODEL :        | ATS-34 stainless steel blade hardened to 59-61 HRC. Double titanium liners with 2/3 length G-10 scales.  350 MEL PARDUE DESIGN |                        | 840            | Utility with plain edge                    |
| 350            |  | \$69.95                | 840S           | Utility with ComboEdge                     |
|                | With satin finished plain blade  |                        | 840SBT         | Utility with ComboEdge and BT2 coated      |
| 350S           | With satin finished ComboEdge blade  | \$69.95                | Specifications | 3.90" Blade, Thickness: .115"; Overall ler |
| 350BT          | With plain BT2 coated blade  | \$79.95                | орестоино      | ATS-34 stainless steel blade hardened to   |
| 350SBT         | With ComboEdge BT2 coated blade  | \$79.95                |                | Handle material: molded black Zytel with   |
| Specifications | 2.90" Blade. Thickness: .100"; Overall length: 7.10"; Closed: 4  | 1.10"; Weight: 2.0 oz. | MODEL 8        | 50 MEL PARDUE DESIGN                       |

#### MODEL 612 PAT CRAWFORD LEOPARD CUB

| 612  | -Clr | Utility, clear anodized handles                | \$99.95 |
|------|------|--|---------|
| 612S | -Clr | Utility with ComboEdge, clear anodized handles | \$99.95 |
| 612  | -Blk | Utility, black anodized handles                | \$99.95 |
| 612S | -Blk | Utility with ComboEdge, black anodized handles | \$99.95 |

Zytel handles with stainless steel locking liner and black pocket-clip.

2.875" Blade. Thickness: .100"; Overall length: 6.78"; Closed: 3.81"; Weight: 2.3 oz. ATS-34 stainless steel blade hardened to 59-61 HRC. D grey or black anodized aluminum handles; locking liner. Pocket-clip.

#### MODEL 625 PAT CRAWFORD LEOPARD

| 625  | -Clr  | Utility, clear anodized handles                | \$129.95                 |
|------|-------|--|--------------------------|
| 625S | -Clr  | Utility with ComboEdge, clear anodized handles | \$129.95                 |
| 625  | -Blk  | Utility, black anodized handles                | \$129.95                 |
| 625S | -Blk  | Utility with ComboEdge, black anodized handles | \$129.95                 |
| 3.0  | 77.28 |  | Terroruses of the second |

Specifications 3.75" Blade. Thickness: .125"; Overall length: 8.125"; Closed: 4.56"; Weight: 3.9 oz. ATS-34 stainless steel blade hardened to 59-61 HRC. Dark grey or black anodized aluminum handles; locking liner. Pocket-clip.

#### MODEL 640 PHIL BOGUSZEWSKI SPIKE

| 640       | -Blk   | Symmetrical taper utility, black anodized handles                             | \$89.95 |  |
|-----------|--|---|---------|--|
| 640S      | 640S -Blk Symmetrical taper utility with ComboEdge, black anodized handles |   |         |  |
| Specifica | ations   | 3.125" Blade. Thickness: .100"; Overall length: 7.75"; Closed: 5.23"; Weight: | 3.0 oz. |  |

ATS-34 stainless steel blade hardened to 59-61 HRC. Black anodized aluminum handles; locking liner. Pocket-clip.

#### MODEL 650 PHIL BOGUSZEWSKI SPIKE

| 650      | -Blk   | Symmetrical taper utility, black anodized handles                         | \$119.95    |
|----------|--------|---|-------------|
| 650S     | -Blk   | Symmetrical taper utility with CombEdge, black anodized handles           | \$119.95    |
| Specific | ations | 4.10" Blade Thickness: .125": Overall length: 9.33": Closed: 5.23": Weigh | ht: 4.2 oz. |

ATS-34 stainless steel blade hardened to 59-61 HRC. Black anodized aluminum handles; locking liner. Pocket-clip.

#### MODEL 800 ADVANCED FOLDING COMBAT KNIFE (AFCK)

| 800       | Utility with plain edge                              | \$129.95 |
|-----------|--|----------|
| 800S      | Utility with ComboEdge                               | \$129.95 |
| 800S LH   | Utility with ComboEdge, left handed                  | \$129.95 |
| 800FS     | Utility with full serration edge                     | \$129.95 |
| 800FSBT   | Utility with full serration BT2 coated blade         | \$139.95 |
| 800BT     | Utility with BT2 coated blade                        | \$139.95 |
| 800SBT    | Utility with ComboEdge BT2 coated blade              | \$139.95 |
| 800SBT LH | Utility with ComboEdge BT2 coated blade, left handed | \$139.95 |
|           |  |          |

3.90" Blade. Thickness: .125"; Overall length: 9.00"; Closed: 5.30"; Weight: 4.1 oz. ATS-34 stainless steel blade hardened to 59-61 HRC. Double 6AL-4V Titanium liners; G-10 scales.

Black, stainless pocket-clip and assembly screws.

#### MODEL 812 MINI ADVANCED FOLD COMBAT KNIFE (MINI AFCK)

| 812       | Utility with plain edge                              | \$109.95                         |
|-----------|--|----------------------------------|
| 812S      | Utility with ComboEdge                               | \$109.95                         |
| 812S LH   | Utility with ComboEdge, left handed                  | \$109.95                         |
| 812FS     | Utility with full serration edge                     | \$109.95                         |
| 812FSBT   | Utility with full serration BT2 coated blade         | \$119.95                         |
| 812BT     | Utility with BT2 coated blade                        | \$119.95                         |
| 812SBT    | Utility with ComboEdge BT2 coated blade              | \$119.95                         |
| 812SBT LH | Utility with ComboEdge BT2 coated blade, left handed | \$119.95                         |
|           |  | A TONGE VIEW ORDER OF THE STREET |

3.25" Blade. Thickness: .100", Overall length: 7.00"; Closed: 4.40"; Weight: 3.0 oz. ATS-34 stainless steel blade hardened to 59-61 HRC. Double stainless steel liners, G-10 scales.

#### **MODEL 820 ASCENT**

| 820    | Utility with plain edge                     | \$54.95 |
|--------|---|---------|
| 820S   | Utility with ComboEdge                      | \$54.95 |
| 820SBT | Utility with ComboEdge and BT2 coated blade | \$64.95 |

Specifications 2.90" Blade. Thickness: .105"; Overall length: 6.75"; Closed: 4.00"; Weight: 1.8 oz. ATS-34 stainless steel blade hardened to 59-61 HRC.

Handle material: molded black Zytel with black, stainless steel pocket-clip.

| TEM BLADE & HANDLE |
|--------------------|
| OTM F              |
|                    |

| MODEL 8        | 30 ASCENT  |         |
|----------------|--|---------|
| 830            | Utility with plain edge  | \$64.95 |
| 830S           | Utility with comboEdge   | \$64.95 |
| 830SBT         | Utility with ComboEdge and BT2 coated blade  | \$74.95 |
| Specifications | 3.50" Blade. Thickness: .110", Overall length: 8.25", Closed: 4.875", Weight: ATS-34 stainless steel blade hardened to 59-61 HRC. Handle material: molded black Zytel with reversible black pocket-clip. | 2.7 oz. |

SUGGESTED

| 840            | Utility with plain edge   | \$74.95 |
|----------------|---|---------|
| 840S           | Utility with ComboEdge  | \$74.95 |
| 840SBT         | Utility with ComboEdge and BT2 coated blade                                   | \$84.95 |
| Specifications | 3.90" Blade. Thickness: .115"; Overall length: 9.125"; Closed: 5.40"; Weight: | 3.2 oz. |

ith reversible black pocket-clip.

| 850            | Utility with plain edge  | \$199.95 |
|----------------|--|----------|
| 850S           | Utility with ComboEdge   | \$199.95 |
| Specifications | 2.75" Blade. Thickness: .100"; Overall length: 6.75"; Closed: 3.875"; Weight | 2.6 oz.  |

Rainbow anodized Titanium liners and bolsters; Ivory Micarta scales

#### MODEL 875 ALLEN ELISHEWITZ SENTINEL

| 875            | Modified Spearpoint with plain edge  | \$159.95 |
|----------------|--|----------|
| 875S           | Modified Spearpoint with ComboEdge   | \$159.95 |
| 875BT          | Modified Spearpoint with BT2 coated blade  | \$169.95 |
| 875SBT         | Modified Spearponit with ComboEdge BT2 coated blade  | \$169.95 |
| Specifications | 3.75" Blade. Thickness: .110"; Overall length: 8.60"; Closed: 4.875"; Weight: ATS-34 stainless steel blade hardened to 59-61 HRC. Handle material: anodized aluminum with Titanium liners. | 3.7 oz.  |

Black, stainless steel pocket-clip and assembly screws. MADEL OAF ALLEN FLICHEWITT MINI CERVICE

| WODEL 3        | 705 ALLEN ELISHEWIIZ MINI SIRTRER                                      |                 |
|----------------|--|-----------------|
| 905            | Drop point Tanto with satin finished plain blade                       | \$109.95        |
| 905S           | Drop point Tanto with ComboEdge blade                                  | \$109.95        |
| 905BT          | Drop point Tanto with BT2 coated blade                                 | \$119.95        |
| 905SBT         | Drop point Tanto with ComboEdge BT2 coated blade                       | \$119.95        |
| Specifications | 2.90" Blade. Thickness: .100"; Overall length: 7.10"; Closed: 4.10"; W | Veight: 2.0 oz. |

2.90" Blade. Thickness: .100"; Overall length: 7.10"; Closed: 4.10"; Weight: 2.0 oz. ATS-34 stainless steel blade hardened to 59-61 HRC.
Double Titanium locking liners; G-10 scales; Ambidextrous opening disk.

Black, stainless steel pocket-clip and assembly screws.

#### MODEL 910 ALLEN ELISHEWITZ STRYKER

| 910       | Drop point Tanto with satin finished plain blade              | \$139.95 |
|-----------|---|----------|
| 910S      | Drop point Tanto with ComboEdge                               | \$139.95 |
| 910S LH   | Drop point Tanto with ComboEdge, left handed                  | \$139.95 |
| 910BT     | Drop point Tanto with BT2 coated blade                        | \$149.95 |
| 910SBT    | Drop point Tanto ComboEdge with BT2 coated blade              | \$149.95 |
| 910SBT LH | Drop point Tanto ComboEdge with BT2 coated blade, left handed | \$149.95 |
|           |   |          |

Specifications 3.70" Blade. Thickness: .120"; Overall length: 8.25"; Closed: 4.68"; Weight: 3.8 oz. ATS-34 stainless steel blade hardened to 59-61 HRC.
Double Titanium locking liners: G-10 scales; Ambidextrous opening disk.
Black, stainless steel pocket-clip and assembly screws.



| Hats     | Black with red Benchmade logo embroidered on front— adjustable size fits all                           | \$12.95 |
|----------|--|---------|
| T-Shirts | Black with red Benchmade logo screen printed on front- Sizes: L, XL, 2XL                               | \$13.95 |
| Jackets  | Black nylon shell with grey lining and red Benchmade logo embroidered on left chest— Sizes: L. XL. 2XL | \$99.95 |

<sup>\*</sup> These are suggested retail prices and they were current at time of printing.

Benchmade reserves the right to adjust pricing due to unforseen circumstances beyond our control.



BENCHMADE KNIFE COMPANY INC. 300 BEAVERCREEK ROAD OREGON CITY, OR 97045 U.S.A.

ADDRESS CORRECTION REQUESTED

DEC-3'98  $\approx 0.78 \approx$ OR

PR METER 8333273

U.S. POSTAGE

MIKE BALES 935 NW 2ND APT 18 MCMINNVILLE, OR 97128