

T H E O F F I C I A L B E N C H M A D E 2 0 0 2 C A T A L O G



BENCHMADE®
KNIFE COMPANY

BENCHMADE

SPECIAL PRODUCTIONS

Just because we can. It's an infusion of "kick butt" designs and an ever changing palette of materials. ○ Enhanced performance. Different tastes. Choices. Several times throughout the year we take existing in-line models and restyle them for a different look. From carbon fiber, micarta, stabilized wood, mother of pearl and special color anodizing in handles, to selective blade steels the possibilities are limitless. ○ These special productions are typically limited in numbers and sometimes are permanently marked as such for collectability. So they do usually sell out FAST. Frequent your favorite authorized Benchmade dealer or you can also keep up on www.benchmade.com for the latest mutants of your favorite Benchmade knives or create some new ones...

MODEL 730CF



MODEL 180-01



MODEL 850-01



MODEL 490-01



MODEL 941-01



BENCHMADE

It's great to have choices—so many options, so many knives, and so hard to choose. I hate it when that happens...

MODEL 31

What else would you expect from the Bali-Song leader? The Model 31 offers the same high quality Benchmade is known for and is just the right size to pocket carry.

Low profile carry-clip can be moved to other side, too.



MODEL 31S

MODEL 31 BALI-SONG FOLDING KNIFE

When you're the leader in butterfly knives, people expect *MORE*, so for you loyal Bali-Song® lovers here's a *little* treat especially for you... From the Bali-Song fertile grounds of Benchmade comes the *NEW!* Model 31 Bali-Songs. A modern, upgraded presentation of their predecessors from a few years back. A clipped-utility blade style offers excellent cutting versatility, has a larger sized tang pin. ○ The 31's feature MIM titanium handles which are basically scaled down clones of the bigger Model 42's. Their skeletonized pattern and crowned edges provide good grip without any unwanted sharp angles to bite during manipulations. Handles are secured to the blade via two-piece, hardened hinge pins which are first machine pressed into the handle and then threaded together for a lasting hold. The batangas style latch is secured to the handle in the same manner. Also incorporated into the handle is a "latch gate" to prevent blade to latch contact during manipulation. ○ And for convenient carry, a small reversible carry-clip has been nicely adapted to the non-safe, latch handle. It "lays low" to not interfere with manipulation, or can be removed if preferred. ○ So whether you're already a butterfly "spinner", or just looking for a unique pocket-carry knife with solid lock-up, check out the new Model 31 Bali-Song.

MODEL 31 BALI-SONG— BLADE MATERIAL: 440C STAINLESS STEEL; LENGTH: 2.98" (7.57cm); THICKNESS: .125" (3.18mm); OPEN: 7.09" (18.01cm); CLOSED: 4.35" (11.05cm); WEIGHT: 3.10oz (88gm); HANDLE: SKELETONIZED MIM TITANIUM MOVABLE CARRY-CLIP; HANDLE THICKNESS: 0.51" (1.30cm); LOCK MECHANISM: INTEGRATED TITANIUM LATCH

Available Blade Configurations— ● MODEL 31 ○ MODEL 31S See inside back cover for detailed listing of configurations and pricing.

Skeletonized handles are MIM titanium for light-weight strength.

BENCHMADE

MODELS 42, 43 & 47 BALI-SONGS

The best is born of history and tradition and the Benchmade Bali-Song® is no exception. The Bali-Song, the butterfly knife awesome in its simplicity, is the ultimate example of form following function. The Model 42 features a Wee-hawk style blade, and **NEW!** to this year's catalog are the Model 43 with Bowie blade style and the Model 47 with its Tanto blade. All blades are secured to the handles with *six-lobe* head screw style pivot-pins, and the pins are heat-treated and larger than previous models. The handle latch also uses a screw head pivot-pin attachment as well, so it may be removed if preferred. And **NEW!** this year (Spring 2002) is the spring-latch. This feature adds a new level of butterfly—the spring not only provides quick latch release, but the spring tension also prevents the latch from jumping around during manipulation. ☉ Another nice feature are the skeletonized cast titanium handles which are very tough and of nominal weight for better balance. And since they are of titanium they can be color anodized for that "extra" touch like the Model 42A. Handles feature a "latch gate" to prevent the latch from contacting the blade, and they have a more pronounced contour for improved grip. ☉ So if you're looking for the ultimate in basic form and simple function— *this is it.*

MODEL 42, 43, 47 BALI-SONG—BLADE MATERIAL: 440C STAINLESS STEEL; LENGTH: 4.20" (10.67cm); THICKNESS: .125" (3.18mm); OPEN: 9.40" (23.88cm); CLOSED: 5.20" (13.21cm); WEIGHT: 4.10oz (116gm); HANDLE: SKELETONIZED CAST 6AL-4V TITANIUM, COLOR ANODIZED TITANIUM or BLACK COATED; HANDLE THICKNESS: 0.51" (1.30cm); LOCK MECHANISM: INTEGRATED TITANIUM SPRING LATCH; SHEATH: SOFT, VELCRO CLOSURE BELT SHEATH

Available Blade Configurations— ● MODEL 42, 43, 47 ○ MODEL 42S ● MODELS 42, 43, 47 BLK ○ MODEL 42S BLK
● MODELS 42, 43, 47A ○ MODEL 42AS See back cover for detailed listing of configurations and pricing.

MODELS 40T TRAINER BALI-SONGS

NEW! Model 40T trainer. Now you can practice your butterfly wizardry with all the same balance and action as the real thing— without cutting any appendages.



NEW! spring-latch—
way cool!



NEW! Train as much as
you like and save money
on bandages.

BENCHMADE

MODEL 49 BALI-SONG FOLDING KNIFE

The roots run deep and the pride burns strong... Bali-Song is as much a part of Benchmade as the name itself. And when it comes to raising the bar, we take it personal (would you expect anything less). So for those of you who appreciate the finer things in life, we introduce the **NEW!** Model 49 Series. Throughout the year 2002 we will release several model variations with one underlying theme— class. Be aware, these are limited productions and are sold on first come/first serve basis. Our Bali-Song gurus have truly exceeded all expectations with these works of functional art. Knife manufacturers come and go everyday, but when it comes to butterflies and the Bali-Song— one name STILL burns strongest— Benchmade. For more information on the Model 49 Series please contact your authorized Benchmade dealer or call Benchmade at 800.800.7427. You can also go online at www.benchmade.com, too.

The Model 49 Series is just one more specimen of Benchmade's higher standard of cutlery.

Check out the American Kris blade shape. It is sharp on both sides with scalpel-edge sharpness!

The Model 49 incorporates the **NEW!** spring-latch which really adds a touch of class.

A variety of handle materials and inserts to excite the mind and tempt the soul.

www.benchmade.com

2 0 0 2 R E T A I L P R I C E L I S T

ITEM NUMBER BLADE & HANDLE STYLE DESCRIPTION SUGGESTED RETAIL

MODEL 821 MINI-ASCENT-II UTILITY

821 Plain edge/satin finish blade, black Zytel handle \$55

8215 ComboEdge/satin finish blade, black Zytel handle \$55

Specifications— 2.90" Blade. Thickness: .110"; Overall length: 6.95"; Closed: 4.00"; Weight: 1.80 oz.; 440C stainless steel blade (58-60 HRC); Thumb-stud opener with lock-back mechanism; Black Zytel handle; Removable, black steel carry-clip.

MODEL 824 MINI-ASCENT-II

824 Plain edge/satin finish blade, black Zytel handle \$55

8245 ComboEdge/satin finish blade, black Zytel handle \$55

8245BT ComboEdge/BT2 coated blade, black Zytel handle \$65

Specifications— 2.90" Blade. Thickness: .110"; Overall length: 6.95"; Closed: 4.00"; Weight: 1.80 oz.; 154CM stainless steel blade (58-60 HRC); Ambidextrous oval-hole opener with lock-back mechanism; Black Zytel handle; Removable, steel carry-clip.

MODEL 831 ASCENT-II UTILITY

831 Plain edge/satin finish blade, black Zytel handle \$65

8315 ComboEdge/satin finish blade, black Zytel handle \$65

Specifications— 3.40" Blade. Thickness: .115"; Overall length: 8.25"; Closed: 4.85"; Weight: 2.70 oz.; 440C stainless steel blade (58-60 HRC); Thumb-stud opener with lock-back mechanism; Black Zytel handle; Movable, black steel carry-clip.

MODEL 834 ASCENT-II

834 Plain edge/satin finish blade, black Zytel handle \$65

8345 ComboEdge/satin finish blade, black Zytel handle \$65

8345BT ComboEdge/BT2 coated blade, black Zytel handle \$75

Specifications— 3.50" Blade. Thickness: .115"; Overall length: 8.25"; Closed: 4.85"; Weight: 2.70 oz.; Clip-point 154CM stainless steel blade (58-60 HRC); Ambidextrous oval-hole opener with lock-back mechanism; Black Zytel handle; Movable, steel carry-clip.

MODEL 886 BLUE STAR

886 Plain edge/satin finish blade, Titan. liners, blk G10 scs \$115

8865 ComboEdge/satin finish blade, Titan. liners, blk G10 scs \$115

886BT Plain edge/BT2 coated blade, Titan. liners, blk G10 scs \$125

8865BT ComboEdge/BT2 coated blade, Titan. liners, blk G10 scs \$125

Specifications— 3.25" Blade. Thickness: .100"; Overall length: 7.60"; Closed: 4.30"; Weight: 2.50 oz.; Spear-point style 154CM stainless steel blade hardened to (58-60 HRC); Dual thumb-stud, anodized titanium locking liner; Removable steel carry-clip.

MODEL 905 MINI-STRYKER

905 Plain edge/satin finish blade, black G10 scales \$105

9055 ComboEdge/satin finish blade, black G10 scales \$105

905BT Plain edge/BT2 coated blade, black G10 scales \$115

9055BT ComboEdge/BT2 coated blade, black G10 scales \$115

Specifications— 2.90" Blade. Thickness: .100"; Overall length: 7.10"; Closed: 4.10"; Weight: 1.70 oz.; 154CM stainless steel blade (58-60 HRC); Ambidextrous opener disk with double, titanium locking-liners; G10 scales; Removable black steel carry-clip.

ITEM NUMBER BLADE & HANDLE STYLE DESCRIPTION SUGGESTED RETAIL

MODEL 910 STRYKER

910 Plain edge/satin finish blade, black G10 scales \$125

9105 ComboEdge/satin finish blade, black G10 scales \$125

910BT Plain edge/BT2 coated blade, black G10 scales \$135

9105BT ComboEdge/BT2 coated blade, black G10 scales \$135

910HS M2 steel/plain edge/BT2 coated blade, blk G10 scales \$145

910HSSR M2 steel/ComboEdge/BT2 coated blade, blk G10 scales \$145

910T Trainer/tumble finish blade, red G10 scales \$90

Specifications— 3.70" Blade. Thickness: .120"; Overall length: 8.25"; Closed: 4.68"; Weight: 3.80 oz.; 154CM stainless steel blade (58-60 HRC) or M2 high-speed steel (60-62 HRC); Ambidextrous opener-disk double; Titan. liners; G10 scales; Carry-clip.

MODEL 914 RESCUE STRYKER

914FS Full-serration edge/satin finish blade, black G10 scales \$115

914FSBT ComboEdge/BT2 coated blade, black G10 scales \$125

Specifications— 3.25" Blade. Thickness: .125"; Overall length: 8.25"; Closed: 4.65"; Weight: 3.90 oz.; 440C stainless steel blade (58-60 HRC); Ambidextrous opener disk with double, titanium locking-liners; G10 scales; Removable black steel carry-clip.

MODELS 940 & 942 (OSBORNE)

940 Plain edge/sat. finish MR Tanto blade, AXIS, gm anodzd \$170

9405 ComboEdge/sat. finish MR Tanto blade, AXIS, gm anodzd \$170

940BT Plain edge/BT2 coated MR Tanto blade, AXIS, gm anodzd \$180

9405BT ComboEdge/BT2 coated MR Tanto blade, AXIS, gm anodzd \$180

942 Plain edge/sat. finish MR Tanto blade, AXIS, blk anodzd \$170

9425 ComboEdge/sat. finish MR Tanto blade, AXIS, blk anodzd \$170

942BT Plain edge/BT2 coated MR Tanto blade, AXIS, blk anodzd \$180

9425BT ComboEdge/BT2 coated MR Tanto blade, AXIS, blk anodzd \$180

Specifications— 3.40" Blade. Thickness: .115"; Overall length: 7.87"; Closed: 4.47"; Weight: 2.90 oz.; 154CM stainless steel Modified Reverse Tanto blade (58-60HRC); Ambidex. dual thumb-stud opener; double, 410 stainless steel liners; Color anodized alum. handle scales with color anodized titanium back-spacers; Movable carry-clip.

MODELS 941 & 943 (OSBORNE)

941 Plain edge/sat. finish Clip-point blade, AXIS, gm anodzd \$170

9415 ComboEdge/sat. finish Clip-point blade, AXIS, gm anodzd \$170

941BT Plain edge/BT2 coated Clip-point blade, AXIS, gm anodzd \$180

9415BT ComboEdge/BT2 coated Clip-point blade, AXIS, gm anodzd \$180

943 Plain edge/sat. finish Clip-point blade, AXIS, blk anodzd \$170

9435 ComboEdge/sat. finish Clip-point blade, AXIS, blk anodzd \$170

943BT Plain edge/BT2 coated Clip-point blade, AXIS, blk anodzd \$180

9435BT ComboEdge/BT2 coated Clip-point blade, AXIS, blk anodzd \$180

Specifications— 3.40" Blade. Thickness: .115"; Overall length: 7.87"; Closed: 4.47"; Weight: 2.62 oz.; 154CM stainless steel Straight Clip-point blade (58-60HRC); Ambidex. dual thumb-stud opener; double, 410 stainless steel liners; Color anodized alum. handle scales with color anodized titanium back-spacers; Movable carry-clip.

ITEM NUMBER BLADE & HANDLE STYLE DESCRIPTION SUGGESTED RETAIL

MODEL 31 BALI-SONG

31 3" Bali-Song/plain edge Clip-pnt blade, Titanium hndls \$140

315 3" Bali-Song/ComboEdge Clip-pnt blade, Ti-handles \$140

Specifications— 2.98" Blade. Thickness: .125"; Overall length: 7.09"; Weight: 3.10 oz.; Clipped-utility blade style 440C stainless steel blade, Skeletonized MIM Titanium handles (various finishes) with integrated Titanium latch

MODEL 40T TRAINER BALI-SONG

40T 4" Bali-Song/trainer blade, Titanium handles \$120

Specifications— 3.78" Blade. Thickness: .125"; Overall length: 9.00"; Weight: 4.10 oz.; Skeletonized 440C stainless steel trainer blade, Skeletonized 6AL-4V Titanium handles with integrated Titanium latch

MODEL 42 BALI-SONG

42 4" Bali-Song/plain edge Weehawk blade, Ti-handles \$170

425 4" Bali-Song/ComboEdge Weehawk blade, Ti-handles \$170

42 BLK 4" Bali-Song/plain edge Weehawk blade, black Ti-hdls \$170

425 BLK 4" Bali-Song/ComboEdge Weehawk blade, black Ti-hdls \$170

42A 4" Bali-Song/plain edge Weehawk blade, anod. Ti-hdls \$180

42AS 4" Bali-Song/ComboEdge Weehawk blade, anod. Ti-hdls \$180

Specifications— 4.20" Blade. Thickness: .125"; Overall length: 9.40"; Weight: 4.10 oz.; Weehawk style 440C stainless steel blade, Skeletonized 6AL-4V Titanium handles (various finishes) with integrated Titanium latch

MODEL 43 BALI-SONG

43 4" Bali-Song/plain edge Bowie blade, Titanium handles \$170

43 BLK 4" Bali-Song/plain edge Bowie blade, black Ti-handles \$170

43A 4" Bali-Song/plain edge Bowie blade, anod. Ti-handles \$180

Specifications— 4.20" Blade. Thickness: .125"; Overall length: 9.40"; Weight: 4.10 oz.; Bowie style 440C stainless steel blade, Skeletonized 6AL-4V Titanium handles (various finishes) with integrated Titanium latch

MODEL 47 BALI-SONG

47 4" Bali-Song/plain edge Tanto blade, Titanium handles \$170

47 BLK 4" Bali-Song/plain edge Tanto blade, black Ti-handles \$170

47A 4" Bali-Song/plain edge Tanto blade, anod. Ti-handles \$180

Specifications— 4.20" Blade. Thickness: .125"; Overall length: 9.40"; Weight: 4.10 oz.; Bowie style 440C stainless steel blade, Skeletonized 6AL-4V Titanium handles (various finishes) with integrated Titanium latch

THE BLUE BOX- TOOL KIT

981084 Six-Lobe Screw bit driver (bit sizes 6-8, 10, 15), case \$12

Specifications— Molded, blue plastic case 2.75" Length; 1.875" Width; Thickness: .625"; Weight: 1.60 oz.; Removable, plastic carry-clip.

ITEM NUMBER BLADE & HANDLE STYLE DESCRIPTION SUGGESTED RETAIL

SOFT SHEATHS & SHEATH ACCESSORIES

981086 Small size (1.625" Width x 5.00" Depth), black \$10

981087 Large size (2.00" Width x 5.25" Depth), black \$10

Specifications— Both made of black, 1680 denier poly-ballistic nylon; soft liners; edges finished with nylon; heavy stitch throughout; Velcro® closure with heavyweight poly webbing on backside for option of horizontal or vertical carry.

981607 Metal Clip w/lash tab (Model 100, 160 and Model 5) \$15

981608 Molded belt loop w/bridge (Model 100, 140, 145 sheath) \$10

981609 Tek-Lok®, large size \$15

981610 Perma-Clips® for Tek-Lok®, large size (set of 2) \$3.95

981611 Adjustable Carry-strap w/4-way lash-tab \$10

981612 Lash-tab (can be sewn on clothing or gear) \$5

Specifications— Please refer to said knife model pages or the Benchmade website for more information.

MILITEC-1® METAL CONDITIONER

981368 Militec-1, 1 oz. squeeze bottle \$5.95

981369 Militec-1, The Sniper Pak (4 oz. squeeze bottle w/zip; stainless steel applicator needle; 1/4oz. bottle) \$19.95

981370 Militec-1, 4 oz. squeeze bottle \$14.95

981371 Militec-1, Stainless steel applicator needle \$10.00

Specifications— A chemically-reacted synthetic based hydrocarbon derivative metal conditioner liquid that protects metal with a constant synthetic-based impregnated molecular bond.

The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Benchmade; Bali-Song; Butterfly Logo; BT2; ComboEdge. • The following are trademarks of the Benchmade Knife Company, Inc., Oregon City, Oregon USA: Axis; Assent; Dark Star; Gipsyflint; LipBarge; Nineraxis; Outlander; Park Avenue; Plasma; Reflex; Stryker; TAC (Technically Advanced Carriers); Hold To A Higher Standard. • Note: We reserve the right to make design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife—U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Blindfold Locking System)—U.S. Patent No. 5,755,035; Pocket Knife With Lock (AKS Lock)—U.S. Patent No. 5,737,842; Folding Knife Design, Stryker Model—U.S. Patent No. 5,428,204; Knife Blade Design, Stryker Model—U.S. Patent No. 5,428,205; Folding Knife With Grooved Handle Design, Model 350, 355—U.S. Patent No. 5,197,612; Grooved Knife Handle Design, Model 350, 355—U.S. Patent No. 5,197,620; Folding Knife Design, Assent Model—U.S. Patent No. 5,385,172; Knife Design Design, Assent Model—U.S. Patent No. 5,384,872; Portion Of A Blade For A Knife Design, Partier Model 720 Knife—U.S. Patent No. 5,428,332; Knife Blade Design, Model 1401 (A3)—U.S. Patent No. 5,425,389; Knife Handle Design, Model 705—U.S. Patent No. 5,428,789; Other patents pending.

We are proud to be a charter member of AKTI. Get involved and help to protect your knife freedoms—JOIN AKTI TODAY!



1.877.752.8770 or www.akti.org