



BENCHMADE®

2007 CONSUMER CATALOG



HELLO!

Welcome to Benchmade. Whether you are already one of our many esteemed Benchmade customers or, checking us out for the first time I am confident you will be impressed with what we have to offer you. As you thumb through — know that the multi-talented and highly dedicated team of Benchmade employees put heart and soul into every knife built. That’s not the easy way— that is the Benchmade way.

Each year brings many great new products from Benchmade and this year is no exception. For starters, the new Nitrous™ assist opener mechanism gets things moving in a hurry, and in patented Benchmade fashion. I am also pleased to introduce our newest custom design team member Bob Lum whose designs offer a “hole” new look to the line up. And to round it out, some customer favorites have been specially retooled to shake things up a bit.

Whatever your specialty cutlery needs, I realize you have many choices when it comes to purchasing knives. Know that if you choose Benchmade, you are choosing a brand built on cutlery, with a solid reputation earned by delivering the finest production knives the world over. It’s Benchmade. You have my word on it.

Les de Asis
Founder and Owner

NEW 07



610/615
RUKUS®/MINI-RUKUS®
PAGE 09



550HG/555HG
GRIPTILIAN®/MINI-GRIPTILIAN®
PAGE 14



672
APPARITION®
PAGE 18



740/745
DÉJÀVOO™/MINI-DÉJÀVOO™
PAGE 19



201
ACTIVATOR®+
PAGE 22



7
HOOK
PAGE 33



10750
VEX™
PAGE 37



10402/10412
PIKA®II/MINI-PIKA®II
PAGE 38



912/913
NITROUS™STRYKER®
PAGE 29



10100
LFK
PAGE 40



10105
ERT-1™
PAGE 42

NEW 2007 MODELS

Pace yourself—viewing of
Benchmade catalogs has been
known to cause grown men to
act like kids again... Yesss!
(Repeat as Needed.)

NATURALS

GOLDCLASS



635-60


4501

PGS 04 - 06

2007 PRODUCT INDEX

This represents the product listing of all available models. For the most current listing of products please frequent the Benchmade website. As we are always releasing new products throughout the year.

BLUECLASS



610

615

940

943

960

707

710

672

670

740

745

530

440

630

635

FOLDERS PGS 07 - 21



550

555

551

556

553

557

151



201



210



211



100



220

GRIPTILIANS PGS 13 - 17

FIXED BLADES PGS 22 - 24



32

42

BALI-SONGS PGS 25 - 26


SELECTION

BLACKCLASS



912 913 520 523 525

FOLDERS PGS 27 - 30




140 141 5 6 7 156 155 3100

FIXED BLADES PGS 31 - 34


(PG 65)

REDCLASS



10750 10402 10412 10450 10300 10100 10110S 10115 10105 10200 10210 10610 10600

FOLDERS PGS 35 - 44



10500 10505 10510 10536

FIXED BLADES PGS 45 - 46

EXTRAS

WHAT'S IN A KNIFE PGS 47 - 48

FORWARD THINKING PGS 49 - 50

FUNCTIONAL INNOVATION PGS 51 - 53

ADVANCED MATERIALS PGS 54 - 56 (MODEL FEATURE CODES ON PG 56)

EXTRAS/ACCESSORIES PGS 57 - 64

GOLDCLASS

Highly customized designs, exotic materials, exclusive mechanisms and handcrafted detail are merely suggestions to the possibilities. The Benchmade Gold Class is for the true connoisseur of the “finer things” in life. If you are fortunate enough to get your hands on a Gold Class limited then you will definitely understand what all the excitement is about.



635-60 MINI-SKIRMISH®


BLACKWOOD design

Custom Quality Features

Exotic Materials

Appreciable Value

Exclusive Mechanisms



635-60

NOTE:

GOLD CLASS products are very limited in availability and are sold on a first come first serve basis. As of publish date this model was sold out. But it sure is a pretty knife to look at...

635-60 DESIGNER: Neil Blackwood **LOCKING MECHANISM:** Monolock **BLADE STYLE & OPENER:** Modern Reverse Curve Interpretation; Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** S30V Stainless Steel (58-60HRC) w/Pewter Finish **BLADE LENGTH:** 3.43" (8.71cm) **BLADE THICKNESS:** 0.130" (3.30mm) **OPEN:** 7.73" (19.63cm) **CLOSED:** 4.30" (10.92cm) **WEIGHT:** 3.92oz (111.13gm) **HANDLE SPECS:** Bead Blast 6AL 4V-Titanium Scales w/ Organic Pattern and Color, Trailing Circles Front-to-Back Surface Pattern **HANDLE THICKNESS:** 0.435" (11.05mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 635-60 \$325

4501 PRESTIGEDGES®

DE ASIS design



4501 DESIGNER: Les De Asis **BLADE STEEL:** Single Piece, Full-Tang 440C Stainless Steel (58-60HRC) **HANDLE SPEC:** Impregnated Real Wood Laminate; Woven Micarta Bolster; Nickel/Silver Rivet Assembly

PARING KNIFE - BLADE LENGTH: 3.50" (8.89cm) **BLADE THICKNESS:** 0.070" (1.84mm); **OVERALL LENGTH:** 7.09" (18.01cm) **WEIGHT:** 2.10oz (60gm)


UTILITY KNIFE - BLADE LENGTH: 6.00" (15.24cm) **THICKNESS:** 0.120" (3.05mm) **OVERALL LENGTH:** 10.25" (26.04cm)

WEIGHT: 4.80oz (136gm) **CHEF KNIFE - BLADE LENGTH:** 8.00" (20.32cm) **THICKNESS:** 0.140" (3.59mm) **OVERALL LENGTH:** 13.00" (33.00cm)

WEIGHT: 8.50oz (241gm) **COUNTRY OF ORIGIN:** USA

AVAILABLE BLADE CONFIGURATION: 4501 \$500 (available only as three knife set)

3-KNIFE SET COMES IN ATTRACTIVE PRESENTATION CASE



BENCHMARK OUTPERFORMED THE WORLD'S FINEST BY NEARLY DOUBLE THE EDGE QUALITY.



BLUECLASS

Staying true to blue, the Blue Class represents the heart and soul of everything that is Benchmade. The Blue Class is where people come for exceptional designs, materials, technology and innovation. From folding knives to fixed blades, the Blue Class knife is designed and built for the individual who will settle for nothing less than the highest in quality and dependability.



BLUEDNA

FUNCTIONAL INNOVATION

Blades:

Superior quality steels selected for edge durability; custom heat treat for maximum toughness

Technology:

Precision laser decks and CNC machining to NASA level tolerances

Locking Mechanisms:

AXIS® locks, Titanium locking-liners, assisted-openers and more

Design:

Custom and innovative patented designs exclusive to Benchmade

Handles:

Contoured lines, utilizing highly durable, strong and visually stunning materials

Individually, these features are impressive, but it is the combination of them that makes a knife part of the Benchmade Blue Class. Your Blue Class knife will be the kind that you can either pass on to your children or use as your favorite everyday carry.



NEW
610 RUKUS®
615 MINI-RUKUS®
BLACKWOOD design

Back by popular demand, the Rukus is anything but small. Big on form, function and that “wow” factor. The Rukus is certainly a crowd pleaser. And for 2007 we roll out a little brother, in the Mini-Rukus. Both are Blackwood designed with the power of AXIS® mechanics. Both use a two-part handle assembly with the ability to semi-customize the handle scales as you see fit. If you are big on performance and style, the Rukus and Mini-Rukus are certainly worth their weight!

- One-Hand Ambidextrous Function
- Profiled Handle Shape for Solid Grip
- Full Drop-Point Blade Geometry
- Movable Carry-Clip



CHECK OUT THE REPLACABLE
HANDLE SCALES TO PERSONLIZE
YOUR RUKUS or MINI-RUKUS ON
PAGE 58.

610DESIGNER: Neil Blackwood **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Utility Drop-Point, Ambidextrous Dual Thumb-Studs **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 4.25" (10.80cm) **BLADE THICKNESS:** 0.150" (3.82mm) **OPEN:** 10.20" (25.91cm) **CLOSED:** 5.95" (15.12cm) **WEIGHT:** 7.86oz (222.83gm) **HANDLE SPECS:** Black G10 and Olive Drab Micarta Scales, Double 410 Stainless Steel Liners, Movable Black Stainless Steel Carry-Clip **HANDLE THICKNESS:** 0.786" (19.96mm)
COUNTRY OF ORIGIN: USA
BLADE CONFIGURATIONS: **610** \$250, **610SBK** \$262

615DESIGNER: Neil Blackwood **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Utility Drop-Point, Ambidextrous Dual Thumb-Studs **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.40" (8.63cm) **BLADE THICKNESS:** 0.121" (3.07mm) **OPEN:** 8.50" (21.59cm) **CLOSED:** 5.10" (12.95cm) **WEIGHT:** 5.90oz (167.26gm) **HANDLE SPECS:** Black G10 and Olive Drab Micarta Scales, Double 410 Stainless Steel Liners, Movable Black Stainless Steel Carry-Clip **HANDLE THICKNESS:** 0.650" (16.51mm)
COUNTRY OF ORIGIN: USA
BLADE CONFIGURATIONS: **615** \$220, **615S** \$220, **615SBK** \$232



940

OSBORNE design

- Overall Slim Profile
- One-Hand Ambidextrous Function
- Fully Adjustable Blade Pivot
- Lightweight Everyday Carry



940 DESIGNER: Warren Osborne **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Reverse Tanto, Ambidextrous Dual Thumb-Stud **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.40" (8.64cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 7.87" (19.99cm) **CLOSED:** 4.47" (11.35cm) **WEIGHT:** 2.90oz (82gm) **HANDLE SPECS:** Green Color Anodized 6061-T6 Alum.; Double 410 Stainless Steel Liners, Color Anodized Titanium Back Spacer; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.41" (1.04cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 940 \$195, 940SBK \$207



943

OSBORNE design

- Machined Aircraft Grade Aluminum Handles
- Precision Fit Components
- Hard Coat Anodized Handle Finish
- Movable Carry-Clip



943 DESIGNER: Warren Osborne **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Straight Clip-Point, Ambidextrous Dual Thumb-Stud **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.40" (8.64cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 7.87" (19.99cm) **CLOSED:** 4.47" (11.35cm) **WEIGHT:** 2.90oz (82gm) **HANDLE SPECS:** Black Color Anodized 6061-T6 Alum.; Double 410 Stainless Steel Liners, Color Anodized Titanium Back Spacer; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.41" (1.04cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 943 \$195, 943SBK \$207



960

OSBORNE^{design}

- Custom-Grade Detailing
- Machine Contoured Handles
- Polished Blade Finish
- Titanium Back Spacer



960 DESIGNER: Warren Osborne **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Drop-Point, Ambidextrous Dual Thumb-Studs **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 3.12" (7.92cm) **BLADE THICKNESS:** 0.100" (2.54mm) **OPEN:** 7.28" (18.49cm) **CLOSED:** 4.16" (10.57cm) **WEIGHT:** 2.26oz (64.50gm) **HANDLE SPECS:** Color Anodized 6061-T6 Aluminum with Black G10 Inlays, Double 420 Stainless Steel Inset Liners, Color Anodized Titanium Backspacer, Reversible/Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.3675" (0.93cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 960-RED \$200, 960SLV \$200



707 SEQUEL®

MCHENRY & WILLIAMS design

- Generous Drop-Point Blade Shape
- Machined Aluminum Handle Scales with G10 Inlays
- One-Hand Ambidextrous Function
- Movable Carry-Clip



707DESIGNER: Bill McHenry & Jason Williams **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Clip-Point; Dual Thumb Stud **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 2.95" (7.50cm) **BLADE THICKNESS:** 0.100" (2.54mm) **OPEN:** 6.75" (17.15cm) **CLOSED:** 3.80" (9.67cm) **WEIGHT:** 2.60oz (73.70gm) **HANDLE SPECS:** 6061-T6 Aluminum with Black G10 Inlays, Double 410 Liners, Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.420" (10.67mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **707** \$150, **707S** \$150, **707SBK** \$162



710

MCHENRY & WILLIAMS design

- Reverse Curve Blade Shape
- Larger Sized Folder
- Machined G10 Handle Scales



710DESIGNER: Bill McHenry & Jason Williams **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Clip-Point; Dual Thumb Stud **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 3.98" (10.11cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 8.80" (22.34cm) **CLOSED:** 4.98" (12.65cm) **WEIGHT:** 4.68oz (132.68gm) **HANDLE SPECS:** Black G10 Scales, Double 410 Stainless Steel Liners; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.48" (1.22cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **710D2** \$165, **710SBKD2** \$177





GRIPTILIANDNA

This wild species of knives is still alive and well. Every aspect of Griptilian's genetics has been painstakingly thought out. Form and function fuse with a ferocity that cannot be tamed. Over the years the Grips have marked their territory with a vengeance on industry leading mechanics and lightweight carry. So go wild and get a Grip!



NEW features

550HG GRIPTILIAN® 555HG MINI-GRIPTILIAN®

PARDUE design

It's the 550HG and the 555HG Griptilians... and they have evolved for 2007. Both models feature hollowground blades and ambidextrous round thumb-hole openers. With multiple blade styles, sizes and colors your Grips just got a little wilder...Grrr!

- Two Sizes Available
- Ambidextrous Thumb-Hole Opener
- Lightweight Molded Handle
- Hollowground Blade
- Multiple Configurations Available



550HG

555HGS



550T



550SBKSL



550SBKSN

550HGDESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Hollowground Modified Sheepfoot; Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.45" (8.76cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 8.07" (20.50cm) **CLOSED:** 4.62" (11.73cm) **WEIGHT:** 3.25oz (92gm) **HANDLE SPECS:** Black Glass Fill Noryl GTX®/Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.64" (1.63cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 550HG \$100, 550SHG \$100, 550SBKHG \$112, 550SBKHGOD \$112, 550SBKHGSL \$122, 550SBKHGSN \$117, 550T (440C Stainless Steel) \$75

555HGDESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Hollowground Modified Sheepfoot; Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 2.91" (7.38cm) **BLADE THICKNESS:** 0.100" (2.54mm) **OPEN:** 6.78" (17.21cm) **CLOSED:** 3.87" (9.82cm) **WEIGHT:** 2.56oz (73gm) **HANDLE SPECS:** Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.51" (1.30cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 555HG \$90, 555SHG \$90, 555SBKHG \$102, 555SBKHGOD \$102, 555SHG-BLU \$90, 555HGS-YEL \$90



551 GRIPTILIAN® 556 MINI-GRIPTILIAN®

PARDUE design

- Two Sizes Available
- Ambidextrous Thumb-Stud Opener
- Grip Textured Molded Handle
- Premium AXIS Function
- Multiple Configurations Available



551DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Drop-Point; Dual Thumb-Stud **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.40" (8.64cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 8.07" (20.50cm) **CLOSED:** 4.62" (11.73cm) **WEIGHT:** 3.82oz (108.39gm) **HANDLE SPECS:** Black Glass Fill Noryl GTX®/Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.64" (1.63cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: **551** \$100, **551S** \$100, **551SBK** \$112, **551SBKOD** \$112, **551SBKSL** \$122, **551SBKSN** \$117, **551T** (440C Stainless Steel) \$75

556DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Drop-Point; Dual Thumb-Stud **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 2.91" (7.38cm) **BLADE THICKNESS:** 0.100" (2.54mm) **OPEN:** 6.78" (17.21cm) **CLOSED:** 3.87" (9.82cm) **WEIGHT:** 2.56oz (73gm) **HANDLE SPECS:** Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.51" (1.30cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: **556** \$90, **556S** \$90, **556SBK** \$102, **556SBKOD** \$102, **556-BLU** \$90, **556S-BLU** \$90, **556-YEL** \$90, **556S-YEL** \$90



553 GRIPTILIAN® TANTO 557 MINI-GRIPTILIAN® TANTO

PARDUE design

- Two Sizes Available
- Enhanced Blade-Tip Strength Design
- One-Hand Ambidextrous Function
- Stainless Steel Liners
- Movable Carry-Clip



553S

557SBK

553DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Tanto, Dual Thumb Stud **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.40" (8.64cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 8.07" (20.50cm) **CLOSED:** 4.62" (11.73cm) **WEIGHT:** 3.88oz (110gm) **HANDLE SPECS:** Black Glass Fill Noryl GTX®/Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.64" (1.63cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 553 \$100, 553S \$100, 553SBK \$112, 553SBKOD \$112, 553SBKSN \$117

557DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Tanto, Dual Thumb Stud **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 2.91" (7.38cm) **BLADE THICKNESS:** 0.100" (2.54mm) **OPEN:** 6.78" (17.21cm) **CLOSED:** 3.87" (9.82cm) **WEIGHT:** 2.67oz (75.70gm) **HANDLE SPECS:** Color Valox®; Double 410 Stainless Steel Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.51" (1.30cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 557 \$90, 557S \$90, 557SBK \$102, 557SBKOD \$102, 557SBKSN \$107



151 FIXEDGRIPTILIAN®

PARDUE design

Improve your “gripping” power... Built on the overwhelming success of the Griptilian folders, the fixed blade design can hold its own. Molded handle scales with “grippy” soft rubber inserts are a nice combination applied to a proven handle shape. The drop-pointed, full-grind blade packs more utility than you will ever need no matter how far you venture off the path. Look to the Grip to fix your outdoor knife demands.

- Mid-Sized for Comfortable Carry
- Optimum Utility Oriented Blade Style
- Multi-Feature Sheath Design
- High Value Price Point



151SBK

151

151 DESIGNER: Mel Pardue

BLADE STYLE: Modified Drop-Point

BLADE STEEL: 154CM Stainless Steel (58-61HRC)

BLADE LENGTH: 4.16" (10.56cm)

BLADE THICKNESS: 0.120" (3.05mm)

WEIGHT: 4.6Oz (130.41gm)

HANDLE SPECS: Black Color; Glass Reinforced Nylon With Santoprene™ Insert

HANDLE THICKNESS: 0.625" (1.59cm)

SHEATH: New MOLLE Compatible; Low Profile Ballistic Nylon; Molded Thermoplastic Insert

OVERALL LENGTH: 8.72" (22.15cm)

COUNTRY OF ORIGIN: USA

BLADE CONFIGURATIONS: 151 \$100,

151SBK \$112



151 SHEATH

NEW 672/670 APPARITION® OSBORNE design

With upgraded hollowground, D2 blade steel, Optimiser® assisted opening, and black G10 handle scales the 672 Apparition is the next in this line of “optional” assist folding knives. The optional assist allows you to remove the Optimiser assist bar to make your knife a manual folder. Yet another way to make this Benchmade your own.

- Option of Assist or Manual Opening
- Attractive Bolstered Handle Design
- Locking-Liner Mechanism
- Removable carry-Clip
- Hollowground Blade w/672



670 OPTIMISER® GIVES THE USER THE INDIVIDUAL CHOICE OF ASSIST OR MANUAL BLADE OPENING. SIMPLY REMOVE TORSION BAR FOR NON-ASSIST OPENING (MORE ON PAGE 52)

672/670 DESIGNER: Warren Osborne **LOCKING MECHANISM:** Modified Locking-Liner w/Optimiser **BLADE STYLE & OPENER:** 672 Hollowground Wharncliff, Thumb-Stud; 670 Wharncliff, Thumb-Stud **BLADE STEEL:** 672 D2 Tool Steel (60-62HRC); 670 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 672 3.30" (8.40cm); 3.30" (8.40cm) **BLADE THICKNESS:** 672 0.125" (3.18mm); 670 0.125" (3.18mm) **OPEN:** 672 7.70" (19.56cm); 7.70" (19.56cm) **CLOSED:** 4.40" (11.18cm) **WEIGHT:** 672 4.24oz (120.20gm); 670 5.32oz (152.24gm) **HANDLE SPECS:** 672 Black G10 Scales; Double 420J Stainless Steel Liners; Removable Steel Carry-Clip; 670 Cast Stainless Steel Bolster; Molded Scales; Double 420J Stainless Steel Liners; Removable Steel Carry-Clip **HANDLE THICKNESS:** 672 0.47" (11.95mm), 670 0.57" (1.45cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 672 \$160, 672SBX \$165, 670 \$150, 670S \$150

NEW
740 DÈJÁVOO™
745 MINI-DÈJÁVOO™

LUM design

You just might need to take a second look, the DèjàVoo is eye catching. Combining form and function, we have teamed up with Bob Lum to create a powerful design in cutting tools. The DèjàVoo goes round-hole for openers, is well balanced, and has high bevels for cutting utility. Premium components such as fully contoured G10 handle scales, phosphor bronze washers, titanium locking-liners and S30V blade steel are found in both sizes. You will only think you have seen this before...

- Ergonomic Handle Design
- Round Thumb-hole Opener
- Ultra-Premium Blade Steel
- Two Sizes Available



740DESIGNER: Bob Lum **LOCKING MECHANISM:** Modified-Locking Liner **BLADE STYLE & OPENER:** High Ground Utility, Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** S30V Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.95" (10.03cm) **BLADE THICKNESS:** 0.125" (3.18mm) **OPEN:** 9.12" (23.17cm) **CLOSED:** 5.17" (13.13cm) **WEIGHT:** 4.10oz (116.23gm) **HANDLE SPECS:** Full 3D Contoured Black G10 Handles; 420J Stainless Steel Support Liner, 6AL-4V Titanium Lock Liner; Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.66" (16.64mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **740** \$160, **740SBK** \$172

745DESIGNER: Bob Lum **LOCKING MECHANISM:** Modified-Locking Liner **BLADE STYLE & OPENER:** High Ground Utility, Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** S30V Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.23" (8.21cm) **BLADE THICKNESS:** 0.114" (2.90mm) **OPEN:** 7.69" (19.53cm) **CLOSED:** 4.42" (11.23cm) **WEIGHT:** 3.50oz (99.23gm) **HANDLE SPECS:** Full 3D Contoured Black G10 Handles; 420J Stainless Support Liner, 6AL-4V Titanium Lock Liner; Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.65" (16.51mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **745** \$140, **740SBK** \$152

530

PARDUE design

- Less Than 2-Ounce Weight
- Ultra-Slim Profile
- One-Hand Ambidextrous Function
- Movable Carry-Clip




530 DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Modified Spear-Point; Ambidextrous Thumb-Studs **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.25" (8.25cm) **BLADE THICKNESS:** 0.09" (2.28mm) **OPEN:** 7.42" (18.85cm) **CLOSED:** 4.17" (10.59cm) **WEIGHT:** 1.88oz (53.28gm) **HANDLE SPECS:** Noryl GTX® 830 Scales; Double 420J Liners; Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.366" (.930cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 530 \$100, 530SBK \$112



440 OPPORTUNIST®

OSBORNE design

- Ultra-Premium Grade Blade Steel
- Machined Jig-Patterned Aluminum Handles
- Stabilized Real Wood Handle Onlays
- Lightweight Everyday Pocket Carry
- Lanyard Pin



440 DESIGNER: Warren Osborne **LOCKING MECHANISM:** Modified Locking-Liner **BLADE STYLE & OPENER:** Modified Wharncliff, Thumb Stud **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 2.99" (7.59cm) **BLADE THICKNESS:** 0.114" (2.90mm) **OPEN:** 6.83" (17.35cm) **CLOSED:** 3.84" (9.75cm) **WEIGHT:** 1.70oz (48.20gm) **HANDLE SPECS:** Anodized 6061-T6 Aluminum with Jig Pattern, Stabilized Wood Scales, 6AL-4V Titanium Locking-Liner **HANDLE THICKNESS:** 0.485" (12.32mm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 440 \$150

630 SKIRMISH™

BLACKWOOD_{design}

- Near Custom-Grade Detailed Finish
- Flawless Titanium Monolock Function
- Titanium Handles
- Removable Carry-Clip



630DESIGNER: Neil Blackwood **LOCKING MECHANISM:** Monolock **BLADE STYLE & OPENER:** Modern Reverse Curve Interpretation; Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 4.30" (11.43cm) **BLADE THICKNESS:** 0.160" (4.06mm) **OPEN:** 9.80" (24.89cm) **CLOSED:** 5.50" (13.97cm) **WEIGHT:** 6.74oz (191.08gm) **HANDLE SPECS:** Bead Blast/Anodized 6AL 4V-Titanium Scales; Removable Steel Custom Carry-Clip **HANDLE THICKNESS:** 0.47" (1.19cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 630 \$260, 630BK \$272

NEW_{sbk}

635 MINI-SKIRMISH™

BLACKWOOD_{design}

- Flawless Titanium Monolock Function
- Ultra-Premium Grade Blade Steel
- Open Body Barrel Spacer Design
- Removable Carry-Clip



630DESIGNER: Neil Blackwood **LOCKING MECHANISM:** Monolock **BLADE STYLE & OPENER:** Modern Reverse Curve Interpretation; Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.43" (8.71cm) **BLADE THICKNESS:** 0.130" (3.30mm) **OPEN:** 7.73" (19.63cm) **CLOSED:** 4.30" (10.92cm) **WEIGHT:** 3.92oz (111.13gm) **HANDLE SPECS:** Bead Blast 6AL 4V-Titanium Scales, Removable Steel Custom Carry-Clip **HANDLE THICKNESS:** 0.435" (1.11mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 635 \$220, 635SBK \$232

NEW 201ACTIVATOR®+

SNODY design

The 201 Activator+ is sleek, comfortable and an all-around handful of outdoor utility. Let's talk versatility: lanyard hole and leather sheath, stabilized winewood handle scales for that classic but durable look, D2 high-grade tool steel, generous grooves on the blade spine for gripping power along with a large finger guard for safety. This is destined to be one of those knives headed for all points North (and anywhere in between).

- D2 Tool Steel for Improved Performance
- Stabilized Real Wood Handle Scales
- Leather Belt Carry Sheath with Snap Over
- High Value Price Point



201DESIGNER: Mike Snody **BLADE STYLE:** Utility **BLADE STEEL:** D2 Tool Steel (60-62HRC)
BLADE LENGTH: 3.63" (9.21cm) **BLADE THICKNESS:** 0.140" (3.57mm) **WEIGHT:** 5.00oz
(141.75gm) **HANDLE SPECS:** Full-Tang; Winewood Scales **HANDLE THICKNESS:** 0.54"
(13.59mm) **SHEATH:** Stitched Leather with Belt Loop; Color Dyed; Snap Over Strap **OVERALL
LENGTH:** 8.13" (20.64cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 201 \$130

210TK ACTIVATOR®

SNODY design

- Form Fitted Sheath for Tether Carry with Adjustable Knife Draw Tension
- Custom-Grade Styling



210DESIGNER: Mike Snody **BLADE STYLE:** Drop-Point Utility **BLADE STEEL:** S30V Premium Stainless Steel (58-60HRC) **BLADE LENGTH:** 2.125" (5.40cm) **BLADE THICKNESS:** 0.140" (3.56mm) **WEIGHT:** 2.50oz (70.87gm) **HANDLE SPECS:** Carbon Fiber Bolster w/ Silver G10 scales **HANDLE THICKNESS:** 0.392" (9.96mm) **SHEATH:** Kydex® Snap-Fit Tether Sheath **SHEATH WEIGHT:** 0.90oz (25.51gm) **OVERALL LENGTH:** 5.50" (13.97cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 210TK \$170

211 ACTIVATOR®

SNODY design

- D2 Tool Steel Full-Tang Blade
- Stabilized Real Wood Handle Scales
- Belt Carry Leather Sheath



211DESIGNER: Mike Snody **BLADE STYLE:** Drop-Point Utility **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 2.125" (5.40cm) **BLADE THICKNESS:** 0.140" (3.56mm) **WEIGHT:** 2.40oz (68.04gm) **HANDLE SPECS:** Full-Tang; Winewood Scales **HANDLE THICKNESS:** 0.392" (9.96mm) **SHEATH:** Deep-Pocket Textured Black Leather Belt-Carry **SHEATH WEIGHT:** 1.50oz (42.52gm) **OVERALL LENGTH:** 5.50" (13.97cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 211 \$110

100SH20

BENCHMADE design

- Super Corrosion Resistant Blade Steel
- Multi-Feature Molded Sheath



100SH20-BLK

100SH20

100DESIGNER: Benchmade **BLADE STYLE:** Modified Sheep's Foot **BLADE STEEL:** X15 T.N Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.23" (8.32cm) **BLADE THICKNESS:** 0.114" (2.90mm) **WEIGHT:** 4.00oz (128gm) **HANDLE SPECS:** Full-Tang; Day-glow Yellow Kydex® or Black G10 Scales **HANDLE THICKNESS:** 0.58" (1.48cm) **SHEATH:** Molded Kydex®/Thermoplastic; Reversible Lash Tab Carry-Clip **OVERALL LENGTH:** 7.50" (19.50cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 100SH20 \$140, 100SH20-BLK \$130

220 FIXEDRESISTOR®

SNODY design

- Thick, Full-Tang Blade
- Molded Belt Carry Sheath
- Skeletonized Handle for Balance and Grip
- Mid-Sized for Comfortable Carry, Even Active



220

220SBK

220DESIGNER: Mike Snody **BLADE STYLE:** Gotham Swedged Clip-Point **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.40" (8.64cm) **BLADE THICKNESS:** 0.160" (4.06mm) **WEIGHT:** 4.56oz (129.27gm) **HANDLE SPECS:** Full-Tang; Skeletonized G10 Scales **HANDLE THICKNESS:** 0.51" (12.95mm) **SHEATH:** Molded Kydex® w/Belt Loop **OVERALL LENGTH:** 7.45" (18.92cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 220 \$150, 220SBK \$162

32 MORPHO®

BENCHMADE design

BMK raises the bar on Bali once more! A patented liner-sprung latch opens with a squeeze, yet locks open, too. Solid, machined slab construction is built on jeweled ti-liners. Heat-treated kicker pins keep things rockin' hard and fast, and a practical blade shape is detailed out with a crowned blade spine. Others may get all the press, but Benchmade still owns the glory when it comes to Balis and the 32 proves it. Again.

- Machined Skeletonized G10 Handle Scales
- Next Generation Kicker-Pin Technology
- Compact Overall Design
- Titanium Carry-Clip



32 DESIGNER: Benchmade **LOCKING MECHANISM:** Spring Latch **BLADE STYLE:** Crowned Modified Spear-Point **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 3.25" (8.26cm) **BLADE THICKNESS:** 0.100" (2.57mm) **OPEN:** 7.29" (18.52cm) **CLOSED:** 4.39" (11.15cm) **WEIGHT:** 2.70oz (76.54gm) **HANDLE SPECS:** Machined and Skeletonized Black G10 Scales, 6AL 4V Blue Anodized and Jeweled Liners, 6AL 4V Blue Anodized and Laser Engraved Movable Titanium Carry-Clip **HANDLE THICKNESS:** 0.443" (11.25mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 32 \$220

42 BALI-SONG® 40TR BALI-SONG®

BENCHMADE design

- Practical Weehawk Blade Shape
- Skeletonized Titanium Handles
- Spring Latch for Easy Open
- Unparalleled Benchmade Fit and Finish
- Matching Trainer Model for Safer Practice



42 DESIGNER: Benchmade LOCKING MECHANISM: Integrated Spring Latch BLADE STYLE: Weehawk BLADE STEEL: 154CM Stainless Steel (58-61HRC) BLADE LENGTH: 4.20" (10.67cm) BLADE THICKNESS: 0.125" (3.18mm) OPEN: 9.40" (23.88cm) CLOSED: 5.54" (14.07cm) WEIGHT: 4.40oz (124.74gm) HANDLE SPECS: Skeletonized Cast 6AL-4V Titanium HANDLE THICKNESS: 0.53" (1.35cm) SHEATH: Soft; Belt Carry COUNTRY OF ORIGIN: USA BLADE CONFIGURATIONS: 42 \$230

40TR Same Size, Weight And Balance As Titanium Model 40 Series; Skeletonized Trainer Safe Blade (440C Stainless Steel) COUNTRY OF ORIGIN: USA BLADE CONFIGURATIONS: 40TR \$180

BLACKCLASS

Life and death is all in a days work for the professionals policing the streets, fighting the fires, and rescuing the injured. The Black Class knife is what's in their pockets because failure is not an option. The commitment to making a product that can hold up to the harshest conditions and still outperform others, translates into the Benchmade Black Class. If Benchmade is good enough for the professionals, it will most certainly perform for you.





BLACKDNA

FUNCTIONALINNOVATION

Blades:

Ultra-premium blade steels such as D2, S30V and 154CM edged with hair popping sharpness

Technology:

New innovations such as the Nitrous™ Assist Opener

Mechanisms:

AXIS® locks, Titanium locking-liners, and the BILT® system

Handles:

Multifunctional gripping patterns that exceed the demands of the toughest conditions

Materials:

Maximum durability, strength, and corrosion resistant

The Black Class knife is engineered to work first time, every time. All the right designs, materials and technologies combined to become the right tools for the job.



NEW features

912/913 NITROUS™ STRYKER®

BENCHMADE design

This year we took the Stryker and gave it a boost. With the new Nitrous assist opening mechanism, one of your most cherished knives just got better. The Nitrous mechanism is built directly into the liners, which propels the blade open with ease. We also upgraded to more tactile G10 handle scales, thumb studs and an overall cool new look. The 912 and 913 deliver on what it means to be a Black Class knife.

- Superior Quality D2 Tool Steel
- Double Titanium Locking-Liners
- G10 Textured Handle Scales
- Two Blade Style Options
- Nitrous Assist Opening Mechanism



913SBK

912SBK

TORSION IS CREATED BY SLOTTING THE LINERS, THE NITROUS TORSION ARMS PROPEL BLADE OPEN WITH EASE. (MORE ON PAGE 53)

912DESIGNER: Benchmade **LOCKING MECHANISM:** Modified Locking-Liner w/Nitrous™
BLADE STYLE & OPENER: Modified Tanto, Ambidextrous Thumb-Stud **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 3.70" (9.40cm) **BLADE THICKNESS:** 0.125" (2.46mm)
OPEN: 8.25" (20.96cm) **CLOSED:** 4.68" (11.89cm) **WEIGHT:** 3.80oz (108gm) **HANDLE SPECS:** Black G10 Scales, Double Titanium Liners, Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.48" (1.20cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 912D2 \$150, 912SBKD2 \$162

913DESIGNER: Benchmade **LOCKING MECHANISM:** Modified Locking-Liner w/Nitrous™
BLADE STYLE & OPENER: Modified Spear-Point, Ambidextrous Thumb-Stud **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 3.70" (9.40cm) **BLADE THICKNESS:** 0.125" (2.46mm)
OPEN: 8.25" (20.96cm) **CLOSED:** 4.68" (11.89cm) **WEIGHT:** 3.80oz (108gm) **HANDLE SPECS:** Black G10 Scales, Double Titanium Liners, Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.48" (1.20cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 913D2 \$150, 913SBKD2 \$162

520 PRESIDIO® 523 PRESIDIO® TANTO

PARDUE design

- Patented AXIS Mechanics
- One-Hand Ambidextrous Function
- Multi-Directional Positive Grip
- Fully-Adjustable Blade Pivot



520/523DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** 520 Drop-Point; 523 Tanto; Ambidextrous Thumb-Studs **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.42" (8.69cm) **BLADE THICKNESS:** 0.125" (3.17mm) **OPEN:** 8.29" (21.07cm) **CLOSED:** 4.87" (12.37cm) **WEIGHT:** 520 5.68oz (161.03gm); 523 5.84oz (165.56gm) **HANDLE SPEC:** Black Anodized; Machined 6061 T-6 Aluminum; Double 420J Liners; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.64" (1.625cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 520 \$180, 520SBK \$192, 520T (440C Steel) \$120, 523 \$180, 523SBK \$192



525 MINI-PRESIDIO®

PARDUE design

- Machined Aluminum Handles with Multi-Directional Positive Grip
- Optimally Sized for Versatile Carry
- Patented AXIS Mechanics
- Movable Carry-Clip



525DESIGNER: Mel Pardue **LOCKING MECHANISM:** AXIS Lock **BLADE STYLE & OPENER:** Drop-Point, Ambidextrous Thumb-Studs **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 2.97" (7.59cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 7.12" (18.08cm) **CLOSED:** 4.15" (10.54cm) **WEIGHT:** 3.70oz (104.89gm) **HANDLE SPECS:** Black Anodized; Machined 6061 T-6 Aluminum; Double 420J Liners; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.545" (13.84mm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 525 \$165, 525S \$165, 525SBK \$177



NEW^{sheath}

140 NIMRAVUS®

141 NIMRAVUS® TANTO

BENCHMADE^{design}

- Single Piece Full-Tang Tanto or Modified Tanto Blade Shape
- Large Finger Groove for Added Control
- Machined Aluminum or Optional G10 Handle Scales
- Multi-Feature Soft Sheath with MOLLE® Capability



140DESIGNER: Benchmade **BLADE STYLE:** Drop-Point **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) or D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 4.50" (11.43cm) **BLADE THICKNESS:** 0.115" (2.92mm) **WEIGHT:** 6.20oz (175gm) **HANDLE SPECS:** Full-Tang; Black Anodized Machined 6061 T-6 Aluminum **HANDLE THICKNESS:** 0.58" (1.48cm) **SHEATH:** Multi-Function Soft Sheath, Removable Pouch, Nylon **SHEATH WEIGHT:** 5.00oz (141.75gm) **OVERALL LENGTH:** 9.45" (24.00cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 140BK \$175, 140SBK \$175, 140BKD2 \$185, 140SBKD2 \$185, 140SBKSN \$190, 140SBK-ADC \$190, 140T \$130

141DESIGNER: Benchmade **BLADE STYLE:** Tanto **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) or D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 4.50" (11.43cm) **BLADE THICKNESS:** 0.115" (2.92mm) **WEIGHT:** 5.86oz (161.13gm) **HANDLE SPECS:** Full-Tang; Black Anodized Machined 6061 T-6 Aluminum **HANDLE THICKNESS:** 0.58" (1.48cm) **SHEATH:** Multi-Function Soft Sheath, Removable Pouch, Nylon **SHEATH WEIGHT:** 5.00oz (141.75gm) **OVERALL LENGTH:** 9.45" (24.00cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 141BK \$175, 141SBK \$175, 141BKD2 \$185, 141SBKD2 \$185, 141SBKSN \$190, 141SBK-ADC \$190



5 RESCUEHOOK

BENCHMADE design

- Unparalleled Rapid Response Cut Ability with a Safer Deployment Design
- Durable Edge Quality and Versatile Design
- Multiple Carry Options Available



CUTS QUICKLY, SAFELY AND EFFECTIVELY WITH PULLING MOTION



#981607

#981608

OPTIONAL LASH-TAB CARRY CLIP ASSEMBLY AVAILABLE SEPARATELY

STANDARD HARD SHEATH WITH TETHER (TETHER NOT PICTURED)

NOTE:
OTHER SHEATH OPTIONS AVAILABLE SEPARATELY SEE PAGE 58



5 DESIGNER: Benchmade **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE OPENING:** 0.50" (1.27cm) **BLADE THICKNESS:** 0.115" (2.92mm) **WEIGHT:** 1.20oz (34gm) **HANDLE SPECS:** Finger Hole 1.12" (2.85cm) **SOFT SHEATH:** Nylon Webbing Pouch/Velcro® Closure; MOLLE® Compatible **HARD SHEATH:** Molded Delrin® Snap-Fit (Varied Carry Options Available) **SOFT SHEATH WEIGHT:** 0.60oz (17gm) **HARD SHEATH WEIGHT:** 0.36oz (10.21gm) **OVERALL LENGTH:** 2.90" (7.37cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: **5** (Hard Sheath) \$38, **5BLK** (Hard Sheath) \$35, **5W** (Soft Sheath) \$28, **5BLKW** (Black Soft Sheath) \$25, **5BLKWSN** (Coyote Soft Sheath) \$25, **5BLKWADC** (Foliage Green Soft Sheath) \$25

6H20 RESCUE HOOK

BENCHMADE design

- Larger Handle Area for Heavy Gloved Grip
- Bright Yellow Handle for Improved Visibility
- Multiple Carry Options Available



6H20 DESIGNER: Benchmade **BLADE STEEL:** X15 T.N Stainless Steel (58-60HRC) **BLADE OPENING:** 0.50" (1.27cm) **BLADE THICKNESS:** 0.115" (2.92mm) **WEIGHT:** 2.30oz (65gm) **HANDLE SPECS:** 6H20 Steel w/ Yellow Kydex Overlay **HARD SHEATH:** Molded Delrin Snap-Fit (Varied Carry Options Available) **HARD SHEATH WEIGHT:** 0.36oz (10.21gm) **OVERALL LENGTH:** 4.25" (10.80cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **6H20** (Includes Hard Sheath) \$53

NEW 7HOOK

BENCHMADE design

- Larger Handle w/Vinyl Coating for Grip
- Multiple Grip Options for Specific Application
- Multiple Carry Options Available

WWW.7HOOK.COM

NOTE:
OTHER SHEATH OPTIONS
AVAILABLE SEPARATELY
SEE PAGE 57



ONE CHANCE
ONE CUT.

7DESIGNER: Benchmade **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE OPENING:** 0.50" (1.27cm) **BLADE THICKNESS:** 0.115" (2.92mm) **WEIGHT:** 1.50oz (43gm) **HANDLE SPECS:** Black Oxide Finish w/Grit Dipped Vinyl Handle Coating **SOFT SHEATH:** Nylon Webbing Pouch w/Velcro® Closure; Retention Band; MOLLE® Compatible **SOFT SHEATH WEIGHT:** 1.60oz (45.36gm) **OVERALL LENGTH:** 4.30" (10.92cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** **7BLKW** (Black Sheath) \$40, **7BLKWADC** (Foliage Green Sheath) \$40, **7BLKWSN** (Coyote Brown Sheath) \$40

156 CSK

BENCHMADE design

- Single Piece Full-Tang Clipped Blade Shape
- Thicker Blade Construction for Added Tool Strength
- Tactile Soft Surfacd Handle Grip Pattern
- Patented BILT® System Handle Assembly



156DESIGNER: Benchmade **BLADE STYLE:** Combat/Survival Bowie **BLADE STEEL:** D2 Tool Steel (60-62HRC), BT Coated **BLADE LENGTH:** 6.10" (15.50cm) **BLADE THICKNESS:** 0.175" (4.45mm) **WEIGHT:** 9.60oz (272.16gm) **HANDLE SPECS:** Black Kraton® Overlay with BILT® System **HANDLE THICKNESS:** 0.78" (1.97cm) **SHEATH:** Multi-Function Soft Sheath, Removable Pouch, Black Nylon **SHEATH WEIGHT:** 6.50oz (184.27gm) **OVERALL LENGTH:** 10.90" (27.69cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 156BT \$140, 156SBT \$140

NEW sheath

155 FIXED PRESIDIO®

OSBORNE design

- Single Piece Full-Tang Blade Construction
- Machined Aluminum Handles with Multi-Directional Positive Grip
- Modified Clip-Point Blade Shape with Generous Utility
- Multi-Feature Sheath for Versatile Tool Carry



155DESIGNER: Warren Osborne **BLADE STYLE:** Modified Clip-Point **BLADE STEEL:** 154CM Stainless Steel (58-61HRC), BK1 Coated **BLADE LENGTH:** 6.32" (16.05cm) **BLADE THICKNESS:** 0.180" (4.57mm) **WEIGHT:** 10.10oz (286.33gm) **HANDLE SPECS:** Full Tang, Black Anodized 6061 T-6 Aluminum Scales **HANDLE THICKNESS:** 0.60" (15.24mm) **SHEATH:** Multi-Function Soft Sheath, Removable Pouch, Black Nylon **SHEATH WEIGHT:** 6.50oz (184.27gm) **OVERALL LENGTH:** 11.40" (28.96cm) **COUNTRY OF ORIGIN:** USA
BLADE CONFIGURATIONS: 155BK \$232, 155SBK \$232, 155SBK-ADC \$232 (Foliage Green)



REDCCLASS

The Benchmade Red Class continues to provide high value opportunities to the first time knife buyers; while providing knife enthusiasts with a trusty tool at a tempting price. The commitment to quality and innovation are just the same, whether working with our select overseas manufactures or making it here ourselves. New designs this year from the Red Class provide you with options; while keeping your pocket book from going in the red.



REDDNA

FUNCTIONAL INNOVATION

Blades:

On average, higher grade steels than other manufacturers at this price level

Upgrades:

Committed to best in class offerings

Mechanisms:

Innovative designs such as the Rolling Lock®, Levitator® and BILT® systems

Materials:

Combination of high-grade materials at value pricing

Handles:

Modern ergos and comfortable designs that are exclusive to Benchmade



The Red Class is now more than ever Benchmade. With stepped up designs, innovation, materials and technologies — you get a high quality knife for an affordable price. Put a Red Class in your car, workshop or pocket... with this combination of quality and value you certainly will want to get one, if not many.

NEW
10750 VEX™
BENCHMADE^{design}

Don't be annoyed — the new VEX™ weighs in with a hefty combination of features, technologies and value. Enhancements such as a round thumb-hole opener, crowned blade spine, BP Titanium coated blade, liners and clip, along with G10 handle scales make this one force to be reckoned with.

- **Textured G10 Handle**
- Deep Pocket Carry Ergonomic Clip
- **Ambidextrous Thumb-Hole Opener**
- Lanyard Hole w/Bushing
- **Physical Vapor Deposition (PVD) Black Pearl (BP) Coating: Very Hard and Scratch Resistant**



10750 DESIGNER: Benchmade **LOCKING MECHANISM:** Locking-Liner **BLADE STYLE & OPENER:** Modified Drop-Point w/Ambidextrous Functioning Thumb-Hole Opener **BLADE STEEL:** 8Cr14MoV Stainless Steel (56-58HRC) **BLADE LENGTH:** 3.29" (8.37cm) **BLADE THICKNESS:** 0.108" (2.74mm) **OPEN:** 7.72" (19.61cm) **CLOSED:** 4.43" (11.25cm) **WEIGHT:** 4.70oz (133.24gm) **HANDLE SPECS:** Black G10 Handle Scales; BP Coated 420J Stainless Steel Liners; Ergonomic Finger Grooved Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.514" (1.31cm) **COUNTRY OF ORIGIN:** China
BLADE CONFIGURATIONS: **10750BP** \$60, **10750SBP** \$60

NEW features

10402 PIKA® II

10412 MINI-PIKA® II

BENCHMADE design

They just got a “hole” lot better. Both the Pika II and the Mini-Pika II have been retooled, and reengineered to raise the bar on the Red Class. We decided to step up the design and function by adding the triple-grip pattern, ambidextrous round thumb-hole openers along with multiple carry-clip locations. Welcome to the next generation.

- Glass Filled Nylon Handle Scales

- Dual Stainless Steel Liners for Added Strength

- Ambidextrous Functioning Thumb-Hole Opener

- Four Carry-Clip Locations for Multiple Deep-Carry Options



10402 DESIGNER: Benchmade **LOCKING MECHANISM:** Lock Back **BLADE STYLE & OPENER:** Clip-Point; Ambidextrous Thumb-Hole **BLADE STEEL:** 9Cr13CoMoV Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.50" (8.89cm) **BLADE THICKNESS:** 0.118" (2.92mm) **OPEN:** 8.32" (21.13cm) **CLOSED:** 4.82" (12.24cm) **WEIGHT:** 3.88oz (110gm) **HANDLE SPECS:** Glass Filled Nylon; 420J Stainless Steel Liners; Multiple Placement Steel Carry-Clip **HANDLE THICKNESS:** 0.453" (1.150cm) **COUNTRY OF ORIGIN:** China **BLADE CONFIGURATIONS:** 10402 \$40, 10402S \$40

10412 DESIGNER: Benchmade **LOCKING MECHANISM:** Lock Back **BLADE STYLE & OPENER:** Clip-Point; Ambidextrous Thumb-Hole **BLADE STEEL:** 9Cr13CoMoV Stainless Steel (58-60HRC) **BLADE LENGTH:** 2.90" (7.37cm) **BLADE THICKNESS:** 0.110" (2.79mm) **OPEN:** 6.97" (17.71cm) **CLOSED:** 4.07" (10.34cm) **WEIGHT:** 2.75oz (78gm) **HANDLE SPECS:** Glass Filled Nylon; 420J Stainless Steel Liners; Multiple Placement Steel Carry-Clip **HANDLE THICKNESS:** 0.44" (1.11cm) **COUNTRY OF ORIGIN:** China **BLADE CONFIGURATIONS:** 10412 \$35, 10412S \$35

10450 PIKA® TANTO

BENCHMADE^{design}

- High Clip Placement for Discreet Carry
- Right and Left Hand Friendly
- All-Weather Grip Pattern
- Ergonomic Handle Design



10450DESIGNER: Benchmade **LOCKING MECHANISM:** Lock Back **BLADE STYLE & OPENER:** Modified Tanto; Ambidextrous Thumb-Disk **BLADE STEEL:** N690 Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.50" (8.89cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 8.30" (21.08cm) **CLOSED:** 4.80" (12.18cm) **WEIGHT:** 2.88oz (81.65gm) **HANDLE SPECS:** Molded Thermoplastic; Movable Steel Carry-Clip **HANDLE THICKNESS:** 0.45" (1.15cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** 10450SB \$45

10300 MONOCHROME®

BENCHMADE^{design}

- Thumb-Stud Opener for Ambidextrous Use
- Textured Handle for Ample Grip
- Lightweight for Comfortable Carry



10300DESIGNER: Steirer Eisen **LOCKING MECHANISM:** Monolock **BLADE STYLE & OPENER:** Drop-Point Utility w/ Dual Thumb-Studs **BLADE STEEL:** N690 Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.04" (7.72cm) **BLADE THICKNESS:** 0.115" (2.92mm) **OPEN:** 7.37" (18.72cm) **CLOSED:** 4.345" (10.04cm) **WEIGHT:** 3.84oz (108.86gm) **HANDLE SPECS:** 420J Stainless Steel; Removable Steel Carry-Clip **HANDLE THICKNESS:** 0.354" (0.09cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** 10300 \$50, 10300S \$50, 10300B-BLK \$60, 10300SB-BLK \$60

NEW
10100LFK
BENCHMADE^{design}

That's not a knife — THIS is a knife. Introducing the 10100 LFK to the Red Class. With 5.20 inches of folding blade and a 6.70 inch closed length you are going to wonder how it all fits. The innovative tail fin design rotates open and closed in tandem with the blade. It allows for a much larger blade in proportion to handle size. Complete with locking liner, corrosion resistant materials and pocket carry clip the LFK is anything but small.

• **Machined Aircraft Grade Aluminum w/Santoprene Overmold**

• Corrosion Resistant Materials

• **Ambidextrous Opening**

• Textured Handle



10100DESIGNER: Benchmade **LOCKING MECHANISM:** Locking-Liner **BLADE STYLE:** Clip-Point
BLADE STEEL: 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 5.20" (13.21cm) **BLADE THICKNESS:** 0.118" (2.98mm) **OPEN:** 10.25" (26.06cm) **CLOSED:** 6.70" (17.02cm) **WEIGHT:** 6.70oz (189.94gm) **HANDLE SPECS:** Machined 6061-T6 Aluminum with Santoprene Overmold **HANDLE THICKNESS:** 0.76" (19.33mm) **COUNTRY OF ORIGIN:** Taiwan
BLADE CONFIGURATIONS: 10110 \$100, 10110SBP \$110

10110S SALMON RIVER FOLDING FILLET 10115 SALMON CREEK FOLDING FILLET

STEIGERWALT design

- Lightweight
- Slim Profile
- Large Fillet Blade
- Thermoplastic Overmold Adds Grip



Pull Tab to release tail-lock



Open blade



Push in tail-lock to lock blade



10110S DESIGNER: Ken Steigerwalt **LOCKING MECHANISM:** Sliding Tail-Lock **BLADE STYLE:** Fillet **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC) **BLADE LENGTH:** 7.09" (18cm) **BLADE THICKNESS:** 0.068" (1.71mm) **OPEN:** 13.78" (35cm) **CLOSED:** 8.52" (21.64cm) **WEIGHT:** 3.00oz (85.05gm) **HANDLE SPECS:** Glass Filled Nylon with Thermoplastic Over-mold **HANDLE THICKNESS:** 0.526" (13.36mm) **SHEATH:** Black Nylon Pouch with Belt-Loop and Snap Closure **SHEATH WEIGHT:** 0.66oz (18.71gm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** **10110S** \$35

10115 DESIGNER: Ken Steigerwalt **LOCKING MECHANISM:** Sliding Tail-Lock **BLADE STYLE:** Fillet **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC) **BLADE LENGTH:** 5.80" (14.73cm) **BLADE THICKNESS:** 0.063" (1.60mm) **OPEN:** 11.38" (28.91cm) **CLOSED:** 7.00" (17.78cm) **WEIGHT:** 1.70oz (48.19gm) **HANDLE SPECS:** Glass Filled Nylon with Thermoplastic Overmold **HANDLE THICKNESS:** 0.449" (11.40mm) **SHEATH:** Black Nylon Pouch with Belt-Loop and Snap Closure **SHEATH WEIGHT:** 0.78oz (22.11gm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** **10115** \$30

NEW 10105ERT-1™ BENCHMADE design

The ERT-1 provides you options when you need them most. Benchmade engineers combined the proven cutting technology of our professional use Rescue Hooks (see pg 32) into a tool that cuts seatbelts, breaks glass, and can provide light with the click of a button. Completely functional while submerged the ERT-1 can be used in a multitude of emergency response situations. Even more amazing is the price. Piece of mind has never been so affordable.

- Folding Hook Blade
- Spring Loaded Glass Breaker
- Submersible LED light
- Multiple Carry Options with Carry-Clip



10105ERT-1DESIGNER: Benchmade
LOCKING MECHANISM: Lockback
BLADE STYLE & OPENER: Hook Blade w/
Ambidextrous Thumb-Stud
BLADE STEEL: 9Cr13CoMoV Stainless Steel
(58-60HRC)
BLADE OPENING: .50" (0.95cm)
BLADE THICKNESS: 0.10" (2.54mm)
OPEN: 5.90" (14.99cm)
CLOSED: 4.67" (11.86cm)
WEIGHT: 3.60oz (102.06gm)
HANDLE SPECS: Molded Thermoplastic
w/LED light and Glass Breaker; 420J Stainless
Steel Liners; Removable Steel Carry-Clip
HANDLE THICKNESS: 0.58" (1.47cm)
COUNTRY OF ORIGIN: China
BLADE CONFIGURATIONS: 10105ERT-1 \$40



CUTS QUICKLY, SAFELY
AND EFFECTIVELY WITH
PULLING MOTION

QUICKLY, SAFELY
AND EFFECTIVELY SHATTERS
MANY TYPES OF GLASS



10200 AMBUSH®

PARDUE design

- Large Blade Belly
- Utilizes InDraft® Mechanics for Safety
- Stain Resistant Materials
- Multiple Carry Options



10200DESIGNER: Mel Pardue **LOCKING MECHANISM:** Rolling Lock® **BLADE STYLE & OPENER:** Drop-Point Utility; Ambidextrous Thumb-Studs **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.94" (10.00cm); **BLADE THICKNESS:** 0.118" (3.00mm) **OPEN:** 9.26" (23.52cm) **CLOSED:** 5.32" (13.51cm) **WEIGHT:** 5.88oz (166.70gm) **HANDLE SPECS:** Diecast Aluminum; Double 420J Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.55" (1.408cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** **10200** \$70, **10200S** \$70, **10200SB** \$75

10210 MINI-AMBUSH®

PARDUE design

- InDraft® Mechanics add Safety
- Ambidextrous Carry Options
- Textured Handle adds Grip



10210DESIGNER: Mel Pardue **LOCKING MECHANISM:** Rolling Lock® **BLADE STYLE & OPENER:** Drop-Point Utility; Ambidextrous Thumb-Studs **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC) **BLADE LENGTH:** 2.96" (7.52cm); **BLADE THICKNESS:** 0.118" (3.00mm) **OPEN:** 6.94" (17.63cm) **CLOSED:** 3.98" (10.12cm) **WEIGHT:** 2.86oz (81.08gm) **HANDLE SPECS:** Thermoplastic; Double 420J Liners; Reversible Steel Carry-Clip **HANDLE THICKNESS:** 0.457" (11.62cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** **10210** \$50, **10210S** \$50, **10210SB** \$55

10610 BENCHMITE® II

MCHENRY & WILLIAMS design

- Drop-Point Blade Maximizes Cutting Surface Area
- Levitator® Lock Secures Blade Open and Closed
- Blank Handle Scale can be Personalized
- Weighs Less Than 2 Ounces



10610DESIGNER: Bill McHenry & Jason Williams **LOCKING MECHANISM:** Levitator® Lock
BLADE STYLE & OPENER: Modified Drop Point, Nail Nick **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC) **BLADE LENGTH:** 1.92" (4.88cm) **BLADE THICKNESS:** 0.086" (2.18mm)
OPEN: 4.76" (12.09cm) **CLOSED:** 2.83" (7.19cm) **WEIGHT:** 1.60oz (45.36gm) **HANDLE SPECS:** 420 Stainless Steel Scales, 420 Stainless Steel Single-Sided Liner, 420 Stainless Steel Spacer; 10610BP with BP Coated Blade and Outer Handle Scales **HANDLE THICKNESS:** 0.242" (6.15mm)
COUNTRY OF ORIGIN: Taiwan
BLADE CONFIGURATIONS: **10610** \$35, **10610BP** \$40

10600 SNIPE®

FECAS design

- Tip Down Carry for Amplified Safety
- Open Choil for Ease of Sharpening
- Clip Placed for Discreet Carry
- Levitator® Lock Easy to Use



10600DESIGNER: Steve Fecas **LOCKING MECHANISM:** Levitator® Lock **BLADE STYLE & OPENER:** Modified Drop Point; Thumb-Stud **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC)
BLADE LENGTH: 3.97" (10.08cm); **BLADE THICKNESS:** 0.095" (2.41mm) **OPEN:** 9.30" (23.62cm) **CLOSED:** 5.33" (13.54cm) **WEIGHT:** 5.62oz (159.32gm) **HANDLE SPECS:** Molded Thermoplastic, Removable Steel Deep Carry-Clip **HANDLE THICKNESS:** 0.597" (15.16mm)
COUNTRY OF ORIGIN: Taiwan
BLADE CONFIGURATIONS: **10600** \$50, **10600S** \$50, **10600SB** \$55

10500 RANT® BOWIE

PARDUE design

- B.I.L.T.® System for Easy Maintenance
- Hollow Ground Blade has Very Fine Edge
- Molded Grip Pattern Enhances Grip
- Thick Bolster Amplifies Safety



10500 DESIGNER: Mel Pardue **BLADE STYLE:** Clip-Point Bowie **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.95" (10.03cm) **BLADE THICKNESS:** 0.139" (3.53mm) **WEIGHT:** 6.16oz (174.633gm) **HANDLE SPECS:** Polypropylene w/ Black Kraton® Overmold; w/ BILT® System **HANDLE THICKNESS:** 0.88" (2.23cm) **SHEATH:** Black Leather w/ Belt-Loop **OVERALL LENGTH:** 8.58" (21.79cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** 10500 \$65

10505 RANT® DPT

PARDUE design

- Molded Handle Adds Gripping Power
- B.I.L.T.® System Increases Assembly Integrity
- Molded Sheath Interior for Snug Fit
- Drop-Point Blade



10505 DESIGNER: Mel Pardue **BLADE STYLE:** Drop-Point **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 4.48" (11.38cm) **BLADE THICKNESS:** 0.139" (3.53mm) **WEIGHT:** 6.40oz (181.44gm) **HANDLE SPECS:** Polypropylene w/ Black Kraton® Overmold; w/ BILT® System **HANDLE THICKNESS:** 0.88" (2.23cm) **SHEATH:** Black Ballistics Nylon w/ Belt Loop **OVERALL LENGTH:** 9.11" (23.14cm) **COUNTRY OF ORIGIN:** Taiwan **BLADE CONFIGURATIONS:** 10505 \$65

10510 GAMER®

FECAS design

- Textured Handle for Increased Grip
- Full-Tang Blade adds Strength
- Slim Profile for Carry Comfort
- Grip Ridges for Added Safety



10510 DESIGNER: Steve Fecas **BLADE STYLE:** Clip-Point **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 4.11" (10.44cm) **BLADE THICKNESS:** 0.113" (2.87mm) **WEIGHT:** 3.58oz (101.491gm) **HANDLE SPECS:** Thermoplastic, Full Tang **HANDLE THICKNESS:** 0.425" (1.08cm) **SHEATH:** Black Thermoplastic w/ Multiple Carry Options **OVERALL LENGTH:** 8.84" (22.45cm) **COUNTRY OF ORIGIN:** Taiwan
BLADE CONFIGURATIONS: 10510 \$40, 10510S \$40

10536BP INSTIGATOR®

SNODY design

- Molded Handle adds Gripping Power
- Molded Sheath Interior for Snug Fit
- Modified Spear-Point Blade



10536 DESIGNER: Mike Snody **BLADE STYLE:** Modified Wharncliff **BLADE STEEL:** AUS-8 Stainless Steel (58-60HRC), BP Coated **BLADE LENGTH:** 3.28" (8.33cm) **BLADE THICKNESS:** 0.123" (3.12mm) **WEIGHT:** 2.30oz (65.2gm) **HANDLE SPECS:** AUS 8 Stainless Steel, Skeletonized, Full Tang **HANDLE THICKNESS:** 0.123" (3.12mm) **SHEATH:** Snap-Fit Molded Kydex®/Thermoplastic With Tether **OVERALL LENGTH:** 7.38" (18.79cm) **COUNTRY OF ORIGIN:** Taiwan
BLADE CONFIGURATIONS: 10536BP \$50

...to be thrown with
deadly force.

...wet, damp or p...

WARNING!



EXPECTMORE

Edged tools that combine innovation, high technology, superior materials and a passion to make the best knives possible... it's Benchmade. The focus is to always be looking for ways to improve and give the customer the best product for the task. We didn't invent the knife; we simply listened to you, and improved it.

WHAT'S IN A KNIFE?

STRONGER. BETTER. SAFER. SMARTER.

Everyday, whether at work, at home or at play, you are presented with options. Options to accept complacency or the opportunities to search out a better way. And so it is with knives, the option to have the best tool for the job.

Too often people take their choice of knives for granted when the reality is that if they took the extra time to learn the true differences, it could translate into extra time and money saved over the long haul.

Easier access, enhanced edge retention, durability, and higher standards of manufacturing qualities equate to enhanced performance—more value for the money.

Like most things, knives have evolved over the years. It's well worth your while to take some time to seek out the modern advantages.

There are some very important considerations when it comes to selecting and purchasing a knife. The alternative could mean frustration with a dull knife, or it could mean regret of something more serious. *The choice is yours.*

MECHANISM

Can I open and close it easily, and with one hand? Will it open and close intuitively? **Does it stay open or closed reliably?** Is it intended to enhance user tool function, or only manufacturer tool sales?

DESIGN

Is it a practical one? Will the blade shape offer good utility? **Does it fit my hand?** Will it support my cutting tool needs?

MATERIALS

Do the materials enhance its performance, or offer improved levels over others? Are the materials strong, durable and offer added value? **How often will it have to be resharpened?**

QUALITY

Does it feel solid and well built? Does the blade wobble? Do all of the components fit together properly? **Will the manufacturer warranty any issues?**

FORWARD THINKING

You must have it to succeed. And to make certain it never fades, we established the Benchmade Custom Design Team. It's founded on the premise of a high regard for the individual custom knife maker who pours their genuine passions, and given talents into making unique realities one piece at a time. To them, it goes beyond earning a living, it's an opportunity to express their own interpretations of cutting edge design.

Benchmade has perfected a collaboration of efforts with these rogues of conformity, tapping into the newest in locking mechanisms, progressive designs, and the latest in materials. Ultimately, this intellectual exchange transpires into something special in the form of a Benchmade knife.

THE DESIGNERS

MEL PARDUE

The senior team member, Mel has been grinding sparks, making knives and creating a following for 20-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

BILL McHENRY & JASON WILLIAMS

It runs in the family... Bill and stepson Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents compliment one another very well, and have led to several noteworthy innovations in the knife making world. Benchmade was fortunate to be involved with one such innovation, the AXIS mechanism. The rest is history in the making.

WARREN OSBORNE

Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.

STEVE FECAS

The mystique of custom knives, and what they have to offer, caught Steve's eye nearly 30 years ago, and he has been creating his own mystique ever since. The Fecas designs offer a stylish, swept-back profile all their own.

ARMIN STUETZ

Armin has been making his fascination with knives a livelihood for many years. Steirer Eisen, his own knife manufacturing company, is located in Styria, Austria. He brings an international presence to the team and says he is only satisfied when his customers are satisfied. Hmm...sounds familiar.

MIKE SNODY

Exploding into the knife making world, Mike has successfully created a name for himself in a short amount of time by wrapping solid function in the guise of contemporary design. His design influence is derived from his own personal experiences. And his "sensitive" side certainly hasn't held him back either.

NEIL BLACKWOOD

A lifelong hobby turned fulltime profession, Neil grew up naturally working with his hands as his father was a shop teacher. His custom work really takes advantage of the latest materials and works them into creative reflections of his detailed eye. He says if his love of what he does ever fades, he will pick up a fishing pole.

KEN STEIGERWALT

In 1978 at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knifemaking was going to be his full time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style and describes his work as a passion and a journey to build a better knife than the last.

BOB LUM

The newest exclusive designer to the Benchmade team, Bob Lum, brings over 30 years of knife designing expertise to the table. Bob infuses his creativity into every design to create the highest quality knife possible. Growing up in the Pacific Northwest has given him an appreciation for a fine knife, which comes through in his designs.



Located in the beautiful Pacific Northwest, Benchmade employees are able to work and play in some of the best backyards on the planet.

Mt. Hood can be seen from the facility.

THE MINDSET

It all starts with a commitment to innovation. And for us, it goes beyond simply being innovatively different—Benchmade continually strives to be innovatively better. We believe that when a customer chooses to purchase a Benchmade, they don't do so just to be different, they do so because they want the best. This mindset of innovating for improvement is alive and well throughout Benchmade, it goes into every design, and comes out of every product. Admittedly, it's definitely not the easiest way to make knives, but it's the only way we know how.

ENGINEERING

Rocket science? Ok, well almost. It all starts with a dedicated Engineering department hell bent on getting it right—before a milling machine ever starts. It means taking an often times custom design concept and unique designer personality, and then translating it into computer renderings and programs for a multitude of individual manufacturing processes. Our engineers are continually checking and rechecking for perfection, and we are fully integrated with our outside manufacturing partners to ensure our Benchmade quality standards are adhered to. From the latest computer aided design (CAD) software and 3-D modeling technologies to

just plain knife-know-how gained from years of experience, it's a test of wills. And when the final prototype is signed off on, the customer always wins.

MANUFACTURING

The Benchmade manufacturing arsenal contains ultra-modern laser cutters and machining centers dialed in for spot-on tolerances of 0.0005" on command. Our computerized machining centers offer the precision and control usually found only in the aerospace industry. Most of our products are hand assembled for a "go together" fit and finish typically seen only in a custom knife. But it's more than just having modern equipment, for Benchmade, it's having a workforce of dedicated and professionally skilled people knowing how to make it all work together. We also work with a specially select group of outside manufacturing partners, who are willing to go beyond working for us—they work with us to deliver the best product regardless of price point. It's a lot of effort for just a knife, which is why Benchmade knives aren't "just a knife"... they're engineered cutting tools founded on function, built for performance and recognized for both.


FUNCTIONAL INNOVATION

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process, which can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can the knife be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

Benchmade offers several mechanisms, from patented exclusives including the unparalleled AXIS, to more traditional lock back designs. It all comes down to your level of desired function.

LOCKING MECHANISMS & ASSEMBLIES



AXIS®



A patented Benchmade exclusive, AXIS has been turning heads and winning fans ever since its introduction. A 100-percent ambidextrous design, AXIS gets its function from a small, hardened steel bar which rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spanning the liners and positioned over the rear of the blade. It engages a ramped, tang portion of the knife blade

when it is opened. Two omega style springs, one on each liner, give the locking bar it's inertia to engage the knife tang, and as a result the tang is wedged solidly between a sizable stop pin and the AXIS bar itself.



ROLLING LOCK® WITH INDRAFT®





Another patented Benchmade exclusive, the Rolling Lock utilizes a sizable, notched lock-pin which secures against the blade tang when engaged. To disengage, a spring actuated thumb button on the right handle side is drawn back to rotate the lock-pin and free the blade. InDraft, a patented exclusive, is a combination of a slotted liner and a pin in the blade tang working in tandem to generate an inward inertia when closing the blade. This results in one of the safest blade detents available today.

LEVITATOR®

A patented Benchmade exclusive, the knife handle scale/liner is cut to create a spring system which is used to leverage a lock-pin in and out of a notch in the tang of the blade. This spring/pin system effectively locks the blade both in the open and closed positions. (See picture on page 52)





MODIFIED LOCKING-LINER




The basic principle is an integral locking bar within the knife liner being stress bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right or left hand specific). And with a Benchmade modified locking-liner you get a patented feature which helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get the best of both, and we offer it in a variety of knives.

OPTIMISER®





Another patented Benchmade exclusive, which “optimizes” the knife mechanism if the user chooses to do so... A steel torsion bar running the length of the inside handle spine is secured in place and contacts a surface area of the blade tang. As the blade is closed the torsion bar is tensioned against the blade tang, then as the user rotates the blade open to a 30-degree angle, the torsion bar takes over and continues the blade opening process on its own. The huge advantages to the Optimiser design over other similar concepts, is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control. And even more amazing, the Optimiser can be added or removed at the discretion of the user and the knife/mechanism still functions normally. The choice is yours.

BILT® SYSTEM





A patented Benchmade exclusive, the BILT System (Bolted InLine Tang) simplifies fixed blade handle assembly process, while at the same time strengthening the overall assembly itself. A long nut is positioned in the slotted full-tang; a hardened bolt is passed through the butt-cap and then threaded into the nut drawing the handle assembly together for a solid fit.

MONOLOCK



The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.



LOCK BACK



A basic functional lock that is relatively simple and low cost to manufacture. In practice the lock design

positions a stop bar parallel to and in direct line with the blade at the upper back or rear tang of the blade to lock the blade open. Basically, as the blade is rotated open, the spring tensioned, center pivoted stop bar tracks around the circular portion of the blade tang until it drops or locks into the notched out tang. And to release the lock, the exposed portion of the stop bar in the handle back is depressed into the handle, pivoting the stop bar out, releasing the locked blade. This style of mechanism requires two hands to safely close the blade although you may still easily open the blade single-handed if desired.

NITROUS™



Another patented Benchmade exclusive, the Nitrous boosts the blade with ease. As the blade is closed the two torsion arms which run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantages to the Nitrous design over other similar concepts, is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control. The choice is yours.

ADVANCED MATERIALS

So what's it made of? Which blade steel is best? Just a couple of the questions we are asked when people see our knives, and the answers come down to this— Benchmade uses a variety of modern materials specially selected for their superior performance characteristics.

We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it of the materials which compliment its form and enhance its function. And in some instances it's more than just selecting a certain material, it's what we do to it to bring out the extra edge which sets us apart from everyone else. Bottom line, we would much rather overbuild a knife than risk the alternative—we thought you would like that, too.

STEEL	CARBON	CHROMIUM	COBALT	NITROGEN	MANGANESE	MOLYBDENUM	NICKEL	PHOSPHOROUS	SILICON	SULPH	TUNGSTEN	Vanadium	HRC
154CM	1.05	14.00	-	-	0.30	4.00	-	-	0.30	-	-	-	56-60
A15-34	1.05	14.00	-	-	0.40	4.00	-	0.03	0.35	0.02	-	-	56-60
S30V	1.45	14.00	2.00	-	0.50	2.00	-	-	0.50	-	-	4.00	58-60
X15.T.N	0.40	16.00	-	-	-	2.00	-	< 0.02	-	< 0.005	-	-	58-60
M2	0.85	4.15	-	0.30	0.30	5.00	0.30	-	0.30	-	5.50-6.75	-	60-65
D2	1.50	12.00	-	0.30	0.60	1.00	0.30	-	0.60	-	-	-	57-61
440A	0.65	17.00	-	-	1.00	0.75	-	0.04	1.00	0.03	-	-	55-57
N690	1.07	17.00	1.50	-	1.00	1.10	-	0.04	0.40	-	-	0.10	58-60
440C	0.75	17.00	-	-	1.00	0.75	-	0.04	1.00	0.03	-	-	58-60
8CR12MOV	0.75	14.50	-	-	1.00	0.20	-	0.03	1.00	0.03	-	0.20	57-58
AUS-8	0.75	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	0.20	58-59
4Z0HC	0.46	13.00	-	-	0.40	-	-	-	0.40	-	-	0.30	56-60
AUS-10	1.00	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	0.20	59-60
B6-42	1.15	14.50	-	-	0.50	4.00	-	-	0.30	-	-	1.20	61-63
CPM(D)440V	2.15	17.00	-	-	0.40	1.00	-	-	0.40	-	-	5.50	55-57
9CR13COMOV	0.85	13.50	1.00	-	1.00	0.20	-	-	-	-	-	0.20	57-58

BLADE STEELS & FINISHES

154CM

An American made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

S30V

An American made and developed premium grade stainless steel created especially for knives. It is a powder made steel with a uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities.

D2

An air-hardened tool steel, which offers good corrosion resistance and excellent mileage in wear resistance. A good choice for hard use applications.

440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to sharpen. An excellent value priced steel for its performance.

N690

An Austrian made stainless steel, which is comparable to 440C in performance and value. Keen edge qualities with great corrosion resistance.

9Cr13CoMoV

A Chinese made high-carbon stainless steel with increased levels of cobalt added for greater edge retention. Offers a higher level of corrosion resistancy at a great value.

AUS-8

A Japanese made medium-carbon, high chromium stainless steel, which offers a good balance of toughness, edge sharpness and corrosion resistance.

8Cr14MoV

A Chinese steel with similar performance characteristics to AUS-8. An excellent value priced steel for its performance.

X15 T.N

This French steel was developed for the aircraft industry for jet ball bearings, as well as the medical industry for scalpels. It has the ability to resist rust in the worst of conditions while maintaining ample edge retention. The capability behind this steel is in the way it is manufactured, resulting in the finest steel for use in harsh environments such as salt water. The edge on an X-15 T.N blade is easier to maintain.

DAMASCUS

A specially forged, layered steel made up of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch, which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

BK1® COATING

BK1 coating. It is a matte black coating that provides excellent corrosion protection, which exceeds the ASTM-117 spec for saltwater while possessing higher scratch resistance.

BT2® COATING

A proprietary blade coating that is Xylan® based to provide excellent corrosion resistance which exceeds the ASTM-117 spec for saltwater and increases overall surface lubricity.

BP1 COATING

Black Pearl (BP) is a PVD (physical vapor deposition) coating made up of Titanium Carbo-Nitride (TiCN for short). It is a darker, near black, scratch resistant coating with nice decorative qualities.

COMBOEDGE®

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting or rope.

HEAT-TREATMENT

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steels' molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

HANDLES

CARBON FIBER

A contemporary, premium composite of thin strands of carbon tightly woven into various weave patterns, then set in resin, which is most commonly clear but can be color tinted. It offers great looks and is exceptionally strong for its minimal weight.

STABILIZED WOOD

Select hardwood veneers are vacuum impregnated with special dyes and resins. Sheets are layered and combined under tremendous heat and pressure to adhere the veneers for a durable real wood medium.

MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

6061 T-6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized to spec.

KRATON®

A thermoplastic elastomer offering excellent flexibility and memory elasticity even under harsh conditions. It is over-molded onto the handle for added grip surface and tactile qualities.

NORYL GTX®

A modern engineered plastic offering high-strength, minimal flex and optimally lightweight properties. Molded to form.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is available in various colors, too.

ZYTEL®

A lightweight glass filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine related components. Molded to form.

KYDEX®

A mixture of acrylic and PVC, which offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industry. Molded or thermo-formed.

DELRIN®

A lightweight and durable engineered polymer with low wear properties. Used throughout the auto industry. Molded to form.

VALOX®

A reinforced resin with excellent stiffness, strength and dimensional stability. Molded to form.

ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

LINERS

6AL 4V-TITANIUM

Considered an exotic metal alloy (Titanium + 6% Aluminum + 4% Vanadium) with an excellent strength to weight ratio, which offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

420J STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel which offers excellent bend toughness and wear ability. It offers excellent corrosion resistant characteristics as well. Also used in handles.

SHEATHS

BALLISTICS NYLON

A heavy duty woven nylon fabric originally developed for use in bullet proof vests and body armor. Offers great lightweight sheath durability.

MODEL FEATURE CODES

These codes appear after the Benchmade model specific numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife which features partially serrated ComboEdge and BK1 black corrosion resistant coating on the blade).

(NO CODE) Plain edge/no blade coating
S ComboEdge™ (partially serrated)/no blade coating
BK Plain edge/BK1® black corrosion resistant coated blade
SBK ComboEdge (partially serrated)/ BK1® black corrosion resistant coated blade
B Black anti-reflective, corrosion resistant coated blade (Red Class)
SB ComboEdge (partially serrated)/ black anti-reflective coated blade (Red Class)
OD Olive Drab color handle
SL Skyline Camouflage™ patterned handle
SN Sand Camouflage color handle
CF Carbon Fiber Handle
-RED Red color handle
SLV Silver color handle
-BLU Blue color handle
-YEL Yellow color handle
-BLK Black color handle
P Mother-of-Pearl
A Abalone
BT BT2® black corrosion resistant coated blade
BP BP1 Charcol color, scratch resistant coating

SANTOPRENE®

A thermoplastic elastomer which is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.

The following are registered trademarks of their respective companies: Delrin®, E.I. du Pont de Nemours & Company; Zytel®, E.I. du Pont de Nemours & Company; Kydex®, KleeDEX Company; Noryl GTX®, General Electric Company; Valox®, General Electric Company; Xylan®, Whitford Worldwide Corporation; Kraton®, Kraton Polymers Company; Santoprene®, Advanced Elastomer Systems

-TK Tether Kydex® friction-fit sheath
W Soft sheath for rescue hook
ADC Army Digital Camouflage color sheath
T Trainer blade with red handle
TR Bali-song trainer with red handle
D2 D2 Blade Steel
H20 X15 T.N steel, 100% corrosion resistant
DM Damascus Blade
CP Clam pack

Occasionally we may do a limited edition of a model where the model number does not change but does get an addition to the ending, such as -01 or -02 (example: Gold Class 705-01 and 705-02).

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually. Check website for the latest information.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All Pricing and product specifications are subject to possible change without prior notice.

EXTRAS/ACCESSORIES

There's more to Benchmade than just great knives. We also offer you the service and support to back up or enhance the performance of our knives. From the finest customer service in the industry to branded clothing and specialty items—it's all available for you to take advantage of. And if you find that something is missing or needs improvement, we want to hear about it.

CARE AND MAINTENANCE

BLUE BOX



Benchmade uses “six-lobe” headed screws exclusively throughout the assembly of our knives. Occasionally you may want to adjust blade tension, remove the carry-clip or simply check for any loosened screws, so we offer this handy kit for those purposes. Kit includes various bit sizes, and bit holder/extension all self-contained in a molded plastic case which doubles as the handle. Made in Taiwan.

981084 Blue Box \$12

BLUELUBE™ & BLUELUBE CLEANER



Introducing a newly formulated technology to help keep those knives tuned for smooth function. Start off with BLUELUBE Cleaner to flush and prep the moving parts for a fresh application of BLUELUBE. BLUELUBE not only lubricates, it prevents rust and corrosion, too. Both formulas work in tandem to enhance overall knife function and keep things moving like a well-oiled machine (without the build up). Made in USA.

983901 BLUELUBE Cleaner (4oz bottle) \$7.95

983900 BLUELUBE (1.25oz bottle w/ nozzle) \$6.50

SHEATHS & SHEATH ACCESSORIES

MOLLE FOLDER POUCH SHEATH (MOLLE® Compatible)



These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice® clip (included), and are Molle system enabled, too. Heavy stitch and elasticized fit offer a true fit. Available in 3 color options. Made in USA.

PART NUMBERS & PRICING

A. 983466F Black MOLLE Folder Pouch \$20

B. 983467F Coyote MOLLE Folder Pouch \$20

C. 983853F Foliage Green MOLLE Folder Pouch \$20

FIXED SHEATH (MOLLE® Compatible)



The new 140/141 fixed soft sheaths are designed to secure the knife in either right or left side carry. Sheaths come standard with Malice clip and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure snugs the handle. Available in 3 color options. Made in USA.

PART NUMBERS & PRICING

A. 983468F Black MOLLE Fixed Soft Sheath \$50

B. 983469F Coyote MOLLE Fixed Soft Sheath \$50

C. 983854F Foliage Green MOLLE Fixed Soft Sheath \$50

155/156 FIXED SHEATH KIT

(Pictured on Page 34 w/155) Made in USA.


PART NUMBERS & PRICING

A. 984143F Black MOLLE Fixed Soft Sheath \$60

B. 984145F Coyote MOLLE Fixed Soft Sheath \$60

C. 984144F Foliage Green MOLLE Fixed Soft Sheath \$60

5 HOOK POUCH (MOLLE® Compatible)



(A,B,C.) These Velcro® hood closure pouches secure the 5 Rescue Hook for belt carry, and are Molle system enabled with the Malice® clip (sold separately). Heavy stitch and elasticized fit offer a true fit. Available in 3 different colors. Made in USA.

PART NUMBERS & PRICING

- A. 981494F Black MOLLE 5 Hook Pouch \$8
- B. 983855F Coyote MOLLE 5 Hook Pouch \$8
- C. 983856F Foliage Green MOLLE 5 Hook Pouch \$8

7 HOOK POUCH (MOLLE® Compatible)



PART NUMBERS & PRICING

- A. 984166F Black MOLLE 7 Hook Pouch \$10
- B. 984204F Coyote MOLLE 7 Hook Pouch \$10
- C. 984205F Foliage Green MOLLE 7 Hook Pouch \$10

MALICE CLIPS (pictured above)

(D,E.) Injection molded connecting-clip to attach sheaths to Molle systems, or to use as a belt loop style carry. Clips secure closed with a snap-lock.

PART NUMBERS & PRICING

- D. 983550F Small Malice Clip (3" size) \$1.50
- E. 983551F Large Malice Clip (4.75" size) \$2

FOLDER POUCH/SOFT SHEATHS



(A.) This sheath features a snap-buckle closure flap to change things up a bit. It can be worn as a belt carry, or lashed to a shoulder strap with the Velcro lash straps affixed to the sheath. Made in China.

PART NUMBERS & PRICING

- A. 983170F Folder Pouch, black \$15


(B.) For those individuals who prefer to carry their knives in a sheath, we offer a simple but effective design, which is available in several sizes. There are two different sizes (small 1.625" W x 5.00" D;

large 2.00" W x 5.25" D) for folders, and additionally we offer one with a smaller second pocket to accommodate a Rescue Hook or small knife. We also offer a 4-inch Bali-Song sheath (not pictured). All soft sheaths are made of 1680 denier poly-ballistic nylon with liners and they are edged with nylon for a clean, no-snag finish. They feature Velcro® closures. Made in USA.

B. PART NUMBERS AND PRICING

- 981086F Soft Sheath, small size (1.625" W x 5.00" D), black \$10
- 981087F Soft Sheath, large size (2.00" W x 5.25" D), black \$10
- 981787F Soft Sheath, dual carry/pocket (2.00" W x 5.00" D), black \$12
- 981717F Soft Sheath, Bali-Song Model 40 Series, black \$10

SHEATH ACCESSORIES



We offer several carry accessories so you can modify your Benchmade sheaths to better suit your particular carry needs. These include: **A** Metal-clip w/lash tab; **B** Molded belt loop with bridge/hardware; **C** Tek-Lok® and **D** Perma-Clips®; and **E** Carry-Strap w/lash tab. (NOTE: Some items offer limited to model specific applications). Individual lash tabs (not pictured).

PART NUMBERS AND PRICING

- A. 981607F Metal-Clip w/lash tab (fits Model 5, 100, 140, 141, 145, 160, 175, 10510) \$10
- B. 981608F Molded Belt-Loop w/bridge (Model 100, 140, 141, 145) \$10
- C. 981609F Tek-Lok®, large size \$15
- D. 981610F Perma-Clips® for large Tek-Lok (set of 2) \$4
- E. 981611F Carry-Strap w/4-way lash-tab (metal-clip clips into this) \$10
- F. 981612F (not pictured) Lash-Tab (can be sewn onto clothing or gear) \$5

610/615 HANDLE SCALE KITS



PART NUMBERS AND PRICING

- A. 610A Winewood Handle Kit \$50
- B. 610B Silver G10 Handle Kit \$120
- C. 610C Ivory Micarta Handle Kit \$80

- D. 610D Black G10 Handle Kit \$60
- E. 610E Carbon Fiber Handle Kit \$140
- F. 615A Winewood Handle Kit \$40
- G. 615B Silver G10 Handle Kit \$100
- H. 615C Ivory Micarta Handle Kit \$70
- I. 615D Black G10 Handle Kit \$50
- J. 615E Carbon Fiber Handle Kit \$120

BENCHMADE BRAG-BAG™ SYSTEM

Perfect for the knife collector to strut their stuff. The Brag-Bag is an ideal folio style carry case for folders, fixed blades and accessory items. So many sleeves, pockets and pouches you will have as much fun filling it as you will “bragging” it up. A modular design allows you to add or delete pages to customize your selection at will.

BRAG-BAG BASE SHELL



A heavy constructed tri-fold folio (17.75” W x 10.50” folded H x 33” flat H) that can be used as is, or you can add up to two additional pages. Inside features 10 individual knife slot areas (6” D x 3” W) with Velcro closures and clear vinyl visibility for folders. And, behind the knife slots are full-width zippered flat files to accommodate catalogs and such. On the outer shell back are a zippered utility storage pouch, Molle® webbed area and a clear card holder. Adjustable strap, snap-buckle closures; padded handle and an adjustable (1.50” W x 48” L) shoulder carry strap is removable. Additional pages (sold separately) are lashed in with a center cinch strap. Made in China.

BRAG-BAG PAGES



Of the same heavy construction as the shell, pages feature individual knife slot areas with clear view areas and Velcro closures. These also have the full-width zippered flat files (one on each page side). Folder page (16.25” W x 20” L) has 10 individual knife slots with outer edge access. Fixed blade page (same

page size as folder), has 4 individual knife slots (14” L x 3.50” W) with both ends accessible. Made in China.

PART NUMBERS & PRICING

- 983445 Brag-Bag Base Shell \$60
- 983446 Brag-Bag Folder Page \$20
- 983447 Brag-Bag Fixed Blade Page \$20

BENCHMADE KNIFE ATTACHÉ



Now you can keep all of those Benchmades in one place... This soft carry-case holds up to 12 folders. Its shell is constructed of a heavyweight denier and is stitched plenty strong for lasting wear. A deep plush interior lining ensures scratch-free storage. A total of eleven, 1.50 x 5-inch pocket, with six pockets featuring a split-window for easier small knife retrieval. Velcro® flap closure holds everything in place, and proudly displays the Benchmade name embroidered on its face. Made in China.

981456 Knife Attaché \$35

POLO SHIRTS

Dress ‘em up or dress ‘em down, either way, Benchmade polos will say it proud. All polos feature the Benchmade logo embroidered on left front chest. Shirts are a medium weight 100-percent cotton fabric with 3-button welt collar and sleeve cuffs.

COLORED POLOS



Available in Royal Blue, Black or Red in sizes sml, med, lrg, Xlrg, 2Xlrg (specify shirt color/size when ordering). All color shirts feature silver color thread embroidered logo. \$40

WHITE POLOS

All white shirt in sizes sml, med, lrg, Xlrg, 2Xlrg (specify logo color/size when ordering). All color shirts feature silver color thread embroidered logo with choice of blue, black or red color butterfly in logo. \$35

JACKETS & VESTS

Warm up to one of these cool new Benchmade jackets or color vests! All are high quality items with their own unique features. Each is embroidered with the Benchmade logo on the left front chest.

HOODED BLUE TEAM JACKET



Royal blue water repellent nylon shell with gray fleece lined hood and body. Zippered front, draw-cord bottom, elastic cuffs and draw-string hood. Available in sizes sml, med, lrg, Xlrg, 2Xlrg (specify size when ordering) \$65

BLACK/GRAY SPORT JACKET



Benchmade Cool! Designer styled urban look in a lightweight jacket. A nylon/cotton oxford shell with nylon mesh and taffeta lining to finish it out. Zippered front up and down, adjustable cuffs, zippered sleeve pocket and other functional features. Available in sizes sml, med, lrg, Xlrg, 2Xlrg (specify size when ordering) \$80

REVERSIBLE COLOR VESTS



Wear 'em inside, wear 'em outside, or wear 'em inside out—they're reversible. Zippered front, zippered pockets and elastic waistband. Benchmade logo is embroidered in black color thread on color side only. Available in yellow, blue, red and titanium gray. Available in sizes sml, med, lrg, Xlrg, 2Xlrg (specify color/size when ordering) \$60

SWEATSHIRTS

GRAYFLY HOODY



Nothing like a great looking sweatshirt to jump into on a weekend. This heavy-weight pullover sweatshirt is athletic gray with dark gray screen-printed artwork on hood and left sleeve. Drawstring hood, knit cuffs and waistband with front hand warmer pouch. Available in sml, med, lrg, Xlrg, 2Xlrg (specify size when ordering). \$40

BLACK SWEATSHIRT



Get one of these to wear on those "cool" days. Benchmade logo is embroidered in black color on left chest. Sweatshirts are black with royal blue trim a knit collar, cuffs and waistband. Available in med, lrg, Xlrg, 2Xlrg (specify size when ordering). \$40

HATS & HEADGEAR

FLEXFIT® HAT/ BLUEHAT



Black in color with silver embroidered logo on facing and American flag embroidered on front left panel. Available in sml-med size and lrg-Xlrg size (specify size when ordering). \$20

All blue all the time. Full, formed hat with Velcro® adjust to size features silver logo embroidered on facing and American flag embroidered on left front panel. One size fits all. \$18

LOGOBEANIE

Cover the cranium with Benchmade pride. A dark gray with black trim stretch cap comes with logo embroidered along bottom edge. No more bad hair day excuses— it's Benchmade. One size fits all. \$12

AND THERE'S MORE...

IF YOU LIKE WHAT YOU SEE HERE, CHECK OUT THE FULL LINE OF SPECIALTY GEAR ONLINE AT—

www.BENCHMADE.com

SPECIAL SERVICES



LIFESHARP® SERVICE

There's never a dull moment with a Benchmade... That's right! We will gladly sharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). If you prefer us to sharpen your blade, or if you may have neglected to maintain your edge for a while, simply ship your knife to us. We'll not only sharpen it, we will also inspect the knife for any warranted repairs and "tune" the knife for optimum performance. Simply ship the knife to the Benchmade address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.

PERSONALIZED LASER MARKING

Put your name on it. Make it yours. Commemorate an event or outfit the club. Whatever the circumstance, now you can have your logo or artwork laser etched onto any of the Benchmade knives. Depending on the particular model, the mark can be placed either on the blades, or in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427. Basic set-up charges and quantity restrictions do apply.

THE ULTIMATE SOURCE

BENCHMADE.COM

Stay connected with everything Benchmade. From views of every Benchmade model configuration to creating a list of your personal favorites for future reference and improve your Benchmade cyberspace experience. For the new Benchmade visitor there's expanded product and technical information to make your "initiation" process easier. And for you Benchmade addicts, you can get your fix of the latest model introductions as well as share your knife knowledge and Benchmade experiences with the rest of the world. The web site also has a handy dealer locator so you can find your nearest source for cutting edge innovation close to home. Or, if you prefer, you can buy direct from the factory and have it shipped right to your door. So your inside track on everything Benchmade is only a click away at benchmade.com.

THE WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED

This Warranty covers replacement parts and labor

WHAT IS NOT COVERED

This Warranty does not cover normal wear, resharpener of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade's knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is Federally regulated (refer to catalog inside cover for Federal Statutes), always check permissibility within your state or locality as non-Federal personnel may be precluded from ownership or use by State laws. **NO EXCEPTIONS WILL BE MADE.**

SHIPPING OF AUTOMATIC KNIVES

All AUTOMATIC knives shipped by Benchmade will be done via the following couriers, UPS, FedEx, etc. and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via alternate couriers, UPS, FedEx, etc. This in accordance with the policies of the U.S. Postal Service. Thank you.

ARE BENCHMADE ASSIST OPEN KNIVES LEGAL?

The way that the Benchmade assist opener knives are designed and built, they are not considered an automatic or switchblade under Federal interpretations. The Optimiser® and new Nitrous™ assist mechanisms must be initiated with the user manually overcoming the pull of the torsion bar or, split liner systems to activate the assist function. This is done through the use manually or, physically having to engage the blade first before opening. And, as an added safety feature, the Benchmade assist openers must have their blades rotated open to an approximately 20 to 30-degree open angle BEFORE the assist engages. This eliminates the need and complication of a secondary safety mechanism.

Even though the Benchmade assist opener models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

The purchase, use and ownership of knives is subject to a wide variety of local laws and regulations. It is impossible for Benchmade Knife Company to know or interpret all of these laws. It is the responsibility of the buyer to be aware of the laws which govern them in their specific area wherever that may be. We encourage the responsible ownership and use of knives as one of mankind's oldest tools. Be smart and be safe.



Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms.

JOIN AKTI TODAY!

877.752.8770 or www.akti.org

The following are trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Brag Bag; Blue Lube; Blue Morpho; Instigator; Rukus; Skirmish. • The following are registered trademarks of Benchmade Knife Company, Inc., Oregon City, Oregon USA: Benchmade; Activator; Ambush; Apparition; Ares; AXIS; Ball-Song (butterfly logo); BenchKote (BK); Benchmite; BILT (Bolted In-Line Tang); BK1; BT2; ComboEdge; Gamer; Gravitator; Griptilian; InDraft; Jujii; LEVITATOR; LifeSharp; MonoChrome; Nimravus; Offsider; Opportunist; Optimiser; Outbounder; Pika; Presidio; Prestigedges; Rant; Reflex; Resistor; Sequel; Snipe; Stryker; Switchback. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Safety Lock for Automatic Folding Knife- U.S. Patent No. 5,822,866; Blade Lock Mechanism for Folding Knife (Modified Locking Liner)- U.S. Patent No. 5,755,035; Pocket Knife With Lock (AXIS Lock)- U.S. Patent No. 5,737,841; Folding Knife (Design, Stryker Model)- U.S. Patent No. D408,706; Knife Blade (Design, Stryker Model)- U.S. Patent No. D409,070; Folding Knife With Grooved Handle (Design, Model 350, 3550)- U.S. Patent No. D397,017; Grooved Knife Handle (Design, 350, 3550)- U.S. Patent No. D397,020; Folding Knife (Design, Ascent Model)- U.S. Patent No. D385,173; Knife Design (Design, Ascent Model)- U.S. Patent No. D384,871; Portion Of A Blade For A Knife (Design, Pardue Model 720 Knife)- U.S. Patent No. D426,132; Knife Blade (Design Model 140/145)- U.S. Patent No. D425,389; Knife Handle (Design, Model 705)- U.S. Patent No. D428,789.

Other Patents Pending.



NO COMPROMISE®

That is exactly what you get with the line of HK® knives. Exclusive designs, flawless craftsmanship and a solid reputation to back it up are what make these serious tools. So whether you are an HK gun enthusiast or someone who is just looking for another reason to buy a great knife, these are it.

For product information go to hk-knives.com or, your local authorized Benchmade dealer.

HK is a registered trademark of Heckler & Koch inc.

NRA OUTDOORS

"YOU MAY WANT TO CHECK OUT THIS LINE OF KNIVES FROM BENCHMADE."

get out

MODEL 12700



IF THE CONTEMPLATION OF FREE TIME, FRESH AIR AND OPEN SPACES EXCITES YOU, WHAT ARE YOU WAITING FOR? GET OUT. THE CHORES WILL WAIT. THE MOUNTAINS ARE CALLING AND WHAT BETTER WAY TO HEAD OUTDOORS THAN WITH A GREAT KNIFE TO MAKE QUICK WORK OF THOSE KNOTTED ROPES OR THE DAYS CATCH. VISIT YOUR FAVORITE SPORTS RETAILER TO CHECK OUT THE NRA OUTDOORS LINE OR GO ONLINE TO NRAKNIVES.COM AND SEE THEM ALL FOR YOURSELF. A PORTION OF EVERY SALE GOES TOWARD THE MANY NRA OUTDOOR PROGRAMS AND EFFORTS.

For More Information Go To: nraoutdoors.com

PROTECT. PRESERVE. PURSUE.

IT'S AUTOMATIC

Benchmade Knife Company manufactures what are arguably the finest automatic* knives available in the world today. These knives are made to the same, exacting performance standards as the rest of our knives.

*Within the United States, automatic open knives are subject to compliance with the Federal Statutes of interstate commerce.

AUTOS

3100 AUTOBENCHMITE® MCHENRY & WILLIAMS^{design}

The Benchmite is the smallest automatic that Benchmade offers, but its diminutive size does not limit its fun factor.

- Auto-Levigator® is a Secure and Simple Auto Blade Actuation
- Exceptionally Light and Thin for Ease of Carry
- Celtic Knot Pattern Gives Attractive Look



3100DESIGNERS: Bill McHenry & Jason Williams **LOCKING MECHANISM:** Auto-Levigator Lock **BLADE STYLE & OPENER:** Clip-Point, Auto-Levigator **BLADE STEEL:** 154CM Stainless Steel Hardened to 58-61HRC **BLADE LENGTH:** 1.95" (4.95cm) **BLADE THICKNESS:** 0.084" (2.13mm) **OPEN:** 4.75" (12.07cm) **CLOSED:** 2.84" (7.24cm) **WEIGHT:** 1.20oz (34gm) **HANDLE SPECS:** Stainless Steel **HANDLE THICKNESS:** 0.24" (0.61cm) **COUNTRY OF ORIGIN:** USA **BLADE CONFIGURATIONS:** 3100 \$125



BENCHMADE KNIFE COMPANY, INC
300 BEAVERCREEK ROAD
OREGON CITY, OREGON 97045 USA

TELEPHONE
800.800.7427 503.655.6004

FAX
503.655.6223 503.655.7922

EMAIL
INFO@BENCHMADE.COM

WEB
BENCHMADE.COM

All trademarks and copyrights are the property of
Benchmade Knife Company, Inc.
Notice, one or more patents may apply.
©2007 BENCHMADE KNIFE CO., INC. • Printed in USA

BENCHMADE

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

PRSRT STD
US POSTAGE

PAID

OREGON CITY, OR
PERMIT NO. 25