

# get out

and hike

and ride

and shoot

and hunt

and camp

and enjoy—



go for a day  
go for a weekend  
just go!

 **NRA** OUTDOORS  
KNIVES

P R O T E C T   P R E S E R V E   P U R S U E







## NRA12800

NO SPLITTING HAIRS HERE—IT'S THE REAL DEAL! TOP OF THE LINE AXIS® FUNCTION MAKES OPENING AND CLOSING ABOUT AS HARD AS HAVING TO THINK OF AN EXCUSE TO LET THE CHORES WAIT, AND HEAD FOR THE HILLS.

**DESIGNER:** Warren Osborne **LOCKING MECHANISM:** AXIS® Lock **BLADE STYLE & OPENER:** Modified Tanto; Dual Thumb Studs **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 3.54" **BLADE THICKNESS:** 0.114" **OPEN:** 8.02" **CLOSED:** 4.50" **WEIGHT:** 3.40 oz **HANDLE MATERIAL:** Machined 6061 T6 Aluminum **BLADE CONFIGURATIONS:** 12800 \$170, 12800S \$170, 12800SBT \$180

Available with plain edge, partially serrated ComboEdge® or SBT (Partially serrated ComboEdge with black corrosion resistant coated blade)

## NRA12400 / 12410

CLIP ONE IN AND FORGET ABOUT IT—UNTIL YOU NEED TO CUT THAT ROPE LOOSE, TRIM SOME LIMBS TO ROAST SOME MARSHMELLOWS, OR FOR WHATEVER ELSE COMES YOUR WAY. TWO SIZES AVAILABLE, ONE TO FIT EVERY POCKET.

**DESIGNER:** Ken Steigerwalt **BLADE STYLE & OPENER:** Modified Drop-Point; Single Thumb Stud **LOCKING MECHANISM:** Springless Lockback **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 12400 3.40"; 12410 2.72" **BLADE THICKNESS:** 12400 0.100"; 12410 0.080" **OPEN:** 12400 7.75"; 12410 6.20" **CLOSED:** 12400 4.20"; 12410 3.40" **WEIGHT:** 12400 2.40 oz; 12410 2.00 oz **HANDLE MATERIAL:** Micarta **BLADE CONFIGURATIONS:** 12400 \$90, 12400S \$90, 12410 \$80, 12410S \$80

Available with plain edge or partially serrated ComboEdge®

## NRA12200 / 12205

PACKING ONE OF THESE TWO IS FOR WHEN YOU MIGHT NEED TO HAVE A LITTLE MORE OF A TOOL— JUST IN CASE. IT'S KIND OF LIKE HAVING FOUR-WHEEL DRIVE WHEN YOU FIND OUT THAT MUD BOG IS DEEPER THAN IT LOOKED. REMEMBER THAT TIME WHEN...

**DESIGNER:** Mel Pardue **LOCKING MECHANISM:** Rolling Lock® with InDraft® **BLADE STYLE & OPENER:** Modified Reverse Tanto; Modified Drop-Point; Dual Thumb Studs **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 3.25" **BLADE THICKNESS:** 0.125" **OPEN:** 7.40" **CLOSED:** 4.36" **WEIGHT:** 2.80 oz **HANDLE MATERIAL:** Molded Thermoplastic **BLADE CONFIGURATIONS:** 12200 \$60, 12200S \$60, 12205 \$60, 12205S \$60

Available with plain edge, partially serrated ComboEdge®

## NRA12300

WHAT BETTER WAY TO SHOW YOUR NRA SPIRIT THAN WITH A RIFLE STYLED POCKET KNIFE? YOUR BUDDY WILL BE ASKING WHERE HE CAN GET HIS. BETTER YET, GET TWO NOW, SO YOU CAN AVOID THE GUILT.

**DESIGNER:** Steve Fecas **LOCKING MECHANISM:** Modified Locking-Liner **BLADE STYLE & OPENER:** Modified Drop-Point; Dual Thumb Studs **BLADE STEEL:** AUS8 Stainless Steel (58-59HRC) **BLADE LENGTH:** 3.20" **BLADE THICKNESS:** 0.105" **OPEN:** 7.25" **CLOSED:** 4.11" **WEIGHT:** 2.28 oz **HANDLE MATERIAL:** Molded Thermoplastic **BLADE CONFIGURATIONS:** 12300 \$30, 12300S \$30

Available with plain edge or partially serrated ComboEdge®









## NRA12700 /12750

REMEMBER THE POCKET KNIFE GRANDPA HAD WHEN YOU WERE A KID? IT WAS HIS EVERYDAY COMPANION. NOW IS YOUR CHANCE TO HAVE ONE FOR YOURSELF. KEEP THAT SPIRIT ALIVE, GRANDPA WOULD BE PLEASED.

**DESIGNER:** Ken Steigerwalt **LOCKING MECHANISM:** Springless Lockback Main Blade, Slip-Joint Secondary Blades **BLADE STYLE & OPENER:** 12700 Modified Drop-Point Main Blade, Hook and Utility Blade; 12750 Modified Drop-Point Main Blade, Utility and Screw-driver/Can-Opener Blade **BLADE STEEL:** Main Blade 440C Stainless Steel (58-60HRC), Secondary Blades AUS8 Stainless Steel (58-59HRC) **BLADE LENGTH:** 12700 3.50" Main Blade, 3.12" Secondary Blades; 12750 2.80" Main Blade, 2.50" Secondary Blades **BLADE THICKNESS:** 12700 0.125" Main Blade, 0.060" Secondary Blades; 12750 0.100" Main Blade, 0.050" Secondary Blades **OPEN:** 12700 7.80"; 12750 6.25" **CLOSED:** 12700 4.70"; 12750 3.76" **WEIGHT:** 12700 4.48 oz; 12750 2.30 oz **HANDLE MATERIAL:** Molded Thermoplastic, 410 Stainless Steel Liners **BLADE CONFIGURATIONS:** 12700 \$65, 12750 \$55



## NRA12720 /12770

SOMETIMES YOU JUST WANT A KNIFE TO DROP INTO YOUR FRONT POCKET AND GO. PLENTY USEFUL AROUND THE HOUSE, OR AROUND THE SHOP AND WON'T BREAK THE BANK. MAKES A GREAT FIRST KNIFE, TOO.

**DESIGNER:** Benchmade **LOCKING MECHANISM:** Slip-Joint **BLADE STYLE & OPENER:** 12720 Clip-Point Main Blade, Sheepsfoot and Spey Secondary Blades; 12770 Pen Main Blade, Pen-Mini Secondary Blade **BLADE STEEL:** 8Cr14MoV Stainless Steel (56-58HRC) **BLADE LENGTH:** 12720 2.59" Main Blade, 2.05" Sheepsfoot and 1.95" Spey Secondary Blades; 12770 2.05" Main Blade, 1.44" Secondary Blade **BLADE THICKNESS:** 12720 0.079" Main Blade, 0.077" Secondary Blades; 12770 0.079" Main Blade, 0.077" Secondary Blades **OPEN:** 12720 6.09"; 12770 5.34" **CLOSED:** 12720 3.50"; 12770 2.75" **WEIGHT:** 12720 2.50 oz; 12770 1.40 oz **HANDLE MATERIAL:** Forged Nickle Silver w/Black Linen Micarta Inserts, 420J Stainless Steel Liners **BLADE CONFIGURATIONS:** 12720 \$25, 12770 \$20

## NRA12550

OVER THE RIVER AND THROUGH THE WOODS—AHH... LET'S TAKE A DETOUR AND JUST GO HIKING FOR THE WEEKEND, GRANDMA CAN WAIT. TAKE ALONG ONE OF THESE HANDY FIXED BLADES FOR THOSE CAMP CHORES. YOU IN?

**DESIGNER:** Rick Hinderer **BLADE STYLE:** Modified Skinner **BLADE STEEL:** 154CM Stainless Steel (58-61HRC) **BLADE LENGTH:** 4.10" **OVERALL LENGTH:** 8.50" **BLADE THICKNESS:** 0.125" **WEIGHT:** 4.60 oz **HANDLE SPECS:** Full-Tang; Black Stabilized Wood Scales **HANDLE THICKNESS:** 0.550" **SHEATH:** Black Leather w/Belt Loop, Snap-Over Strap, Embossed NRA Logo **BLADE CONFIGURATIONS:** 12550 \$100

get out







## NRA12500

YOU CAN NEVER HAVE TOO MUCH OF A GOOD THING. MORE BLADE, MORE UTILITY, AND MORE REASONS TO HEAD OUTDOORS. EVEN IF IT IS, TO TRY OUT YOUR NEW KNIFE. LET'S GO!

**DESIGNER:** Warren Osborne **BLADE STYLE:** Modified Drop-Point w/Recurve **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 6.25" **OVERALL LENGTH:** 11.07" **BLADE THICKNESS:** 0.185" **WEIGHT:** 9.10 oz **HANDLE SPECS:** Black Kraton® w/ BILT® System **HANDLE THICKNESS:** 0.780" **SHEATH:** Black Leather w/Belt Loop, Snap-Over Strap, Embossed NRA Logo **BLADE CONFIGURATIONS:** 12500 \$100

## NRA12505

NO, IT WON'T MAKE YOU A BETTER HUNTER, BUT IT WILL MAKE YOUR FIELD DRESSING EASIER. UNTIL YOU HAVE USED ONE, YOU CANNOT FULLY APPRECIATE THE DIFFERENCE A GUT HOOK CAN MAKE. UNLESS YOU PREFER THE POKE AND SEE METHOD.

**DESIGNER:** Warren Osborne **BLADE STYLE:** Modified Drop-Point w/Guthook **BLADE STEEL:** 440C Stainless Steel (58-60HRC) **BLADE LENGTH:** 4.25" **OVERALL LENGTH:** 9.00" **BLADE THICKNESS:** 0.170" **WEIGHT:** 8.20 oz **HANDLE SPECS:** Santoprene® Overmold w/ BILT® System **HANDLE THICKNESS:** 0.642" **SHEATH:** Black Leather w/Belt Loop, Snap-Over Strap, Embossed NRA Logo **BLADE CONFIGURATIONS:** 12505 \$100

## NRA12520

SURE WOULD BE NICE TO HAVE A KNIFE THAT IS MADE FOR MY KIND OF OUTDOORS. OH—WOULD YOU LOOK AT THAT? MOLDED GRIP HANDLE, USEFUL BLADE SHAPE, AND COMFORTABLE CARRY SHEATH, I CAN'T WAIT TO GET THIS ONE DIRTY!

**DESIGNER:** Mike Snody **BLADE STYLE:** Modified Drop-Point w/Recurve **BLADE STEEL:** D2 Tool Steel (60-62HRC) **BLADE LENGTH:** 4.00" **OVERALL LENGTH:** 8.27" **BLADE THICKNESS:** 0.150" **WEIGHT:** 5.54 oz **HANDLE SPECS:** Full-Tang; Santoprene® Overmold Scales **HANDLE THICKNESS:** 0.642" **SHEATH:** Black Nylon w/Belt Loop, Snap-Over Strap, Embossed NRA Logo **BLADE CONFIGURATIONS:** 12520 \$90

## NRA12104

GET "HOOKED" ON YOUR HUNTING. MAKES THOSE GAME CLEANING CHORES AS EASY AS UNZIPPING YOUR JACKET. AND THAT IS JUST FOR STARTERS.

**DESIGNER:** Benchmade **BLADE STEEL:** 420J Stainless Steel (58-60HRC) **BLADE OPENING:** 0.50" **BLADE THICKNESS:** 0.115" **WEIGHT:** 1.20oz **HANDLE SPECS:** Finger Hole 1.12" **SOFT SHEATH:** Nylon Webbing Pouch/Velcro® Closure **OVERALL LENGTH:** 2.90" **BLADE CONFIGURATIONS:** 12104 \$20

get out





**NRA**  
**OUTDOORS**<sup>®</sup>

## **PURPOSE MINDED TOOLS**

ANYONE WHO HAS EVER ENJOYED ANY PART OF ALL THAT THE OUTDOORS HAS TO OFFER REALIZES THE IMPORTANCE QUALITY GEAR CAN HAVE ON THE DIFFERENCE BETWEEN FUN AND FRUSTRATION. THAT'S WHERE NRA OUTDOORS KNIVES COMES IN.

THESE KNIVES OFFER UNIQUE, FIELD-TESTED DESIGNS DEVELOPED IN PARTNERSHIP WITH BENCHMADE KNIFE COMPANY. PATENTED BENCHMADE TECHNOLOGY EXCLUSIVES LIKE THE AXIS® AND ROLLING® LOCK MECHANISMS, PREMIUM MATERIALS, CRAFTED QUALITY AND UNPARALLELED CUSTOMER SERVICE ARE PACKED INTO EVERY KNIFE. FROM TRADITIONAL HUNTING STYLES TO MODERN SPORTING CUTLERY, THESE NRA OUTDOORS CUTTING TOOLS ARE BUILT TO LAST.

## **DEDICATED DESIGNS**

THIS IS NOT YOUR OFF THE SHELF VARIETY OF CUTLERY. THESE KNIVES WERE DESIGNED AND DEVELOPED EXCLUSIVELY FOR THE NRA OUTDOOR BRAND. SEVERAL OF THE WORLD'S WELL KNOWN CUSTOM KNIFE DESIGNERS PLIED THEIR TALENTS TO THESE TOOLS. KNOW THAT IF YOU PURCHASE ONE OF THESE KNIVES, YOU'RE GETTING A TRUE NRA OUTDOOR SPIRITED PRODUCT.

## **NRAOUTDOORS**

CONSISTS OF A COLLECTION OF FEATURE LOADED, INNOVATIVE, "BEST IN CLASS" PRODUCTS ASSEMBLED BY THE NATIONAL RIFLE ASSOCIATION OF AMERICA. NRA OUTDOORS PRODUCT CATEGORIES INCLUDE KNIVES, FIREARMS, FIREARM ACCESSORIES, HUNTING AND CAMPING GEAR, ATVS, WITH OTHER FORWARD THINKING PRODUCTS TO BE ADDED.

PURCHASE OF THESE PRODUCTS BENEFIT HUNTER EDUCATION, FIREARM SAFETY, HABITAT AND WILDLIFE CONSERVATION, AND OTHER PROGRAMS THAT CONTRIBUTE TO YOUR ENJOYMENT OF THE OUTDOORS. PROCEEDS PROTECT AMERICA'S HERITAGE AND PRESERVE IT FOR FUTURE GENERATIONS BY SUPPORTING THE SAFE AND RESPONSIBLE USE OF FIREARMS ALONG WITH THE PROPER STEWARDSHIP OF OUR NATURAL RESOURCES. FOR THE MOST UP TO DATE INFORMATION AND PRODUCT LISTINGS PLEASE VISIT ON THE WEB AT LICENSED.NRA.ORG.

FOR INFORMATION ON SPECIFIC NRA PROGRAMS AND MEMBERSHIP, PLEASE CALL (888) JOIN-NRA (564-6672).

## **PROTECT. PRESERVE. PURSUE.**

OFFICIALLY LICENSED PRODUCT OF THE NATIONAL RIFLE ASSOCIATION OF AMERICA. MANUFACTURED IN CONJUNCTION WITH BENCHMADE KNIFE COMPANY, OREGON CITY, OREGON. ALL TRADEMARKS AND COPYRIGHTS ARE THE PROPERTY OF THE NATIONAL RIFLE ASSOCIATION OF AMERICA AND BENCHMADE KNIFE COMPANY. NOTICE: ONE OR MORE PATENTS MAY APPLY. © 2006 NATIONAL RIFLE ASSOCIATION AND BENCHMADE KNIFE COMPANY. PRINTED IN USA.



get out



## SPECIAL SERVICES



### LIFESHARP® SERVICE

There's never a dull moment with an NRA Outdoors Knife... That's right! We will gladly resharpen your NRA knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). If you prefer us to sharpen your blade, or if you may have neglected to maintain your edge for a while, simply ship your knife to us. We'll not only sharpen it, we will also inspect the knife for any warrantied repairs and "tune" the knife for optimum performance. Simply ship the knife to the Benchmade address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.

## THE WARRANTY

### LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.

**NO EXCEPTIONS WILL BE MADE.**

### WHAT IS COVERED?

This Warranty covers replacement parts and labor.

### WHAT IS NOT COVERED?

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's Warranty department, or shipping costs for returned knives.

Do not use your new knife as a screwdriver, prybar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. **MINIMUM CHARGE TO RE-ASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.**

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any

damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade's knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually. Check website for the latest information.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All Pricing and product specifications are subject to possible change without prior notice.

The following are trademarks of Benchmade Knife Company, Inc. Oregon City, Oregon USA: Nitrous. The following are registered trademarks of Benchmade Knife Company, Inc. Oregon City, Oregon USA: AXIS, ComboEdge, LifeSharp, Rolling Lock with InDraft, BILT (Bolted In-Line Tang). NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products are manufactured under one or more of the following patents: Blade Lock Mechanism for Folding Knife (Modified Locking Liner)- U.S. Patent No. 5,755,035; Pocket Knife With Lock (AXIS Lock)- U.S. Patent No. 5,737,841.

Other Patents Pending.





300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

PRSR1 STD  
US POSTAGE

**PAID**

OREGON CITY, OR  
PERMIT NO. 25

All trademarks and copyrights are the property of  
Benchmade Knife Company, Inc.  
Notices, one or more patents may apply.  
©2007 BENCHMADE KNIFE CO, INC • Printed in USA