



HARLEY-DAVIDSON®

KNIVES

BENCHMADE®

As anyone who rides a Harley® will tell you, a Harley-Davidson® is more than a motorcycle. It's a statement to the world of exactly where you stand.

To a life less ordinary, where there's nothing between you, two wheels and a stretch of road that goes on forever.

This spirit of individualism is also the hallmark of those who appreciate a Benchmade. For over two decades, we've been committed to designing and manufacturing world-class sports cutlery. Our

Harley-Davidson® Knives line-up combines leading innovation, sophisticated technology and superior materials.

The result is a collection of edged tools that are built for extreme performance.

BENCHMADE



If you
want to blend in,
take the bus.



Legends
can't stay still.

BENCHMADE™

T-Rod™ 13450 **NEW**



The powerful T-Rod™ snaps from the fixed to open position with the push of a button and a flick of the wrist.



BLADE STYLE Modified clip-point with two-position fixed blade/dagger

BLADE STEEL 440C High Carbon Stainless Steel

HANDLE Aluminum

SHEATH Black leather

SKUS 13450 \$120, 13450BK \$135

**FIXED BLADE
LENGTH** 3.33"
(8.46cm)

**DAGGER BLADE
LENGTH** 5.05"
(12.83cm)

**BLADE
THICKNESS** 0.156"
(3.96mm)

**OVERALL
FIXED** 7.65"
(19.43cm)

**OVERALL
DAGGER** 6.25"
(15.88cm)

WEIGHT 5.20oz
(147.406g)

**HANDLE
THICKNESS** 0.140"
(3.56mm)

Tether Knife 13212



Skeletonized handle decreases weight.



13212BK

13212

BLADE STYLE Drop Point Utility

BLADE STEEL 440C High Carbon Stainless Steel

HANDLE Full Tang, Skeletonized

SHEATH Kydex Molded Sheath with Logo (both sides)

SKUS 13212 \$85, 13212BK \$100

BLADE LENGTH	2.00" (5.08cm)
BLADE THICKNESS	0.140" (3.56mm)
OVERALL	5.50" (14.0cm)
WEIGHT	1.60oz (45.36g)
HANDLE THICKNESS	0.140" (3.56mm)
SHEATH WEIGHT	0.60oz (17.00g)

Pack light,
ride big.

BENCHMADE®

Mini-Hardtail 13150-1

Valox® handle reduces overall weight.



13150-1

Hardtail/Mini-Hardtail 13100/13150

CNC machined billet handle – sleek, rugged and dependable.



13100

13150SBK

BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.113" (2.87mm)
OPEN	7.50" (19.05cm)
CLOSED	4.25" (10.80cm)
WEIGHT	2.50oz (70.87g)
HANDLE THICKNESS	0.54" (13.72mm)

MECHANISM AXIS® Lock
BLADE STYLE & OPENER Modified Clip-Point with Ambidextrous Dual Thumb-Studs
BLADE STEEL D2 High Grade Tool Steel
HANDLE Valox; 420J Stainless Steel Liners; Reversible Tip-up Pocket Clip
SKUS 13150-1 \$100, 13150S-1 \$100, 13150BK-1 \$115, 13150SBK-1 \$115

MECHANISM AXIS® Lock
BLADE STYLE & OPENER Modified Clip-Point with Ambidextrous Dual Thumb-Studs
BLADE STEEL D2 High Grade Tool Steel
HANDLE CNC Machined Billet 6061-T6 Aluminum Alloy Double Bolster Handle; 3D CNC Precision Milled Black G-10 Handle Insert; 420J Stainless Steel Liners; Reversible Tip-up Pocket Clip
SKUS 13100 \$240, 13100S \$240, 13100BK \$255, 13100SBK \$255, 13150 \$200, 13150S \$200, 13150BK \$215, 13150SBK \$215

BLADE LENGTH	3.99" (10.13cm)	3.25" (8.26cm)
BLADE THICKNESS	0.124" (3.14mm)	0.113" (2.87mm)
OPEN	9.00" (22.86cm)	7.50" (19.05cm)
CLOSED	5.25" (13.34cm)	4.25" (10.80cm)
WEIGHT	5.16oz (146.28g)	3.00oz (85.05g)
HANDLE THICKNESS	0.65" (16.5mm)	0.54" (13.72mm)

Venom™ 13175

The Optimiser® Assist kicks the Venom™ into action.



BLADE STYLE & OPENER Drop Point Blade with Assist

BLADE STEEL 440C Stainless Steel

HANDLE CNC Milled Gray/Black Layered G10; tip-down pocket clip

SKUS 13175 \$150, 13175S \$150, 13175BK \$165, 13175SBK \$165

BLADE LENGTH	3.57" (9.10cm)
BLADE THICKNESS	0.11" (2.79mm)
OPEN	8.04" (20.40cm)
CLOSED	4.47" (11.40cm)
WEIGHT	3.10oz (88.30g)
HANDLE THICKNESS	0.53" (13.46mm)

The baddest of them all.



BENCHMADE

Nagara® 13740

This elegant folder features the Nak-Lok® mechanism, anodized blue titanium handles and polished liners.



Pika® G10 13402/13412

Benchmade's famous Pika® model gets a makeover with G10 handles and a titanium back spacer. It's a great pocket knife for the road.



13402

13412SBK



TITANIUM BACKSPACER

BLADE LENGTH	3.25" (8.30cm)
BLADE THICKNESS	0.12" (3.05mm)
OPEN	7.50" (19.10cm)
CLOSED	4.25" (10.80cm)
WEIGHT	3.30oz (93.55g)
HANDLE THICKNESS	0.40" (10.16mm)

MECHANISM	Nak-Lok®
BLADE STYLE & OPENER	Drop-Point Utility with Ambidextrous Thumb-Studs
BLADE STEEL	9CR13 Stainless Steel
HANDLE	Anodized Blue Titanium; Reversible Tip-Up Pocket Clip
SKUS	13740 \$100 Import

MECHANISM	Lockback
BLADE STYLE & OPENER	Clip-Point Blade with Ambidextrous Thumb-hole
BLADE STEEL	9CR13 Stainless Steel (58-60)
HANDLE	Black G10 Handle Scales, Anodized Titanium Liners and Backspacer, Tip-down Pocket Clip
SKUS	13402 \$85, 13412S \$85, 13402BK \$100, 13402SBK \$100 13412 \$70, 13412S \$70, 13412BK \$85, 13412SBK \$85 Import

	13402	13412
BLADE LENGTH	3.50" (8.90cm)	2.98" (7.60cm)
BLADE THICKNESS	0.120" (3.04mm)	0.09" (2.28mm)
OPEN	8.30" (21.10cm)	7.10" (18.00cm)
CLOSED	4.80" (12.20cm)	4.10" (10.40cm)
WEIGHT	3.50oz (103.50g)	2.50oz (73.90g)
HANDLE THICKNESS	0.38" (9.65mm)	0.35" (8.89mm)

Nightshift 13650

Satisfy all your utility needs with this 3-in-1 pocket-sized folder.



Nightshift Fixed 13400/13410

Rubberized handle translates into control whether wet or dry.



13400BK



BLADE LENGTH	2.72" (6.91cm)
BLADE THICKNESS	0.084" (2.13mm)
OPEN	6.25" (15.88cm)
CLOSED	3.75" (9.53cm)
WEIGHT	2.0oz (56.70g)
HANDLE THICKNESS	0.391" (9.93mm)

MECHANISM	Springless Lockback/Slip-Joint
BLADE STYLE & OPENER	Large and Small Utility/Screwdriver & Can-Opener Nail-nick
BLADE STEEL	440C High Carbon Stainless Steel Main Blade/AUS8 Stainless Steel Secondary Blades
HANDLE	Glass Filled Thermo-Plastic Handle Scales; 420J Stainless Steel Liners
SKUS	13650 \$60 Import

BLADE STYLE	Spear-Point Powder Coated or Drop-Point Stonewashed Satin
BLADE STEEL	440C High Carbon Stainless Steel
HANDLE	Injection Molded Santoprene® Scales; Full Tang; Lanyard Hole
SHEATH	Slim Genuine Leather Carry Sheath with Carry-Clip for Belt or Boot Carry
SKUS	13410S \$110, 13400BK \$125

BLADE LENGTH	3.49" (8.86cm)
BLADE THICKNESS	0.107" (2.72mm)
OVERALL	7.75" (19.69cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.45" (11.4mm)
SHEATH WEIGHT	1.7oz (48.19g)

Levigator® Money Clip Knives 13300BK/13310

Money clip/knife with a functional design that fits in the palm of your hand.



LFK 13220

This monster folder incorporates a tail fin design that rotates open and closed in tandem with the blade allowing for a much larger blade in proportion to handle size.



BLADE LENGTH	2.00" (5.08cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	4.93" (12.52cm)
CLOSED	2.88" (7.32cm)
WEIGHT	1.60oz (45.35g)
HANDLE THICKNESS	0.25" (6.35mm)

MECHANISM	Levigator®
BLADE STYLE & OPENER	Modified Tanto & Drop-Point with Nail-Nick
BLADE STEEL	AUS8 High Carbon Titanium Coated and Satin Stainless Steel
HANDLE	Precision CNC Machined 420J Stainless Steel Backspacer and Outer Handle Scales
SKUS	13300 \$50, 13300BK \$50, 13310 \$50, 13310BK \$50 Import

MECHANISM	Locking Liner
BLADE STYLE & OPENER	Clip-Point with Ambidextrous Thumb-Studs
BLADE STEEL	440C Stainless Steel (58-60)
HANDLE	Machined 6060-T6 Aluminum with Santoprene Overmold and Reversible Tip-down Pocket Clip
SKUS	13220 \$100 13220SBP \$115 Import

BLADE LENGTH	5.20" (13.21cm)
BLADE THICKNESS	0.118" (2.98mm)
OPEN	10.25" (26.06cm)
CLOSED	6.70" (17.02cm)
WEIGHT	6.70oz (189.94g)
HANDLE THICKNESS	0.76" (19.33mm)

H-D® KNIVES DISPLAY

Counter display is excellent for small places. 12"L x 5.5"H x 8"W
985211 Counter Display \$36



THE BLACK BOX

It's a handy pocket-sized kit complete with all the right tools to help keep your Harley-Davidson® knife tuned for optimum performance.

985060F The Black Box \$20



H-D® KNIFE SHARPENERS

A quick and easy-to-use tool when you're on the road. Two sizes available.

985061F H-D® Large Sharpener \$25
985062F H-D® Mini Sharpener \$20



BLUELUBE®

BlueLube lubricant and cleaners will protect and preserve your knife.

983901F
BlueLube® Cleaner 4oz \$10.00
983900F
BlueLube® Lubricant 1.25oz \$8.00



MODEL FEATURE CODES

- S PARTIALLY SERRATED, NO BLADE COATING
- SBK PARTIALLY SERRATED, BLACK CERAMIC COATING
- BK BLACK CERAMIC COATING
- BP BLACK PEARL ABRASION RESISTANT COATING



With Benchmade's Lifesharp Service, we will gladly sharpen your Harley-Davidson® knife to a factory, razor-sharp edge (service does not apply to any serrated portion of the blade). Simply ship the knife to the Harley-Davidson® Knives' address, postage paid and insured. Please enclose your return shipping address with \$5.00 to cover return shipping charges.

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt, or any satisfactory proof of the original date of purchase from a retail dealer.

HARLEY-DAVIDSON
KNIVES

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045 USA
H-DKNIVES.COM

BENCHMADE

A leader in quality cutlery.

For over two decades Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools. We continually strive to manufacture high quality products that will deliver superior performance and provide great value for our customers.

Mechanisms


Patented locking mechanisms like our AXIS® lock provide reliability and enhanced function.

Materials

Premium blade steels and strong, durable handle materials are built to last.

Manufacturing

Ultra-modern laser cutters and CNC machining centers offer the precision and control usually reserved for the aerospace industry.



BENCHMADE


300 Beaver Creek Road
Oregon City, OR 97045 USA
PH: 800-800-7427
FAX: 503-496-1896

ADDRESS SERVICE REQUESTED

PRSR T STD
US POSTAGE

PAID

OREGON CITY, OR
PERMIT NO. 25



HARLEY-DAVIDSON
OFFICIAL LICENSED PRODUCT



©2011 Harley-Davidson, All Rights Reserved.
Manufactured by Benchmade Knife Company
Under License For Harley-Davidson Motor Company
Notice, one or more patents may apply • Printed In USA • 12/2010