



**BENCHMADE**<sup>®</sup>

K N I F E C O M P A N Y

BENCHMADE  
710

2014  
CATALOG  
SECOND EDITION



BENCHMADE®



# 21<sup>ST</sup> CENTURY CRAFTSMANSHIP

Benchmade Knife Company began with a simple idea, to create a knife that is well designed, well built and made to last. It's in the name, Benchmade, recalling the days when tools were carefully made by hand. Today, we use the finest materials, manufacturing technology and handcrafted design.

Our commitment to world-class quality is embodied in our well-known motto - It's Not a Knife.

**It's a Benchmade.**



**GOLD CLASS**  
**PAGES 08-09**



**710-142**  
P.09

**BLUE CLASS**  
**PAGES 12-33**



**300-1**  
P.12



**477**  
P.13



**484**  
P.14



**531**  
P.18



**940-1**  
P.19



**757**  
P.24

**HUNT™**  
**PAGES 35-37**



**15001**  
P.35



**15003**  
P.35



**15007**  
P.36



**15008**  
P.36



**15009**  
P.36



**15016**  
P.36



**15031**  
P.37



**15051**  
P.37



**15056**  
P.37



**15060**  
P.37

**BLACK CLASS**  
**PAGES 40-65**



**5400**  
P.41



**903**  
P.46



**904**  
P.46



**908**  
P.46



**909**  
P.46



**183**  
P.50



**178**  
P.62

**GOLD CLASS PAGES 08-09**



**4501**  
P.08



**4502**  
P.08



**710-142**  
P.09



**7505-132**  
P.09

**BLUE CLASS PAGES 12-33**



**300-1**  
P.12

**300**  
P.12

**477**  
P.13

**470-1**  
P.13

**484**  
P.14

**482**  
P.15

**483**  
P.15

**586**  
P.16

**581**  
P.16

**580**  
P.16

**583**  
P.16

**585**  
P.17



**1000001**  
P.17

**530**  
P.18

**531**  
P.18

**940**  
P.19

**943**  
P.19

**710**  
P.20

**707**  
P.21

**757**  
P.24

**162**  
P.25

**746**  
P.26

**890**  
P.27

**551**  
P.30



**556**  
P.30

**550**  
P.31

**555**  
P.31

**553**  
P.31

**557**  
P.31

**551H20**  
P.33

**111H20**  
P.33

**62**  
P.28

**63**  
P.28

**67**  
P.28

**32**  
P.29

**51**  
P.29

**BALI-SONG<sup>®</sup> PAGES 28-29**

**HUNT<sup>™</sup> PAGES 35-37**



**15001**  
P.35

**15003**  
P.35

**15007**  
P.36

**15008**  
P.36

**15009**  
P.36

**15016**  
P.36

**15031**  
P.37

**15051**  
P.37

**15056**  
P.37

**15060**  
P.37





275 P.44 903 P.46 904 P.46 908 P.46 909 P.46 810 P.49 915 P.53 916 P.53 860 P.56 950 P.57 520 P.58 522 P.59 527 P.59

FOLDERS PAGES 40-59



5400 P.41 3300 P.42 3350 P.42 9051 P.43 9052 P.43 2750 P.44 9101 P.47 9500 P.47 9170 P.52 9170 P.52



2550 P.54 3550 P.54 3150 P.55 8600 P.56 9555 P.57 5000/5300 P.58 5500 P.58 5270 P.59

AUTOMATICS PAGES 40-59



175 P.44, 63 375 P.45 183 P.48 140/141 P.60 172BKF P.61 176BK P.62 178SBK P.62

FIXED BLADES PAGES 40-63



8 P.64 8 MED P.64 7 P.65 5 P.65 9 CB P.66 30210/30200 P.66 1100 P.67

SAFETY CUTTERS PAGES 64-66

PENS PAGE 67

# THE AXIS LOCK

Fifteen years ago, Benchmade introduced the first AXIS® and revolutionized the folding knife.

The innovation was simple but profound and it meant true ambidextrous operation, functional versatility and the strongest locking mechanism on the market. From the minds of Bill McHenry and Jason Williams came a completely unique, patented precision mechanism that has taken punishment like being blown up, run over, burned in fires and submerged in water for weeks. All around the world the AXIS® has been chosen again and again for its strength, abilities and unparalleled performance.







# HOW IT WORKS:

PIVOT

OMEGA SPRING (X2)

AXIS SLOT

STOP PIN

AXIS BAR






# GOLD CLASS

---

Bridge the gap between custom and manufactured.  
It's where existing lines reach perfection and  
one-of-a-kind tools are crafted for the collector's  
wish list. The Gold Class represents a new  
standard in knife-making.

A white line-art illustration of a knife handle, showing the ergonomic shape and two screws with star-shaped heads. The illustration is positioned in the lower right quadrant of the page, overlapping the bottom edge of the text area.





# PRESTIGEDGES

DE ASIS DESIGN • U.S.A.

The classic Prestigedges kitchen knives are now available in two handle materials to best fit your lifestyle.

- Single-piece full-tang 440C stainless steel blades (58-60HRC)
- 4501: Hand-finished black Micarta and stabilized winewood handles with hand-polished handle rivets
- 4502: Black G10 textured contoured handles

4501



4502

Individual knives also sold separately.  
4535-1, 4560-1, 4580-1

4501	Chef Knife	Utility Knife	Paring Knife
BLADE LENGTH	8.00" (20.32cm)	6.00" (15.24cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.59mm)	0.120" (3.05mm)	0.070" (1.84mm)
OVERALL LENGTH	13.00" (33.00cm)	10.25" (26.04cm)	7.09" (18.01cm)
WEIGHT	8.50oz (241.00g)	4.80oz (136.00g)	2.10oz (60.00g)
HANDLE THICKNESS	0.77" (19.50mm)	0.61" (15.36mm)	0.48" (12.28mm)
<b>4502</b>			
WEIGHT	9.14oz (259.12g)	5.07oz (143.70g)	2.07oz (58.50g)

CONFIGURATIONS/MSRP		
4501	3-piece set	\$505
4502	3-piece set	\$390
4535-1	Paring Knife	\$115
4560-1	Utility Knife	\$145
4580-1	Chef Knife	\$185





710-142

MCHENRY &amp; WILLIAMS DESIGN • U.S.A.

**The original AXIS® knife gets a cool new suit for its 15th birthday.**

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-stud opener
- Rose pattern Damasteel blade
- Carbon fiber handles with blue C-Tek inlays and anodized blue aluminum barrel spacers
- Full stainless steel liners and reversible tip-up black oxide pocket clip

**710-142**

BLADE LENGTH	3.90" (9.91cm)
BLADE THICKNESS	0.114" (2.92mm)
OPEN	8.80" (22.35cm)
CLOSED	4.90" (12.45cm)
WEIGHT	4.34oz (123.04g)
HANDLE THICKNESS	0.50" (12.70mm)

**CONFIGURATION/MSRP**

710-142	\$600
---------	-------

7505-132

SIBERT DESIGN • U.S.A.

**This Shane Sibert design can be opened as a manual or auto, utilizing a covert sliding titanium bolster mechanism to actuate the auto feature.**


- Dual-action automatic or manual opening mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- M390 super premium stainless steel blade (60-62HRC)
- Titanium and textured G10 handles with titanium tip-down pocket clip

**7505-132**

BLADE LENGTH	3.90" (9.91cm)
BLADE THICKNESS	0.150" (3.81mm)
OPEN	9.08" (23.63cm)
CLOSED	5.18" (13.15cm)
WEIGHT	7.98oz (226.30g)
HANDLE THICKNESS	0.536" (13.72mm)

**CONFIGURATIONS/MSRP**


7505-132	\$600
----------	-------



# BLUE CLASS


---

The heart of Benchmade. Whether it's folders or fixed blades, the Blue Class knife is designed and built for the individual who understands the difference a high-quality instrument can make.





**BENCHMADE**  
U.S.A.  
300





# 300 **AXIS**® FLIPPER

BUTCH BALL DESIGN • U.S.A.



## The convenience of a flipper — the performance of an **AXIS**®

- **AXIS**® locking mechanism
- Drop-point blade with flipper and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- 300-1: Blue and black contoured G10 handle scales
- 300SN: Brown and tan flat textured G10 handle scales
- Stainless steel liners with reversible deep-carry tip-up pocket clip



	300SN	300-1
BLADE LENGTH	3.18" (8.08cm)	3.18" (8.08cm)
BLADE THICKNESS	0.130" (3.30mm)	0.130" (3.30mm)
OPEN	7.36" (18.69cm)	7.36" (18.69cm)
CLOSED	4.25" (10.80cm)	4.25" (10.80cm)
WEIGHT	4.85oz (137.50g)	4.68oz (132.68g)
HANDLE THICKNESS	0.59" (14.99mm)	0.59" (14.99mm)

CONFIGURATION/MSRP		
300SN		\$180
300SSN	SERR	\$180
300-1		\$180
300S-1	SERR	\$180



# 477 EMISSARY® 3.5

## 470-1 EMISSARY®

OSBORNE DESIGN • U.S.A.

### Represent in style.

- AXIS®-Assist locking mechanism with safety
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- CPM-S30V premium stainless steel blade (58-60HRC)
- CNC machined billet, aluminum handles and reversible deep-carry tip-up pocket clip



477



470-1

	470-1	477
BLADE LENGTH	3.00" (7.62cm)	3.45" (8.76cm)
BLADE THICKNESS	0.090" (2.28mm)	0.100" (2.54mm)
OPEN	6.90" (17.52cm)	8.00" (20.32cm)
CLOSED	3.90" (9.90cm)	4.55" (11.56cm)
WEIGHT	2.20oz (62.36g)	3.95oz (111.98g)
HANDLE THICKNESS	0.45" (11.43mm)	0.52" (13.21mm)

CONFIGURATION/MSRP	
470-1	\$210
477	\$225
477S SERR	\$225



**The first Nakamura AXIS® brings the best of both worlds: detailed design and functional strength.**

- AXIS® locking mechanism
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- M390 super premium stainless steel blade (60-62HRC)
- Black contoured G10 handle scales with stainless steel liners and reversible tip-up pocket clip

**484**

BLADE LENGTH	3.08" (7.81cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	7.03" (17.85cm)
CLOSED	3.95" (10.03cm)
WEIGHT	3.52oz (99.79g)
HANDLE THICKNESS	0.57" (14.55mm)

**CONFIGURATION/MSRP**

484		\$225
484S	SERR	\$225



# 482 MEGUMI® & 483 SHORI®

NAKAMURA DESIGN • U.S.A.

**Any gentleman can appreciate these stylish yet durable pocket knives.**

- Nak-Lok® locking mechanism
- CPM-S30V premium stainless steel blade (58-60HRC)
- 482: Clip-point blade  
483: Utility blade
- 482: Cocobolo wood and carbon-fiber handle  
483: Contoured black G10 handle with aluminum bolster
- Steel backspacer with lanyard hole



482



483

	482	483
BLADE LENGTH	2.48" (6.30cm)	2.85" (7.24cm)
BLADE THICKNESS	0.104" (2.64mm)	0.104" (2.64mm)
OPEN	5.76" (14.63cm)	6.60" (16.76cm)
CLOSED	3.28" (8.33cm)	3.75" (9.53cm)
WEIGHT	1.85oz (52.40g)	2.52oz (71.50g)
HANDLE THICKNESS	0.46" (11.67mm)	0.46" (11.67mm)

#### CONFIGURATIONS/MSRP

482	\$230
483	\$230

# BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



**These spring-assisted models combine speed and strength in one complete package.**

- AXIS®-Assist locking mechanism
- Multiple blades and sizes
- Variety of handle materials available
- Reversible tip-up pocket clip



## 581/586

**This Barrage® gets an upgrade with G10 handles, aluminum bolsters and M390 super premium stainless steel (60-62HRC).**

	581	586
BLADE LENGTH	3.60" (9.10cm)	2.91" (7.40cm)
BLADE THICKNESS	0.121" (3.07mm)	0.100" (2.54mm)
OPEN	8.35" (21.20cm)	6.91" (17.60cm)
CLOSED	4.75" (12.10cm)	4.00" (10.20cm)
WEIGHT	5.20oz (147.41g)	3.87oz (109.71g)
HANDLE THICKNESS	0.65" (16.51mm)	0.57" (14.47mm)

### CONFIGURATIONS/MSRP

581		\$230
581S	SERR	\$230
581BK	BLK	\$245
581SBK	SERR BLK	\$245
586		\$220
586S	SERR	\$220
586BK	BLK	\$235
586SBK	SERR BLK	\$235

## 580/583

**The original Barrage® is available in a tanto or drop-point blade. These models feature a 154CM stainless steel blade (58-61HRC), Valox® handle and stainless steel liners.**



580  
Drop-Point

583SBK  
Tanto

	580/583
BLADE LENGTH	3.60" (9.10cm)
BLADE THICKNESS	0.121" (3.07mm)
OPEN	8.35" (21.20cm)
CLOSED	4.75" (12.10cm)
WEIGHT	4.20oz (119.07g)
HANDLE THICKNESS	0.65" (16.51mm)

### CONFIGURATIONS/MSRP

580		\$150
580S	SERR	\$150
580BK	BLK	\$165
580SBK	SERR BLK	\$165
583		\$150
583S	SERR	\$150
583BK	BLK	\$165
583SBK	SERR BLK	\$165



**585**

Same powerful design in a smaller package. Drop-point 154CM stainless steel blade (58-61HRC), Valox® handle and stainless steel liners.



585	
BLADE LENGTH	2.91" (7.40cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.91" (17.60cm)
CLOSED	4.00" (10.20cm)
WEIGHT	3.40oz (96.30g)
HANDLE THICKNESS	0.57" (14.47mm)

CONFIGURATIONS/MSRP		
585		\$140
585S	SERR	\$140
585BK	BLK	\$155
585SBK	SERR BLK	\$155



1000001 **VOLLI**

**New look, same fortitude.**

- AXIS®-Assist locking mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- CPM-S30V premium stainless steel blade (58-60HRC)
- Black contoured and textured G10 handle
- Stainless steel liners with reversible tip-up pocket clip



1000001	
BLADE LENGTH	3.26" (8.28cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.78" (19.76cm)
CLOSED	4.42" (11.23cm)
WEIGHT	4.28oz (121.30g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP		
1000001		\$165
1000001S	SERR	\$165
1000001BK	BLK	\$180
1000001SBK	SERR BLK	\$180





**The ultimate lightweight carry now comes with G10 or molded handles.**

- AXIS® locking mechanism
- 531: Modified drop-point blade; 530: Spear-point blade; ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- 531: Black and gray herringbone pattern textured G10 handle scales; 530: Grivory® handle scales
- Reversible tip-up pocket clip



531



530

	530	531
BLADE LENGTH	3.25" (8.25cm)	3.25" (8.25cm)
BLADE THICKNESS	0.090" (2.28mm)	0.090" (2.28mm)
OPEN	7.42" (18.85cm)	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)	4.17" (10.59cm)
WEIGHT	1.88oz (53.28g)	2.10oz (59.53g)
HANDLE THICKNESS	0.37" (9.39mm)	0.37" (9.39mm)

CONFIGURATIONS/MSRP		
530		\$115
530S	SERR	\$115
530BK	BLK	\$130
530SBK	SERR BLK	\$130
531		\$155
531S	SERR	\$155
531BK	BLK	\$170
531SBK	SERR BLK	\$170



940, 940-1 & 943  
OSBORNE DESIGN • U.S.A.

BLUE CLASS

**One of the most quintessential EDCs ever is now available with the lightweight strength of carbon fiber and the pure performance of CPM-S90V.**

- AXIS® locking mechanism
- 940 & 940-1: Reverse tanto blade; 943: Straight clip-point blade; ambidextrous dual thumb-stud opener
- 940-1: CPM-S90V super premium stainless steel blade (59-61HRC)
- 940 & 943: CPM-S30V premium stainless steel blade (58-60HRC)
- 940-1: Carbon fiber handle scales with stainless steel liners and anodized blue aluminum barrel spacers
- 940 & 943: Anodized 6061-T6 aluminum handles with stainless steel liners and color anodized titanium backspacer
- Reversible tip-up pocket clip



943SBK

940BK

940-1

	940/943	940-1
BLADE LENGTH	3.40" (8.64cm)	3.40" (8.64cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OPEN	7.87" (19.99cm)	7.87" (19.99cm)
CLOSED	4.47" (11.35cm)	4.47" (11.35cm)
WEIGHT	2.90oz (82.21g)	2.44oz (69.17g)
HANDLE THICKNESS	0.41" (10.40mm)	0.44" (11.18mm)

**CONFIGURATIONS/MSRP**

940		\$215
940S	SERR	\$215
940BK	BLK	\$230
940SBK	SERR BLK	\$230
940-1		\$310
940S-1	SERR	\$310
943		\$215
943S	SERR	\$215
943BK	BLK	\$230
943SBK	SERR BLK	\$230

710

MCHENRY & WILLIAMS DESIGN • U.S.A.



**Our first folder to ever feature the AXIS® lock, the 710 is a flat-out terrific piece of sports cutlery.**

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-stud opener
- D2 tool steel blade (60-62HRC)
- Black textured G10 handle scales and full stainless steel liners with reversible tip-up pocket clip



**710**

BLADE LENGTH	3.90" (9.90cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.80" (22.34cm)
CLOSED	4.90" (12.44cm)
WEIGHT	4.50oz (128.00g)
HANDLE THICKNESS	0.48" (12.00mm)

**CONFIGURATIONS/MSRP**

710D2	\$180
710SBKD2 SERR BLK	\$195





# 707 SEQUEL®

MCHENRY & WILLIAMS DESIGN • U.S.A.

**The machined aluminum handles and black G10 inlays provide a secure grip in any situation.**

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Machined 6061-T6 aluminum handles with black textured G10 inlays and reversible tip-up pocket clip



### 707

BLADE LENGTH	2.95" (7.50cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.75" (17.15cm)
CLOSED	3.80" (9.67cm)
WEIGHT	2.60oz (73.70g)
HANDLE THICKNESS	0.42" (10.67mm)

### CONFIGURATIONS/MSRP

707		\$165
707S	SERR	\$165
707BK	BLK	\$180
707SBK	SERR BLK	\$180

# 300-1 AXIS® FLIPPER



## READY FOR ANYTHING.

---

Unforgiving terrain requires reliable equipment. With the 300-1 AXIS® Flipper you're prepared for what Mother Nature can throw at you. The convenience of a flipper and the strength and versatility of the AXIS® make the 300-1 a must-carry.





# 757 VICAR **NEW**

SIBERT DESIGN • U.S.A.

**Shane Sibert comes through again with this modern masterpiece.**

- Heavy duty .090" thick titanium liner lock
- Tanto blade with modified recurve
- CPM-S30V premium stainless steel blade (58-60HRC)
- Green and black stacked G10 handle scales
- Tip-up pocket clip



## 757

BLADE LENGTH	3.90" (9.91cm)
BLADE THICKNESS	0.162" (4.11mm)
OPEN	8.95" (22.73cm)
CLOSED	5.17" (13.13cm)
WEIGHT	6.62oz (187.67g)
HANDLE THICKNESS	0.66" (16.76mm)

## CONFIGURATIONS/MSRP

757	\$300
757BK	BLK \$315

# 162 BUSHCRAFTER

SIBERT DESIGN • U.S.A.

## Unsurpassed reliability for planned (or unplanned) adventures.

- High-ground drop-point blade with polished finish
- CPM-S30V premium stainless steel blade (58-60HRC)
- Hand-blended and contoured green and red G10 handle pressed with titanium tubing
- Brushed full-grain buckskin leather sheath with D-ring, flint rod loop and retention strap



162	
BLADE LENGTH	4.43" (11.25cm)
BLADE THICKNESS	0.164" (4.17mm)
OVERALL LENGTH	9.20" (23.37cm)
WEIGHT	7.72oz (218.90g)
HANDLE THICKNESS	0.92" (23.37mm)

CONFIGURATION/MSRP	
162	\$205

# 746 MINI-ONSLAUGHT®

LUM DESIGN • U.S.A.



## The Onslaught continues.

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous dual thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Black contoured G10 handle scales with full stainless steel liners and tip-up pocket clip



746	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.89mm)
OPEN	7.78" (19.76cm)
CLOSED	4.43" (11.25cm)
WEIGHT	3.90oz (110.56g)
HANDLE THICKNESS	0.63" (16.00mm)

CONFIGURATIONS/MSRP			
746			\$170
746S	SERR		\$170
746BK		BLK	\$185
746SBK	SERR	BLK	\$185



**This Nitrous<sup>®</sup> Assist allows for quick, reliable opening.**

- Modified locking-liner with Nitrous<sup>®</sup> Assist mechanism
- Modified drop-point blade with thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black contoured G10 handle scales with deep-carry tip-down pocket clip



**890**

<b>BLADE LENGTH</b>	3.60" (9.14cm)
<b>BLADE THICKNESS</b>	0.100" (2.54mm)
<b>OPEN</b>	8.20" (20.83cm)
<b>CLOSED</b>	4.60" (11.68cm)
<b>WEIGHT</b>	3.50oz (99.00g)
<b>HANDLE THICKNESS</b>	0.60" (15.24mm)

**CONFIGURATIONS/MSRP**

890		\$165
890S	SERR	\$165
890BK	BLK	\$180
890SBK	SERR BLK	\$180

62/62T/63/67 **BALI-SONG®**  
 BENCHMADE DESIGN • U.S.A.



**These Bali-Songs® are sure to become classics.**

- D2 tool steel crowned blade (60-62HRC)
- Machined stainless steel handles
- T-latch lock
- Includes nylon sheath
- 62T has stonewashed handles and blade length is approximately 3.75"



62



62T



63



67

	62/63/67
BLADE LENGTH	4.25" (10.80cm)
BLADE THICKNESS	0.125" (3.18mm)
OPEN	9.20" (23.40cm)
CLOSED	5.27" (13.40cm)
WEIGHT	6.39oz (181.20g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP	
62	\$355
62T	\$280
63	\$355
67	\$355



# 51 MORPHO® & 32 MINI-MORPHO®

BENCHMADE DESIGN • U.S.A.

## Awesome lightweight flippers.

- Patented nitrous latch-locking mechanism
- D2 tool steel crowned modified spear-point blade (60-62HRC)
- Machined and skeletonized black G10 handle scales with blue anodized and jeweled 6AL-4V titanium liners
- Blue anodized and laser-engraved 6AL-4V titanium pocket clip

32



51



32

51

BLADE LENGTH	3.25" (8.26cm)	4.25" (10.80cm)
BLADE THICKNESS	0.100" (2.57mm)	0.100" (2.57mm)
OPEN	7.35" (18.67cm)	9.35" (23.75cm)
CLOSED	4.39" (11.15cm)	5.40" (13.72cm)
WEIGHT	2.70oz (76.54g)	3.30oz (93.55g)
HANDLE THICKNESS	0.44" (11.25mm)	0.48" (12.20mm)

### CONFIGURATIONS/MSRP

32	\$255
32BK	BLK \$270
51	\$275
51BK	BLK \$290



# GRIPILIAN® FAMILY

PARDUE DESIGN • U.S.A.



**AXIS® lock reliability, textured molded-handle scales and premium blade steel make the Griptilian® the ultimate lightweight carry.**

**All of our Griptilian® models feature the following:**

- AXIS® locking mechanism with ambidextrous dual thumb-stud or thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Glass-filled nylon handle material with stainless steel liners and reversible tip-up pocket clip

	550HG/551/553	555HG/556/557
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.38cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.21cm)
CLOSED	4.62" (11.73cm)	3.87" (9.82cm)
WEIGHT	3.25oz (92.13g)	2.56oz (72.57g)
HANDLE THICKNESS	0.64" (16.29mm)	0.51" (12.95mm)

## 551 / 556 Griptilian®

**Modified drop-point blade with ambidextrous dual thumb-stud opener.**


551SBK




556S




551T-Trainer




Sand



Olive Drab




Orange



Yellow



Blue



Pink

\*See above for sizes and weights

### CONFIGURATIONS/MSRP

551		\$115
551S	SERR	\$115
551BK	BLK	\$130
551SBK	SERR BLK	\$130
551SBKOD	SERR BLK	\$130
551-ORG		\$115
551S-ORG	SERR	\$115
551BK-ORG	BLK	\$130
551SBK-ORG	SERR BLK	\$130
551SBKSN	SERR BLK	\$130
551T (440C STEEL)		\$95
556		\$105
556S	SERR	\$105
556BK	BLK	\$120
556SBK	SERR BLK	\$120
556SBKOD	SERR BLK	\$120
556-BLU		\$105
556S-BLU	SERR	\$105
556-YEL		\$105
556S-YEL	SERR	\$105
556-PNK		\$105
556S-PNK	SERR	\$105



# GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.

## 550HG / 555HG Griptilian®

Hollow ground modified sheepfoot blade with ambidextrous dual thumb-hole opener.



550HG


555HG



550T-Trainer



Sand



Olive Drab



Yellow



Blue



Pink

\*See pg 30 for sizes and weights

### CONFIGURATIONS/MSRP

550HG		\$115
550SHG	SERR	\$115
550BKHG	BLK	\$130
550SBKHG	SERR BLK	\$130
550BKHGOD	BLK	\$130
550SBKHGOD	SERR BLK	\$130
550BKHGSN	BLK	\$130
550SBKHGSN	SERR BLK	\$130
550T (440C STEEL)		\$95
555HG		\$105
555HG-BLU		\$105
555HG-YEL		\$105
555SHG	SERR	\$105
555BKHG	BLK	\$120
555SBKHG	SERR BLK	\$120
555BKHGOD	BLK	\$120
555SBKHGOD	SERR BLK	\$120
555BKHGSN	BLK	\$120
555SBKHGSN	SERR BLK	\$120
555SHG-BLU	SERR	\$105
555SHG-YEL	SERR	\$105
555HG-PNK		\$105
555SHG-PNK	SERR	\$105


## 553 / 557 Griptilian®

Tanto blade with ambidextrous dual thumb-stud opener.



553SBK

557



Sand



Olive Drab

\*See pg 30 for sizes and weights

### CONFIGURATIONS/MSRP

553		\$115
553S	SERR	\$115
553BK	BLK	\$130
553SBK	SERR BLK	\$130
553BKOD	BLK	\$130
553SBKOD	SERR BLK	\$130
553BKSN	BLK	\$130
553SBKSN	SERR BLK	\$130
557		\$105
557S	SERR	\$105
557BK	BLK	\$120
557SBK	SERR BLK	\$120
557BKOD	BLK	\$120
557SBKOD	SERR BLK	\$120
557BKSN	BLK	\$120
557SBKSN	SERR BLK	\$120

# CUSTOM KNIFE BUILDER

Benchmade has great options to make your favorite knife your own. We now offer customization for Griptilian®, Mini-Griptilian®, Barrage® and Mini-Barrage®. Choose from a variety of blade steels, handle colors, custom laser etching and hardware. The hardest part? Deciding what you like best! To create your custom knife, please visit our new site:

[customknife.benchmade.com](http://customknife.benchmade.com)



## THE RIGHT TOOL FOR THE RIGHT CAUSE

A portion of the profits from the sale of this knife are donated to the Oregon Health & Science University Knight Cancer Institute for breast health. Available in 555HG and 556 versions.

**MSRP: \$105**



Benchmade is a proud supporter of the OHSU Knight Cancer Institute.



**551H2O Griptilian®**

- Featuring N680 highly corrosion resistant blade steel (57-59HRC)
- Safety orange handle scales
- Full satin hardware




<b>551H2O</b>	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.07" (20.50cm)
CLOSED	4.62" (11.73cm)
WEIGHT	3.25oz (92.13g)
HANDLE THICKNESS	0.64" (16.29mm)

<b>CONFIGURATIONS/MSRP</b>		
551H2O		\$135
551SH2O	SERR	\$135

**111H2O**

**Our water knives offer great corrosion resistance, cutting ability and edge retention.**

- AXIS® locking mechanism
- N680 highly corrosion resistant blade steel (57-59HRC)
- Modified sheepsfoot blade style with ambidextrous dual thumb-stud opener
- Grivory® handle scales and reversible tip-up pocket clip



<b>111H2O Folder</b>	
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.07" (20.32cm)
CLOSED	4.62" (11.73cm)
WEIGHT	4.90oz (139.50g)
HANDLE THICKNESS	0.52" (13.26mm)

<b>CONFIGURATIONS/MSRP</b>		
111H20-BLK		\$135
111SH20-BLK	SERR	\$135
111H20-YEL		\$135
111SH20-YEL	SERR	\$135



# HUNT.™



## INTRODUCING BENCHMADE HUNT.

Research projects, R&D lab tests and many miles of field research provided the foundation for the design and development of Benchmade HUNT. Built from advanced materials usually reserved for spaceships and surgical equipment, these technologically advanced hunting knives provide refined performance and rugged durability. **BENCHMADE HUNT.** *The art of pursuit.*



15003-1/15003-2  
**NEW SADDLE MOUNTAIN SKINNER WITH HOOK**  
 15001-1/15001-2  
**SADDLE MOUNTAIN SKINNER**



15003-1/ 15003-2  
**SADDLE MOUNTAIN SKINNER WITH HOOK**


15001-1/ 15001-2  
**SADDLE MOUNTAIN SKINNER**

**CPM POWDERED METAL**


CPM-S30V is designed to offer the best combination of edge retention, durability and corrosion resistance. The CPM process produces very homogeneous, high-quality steel characterized by superior dimensional stability, grindability, and toughness when compared to steels produced by conventional processes. The result is a blade steel designed for the longest seasons, the harshest environments and the toughest jobs.

**CPM-S30V PROPERTIES**

<b>C</b> Carbon	<b>Cr</b> Chromium	<b>Mo</b> Molybdenum	<b>V</b> Vanadium
--------------------	-----------------------	-------------------------	----------------------



*The CPM process produces a consistent high-grade steel.*



	15001-1 / 15001-2	15003-1 / 15003-2
<b>BLADE LENGTH</b>	4.17" (10.59cm)	4.17" (10.59cm)
<b>BLADE THICKNESS</b>	0.140" (3.56mm)	0.140" (3.56mm)
<b>OVERALL LENGTH</b>	8.73" (22.16cm)	8.73" (22.16cm)
<b>WEIGHT</b>	5.13oz (145.42g) G10 4.65oz (131.83g) Wood	5.13oz (145.42g) G10 4.65oz (131.83g) Wood
<b>HANDLE THICKNESS</b>	0.58" (14.73mm)	0.58" (14.73mm)

<b>CONFIGURATIONS/MSRP</b>		
15001-1	G10	\$155
15001-2	Wood	\$155
15003-1	G10	\$165
15003-2	Wood	\$165



# FIXED BLADES

## 15007 / 15016

- Modified clip-point blade
- CPM-S30V premium stainless steel blade (58-60HRC)
- 15007-1/15016-1: Textured G10 handle; 15007-2/15016-2: Dymondwood® handle
- 15007-1/15016-1: Form fit Kydex® sheath with reversible belt loop
- 15007-2/15016-2: Rich leather pressure-fit sheath with integrated guard
- 15016-2 Sheath with retention strap (horiz carry)



15016-1 / 15016-2  
**HIDDEN CANYON HUNTER**  
Sheath included

### CONFIGURATIONS/MSRP

15007-1	G10	\$145
15007-2	Wood	\$145
15008-BLK	BLK	\$115
15008-ORG	ORG	\$115
15009-BLK	BLK	\$125
15009-ORG	ORG	\$125
15016-1	G10	\$135
15016-2	Wood	\$135

## 15008 / 15009 NEW

- 15008: Drop-point blade
- 15009: Drop-point blade with gut hook
- CPM-S30V premium stainless steel blade (58-60HRC)
- ORG: Orange Santoprene® handles with grip texture
- BLK: Black Santoprene® handles with grip texture
- Sheath with multiple carry positions



15007-1 / 15007-2  
**SADDLE MOUNTAIN HUNTER**  
Sheath included



15008-ORG  
15008-BLK  
**STEEP COUNTRY**  
Sheath included



15009-BLK  
15009-ORG  
**STEEP COUNTRY WITH HOOK**  
Sheath included

	15007-1 / 15007-2	15016-1 / 15016-2	15008	15009
BLADE LENGTH	4.05" (10.29cm)	2.67" (6.78cm)	3.50" (8.89cm)	3.50" (8.89cm)
BLADE THICKNESS	0.120" (3.05mm)	0.120" (3.05mm)	0.140" (3.56mm)	0.140" (3.56mm)
OVERALL LENGTH	8.59" (21.82cm)	6.32" (16.05cm)	7.65" (19.43cm)	7.65" (19.43cm)
WEIGHT	4.09oz (115.95g) G10 3.59oz (101.77g) Wood	3.52oz (99.79g) G10 3.41oz (96.67g) Wood	4.40oz (124.74g)	4.70oz (133.24g)
HANDLE THICKNESS		0.58" (14.73mm)	0.62" (15.75mm)	0.62" (15.75mm)

# FOLDERS

## 15051 / 15056

- Classic lock-back folding mechanism
- Drop-point blade with nail nick
- CPM-S30V premium stainless steel blade (58-60HRC)
- Dymondwood® handle
- Stainless steel liners with pocket clip

## 15031 / 15060



- AXIS® locking mechanism
- Modified drop-point blade with ambidextrous dual thumb-stud opener
- CPM-S30V premium stainless steel blade (58-60HRC)
- 15031-1: Textured G10 handle; 15031-2/15060-2: Dymondwood® handle
- Stainless steel liners with tip-up pocket clip



15056 **SMALL**  
**SUMMIT LAKE**

15051 **BIG**  
**SUMMIT LAKE**

15031-1/15031-2  
**NORTH FORK**

15060  
**GRIZZLY CREEK**

CONFIGURATIONS/MSRP		
15031-1	G10	\$165
15031-2	Wood	\$165
15051-2	Wood	\$145
15056-2	Wood	\$135
15060-2	Wood	\$195

	15031-1 / 15031-2	15051-2	15056-2	15060-2
BLADE LENGTH	2.97" (7.54cm)	3.77" (9.58cm)	2.89" (7.34cm)	3.50" (8.89cm)
BLADE THICKNESS	0.114" (2.90mm)	0.124" (3.15mm)	0.114" (2.90mm)	0.124" (3.15mm)
OVERALL LENGTH	6.87" (17.45cm)	8.34" (21.18cm)	6.89" (17.49cm)	7.84" (19.91cm)
CLOSED	3.90" (9.91cm)	4.57" (11.61cm)	3.65" (9.27cm)	4.34" (11.02cm)
WEIGHT	3.41oz (96.67g) 3.16oz (89.58g)	4.59oz (130.12g)	3.04oz (86.18g)	4.76oz (134.94g)
HANDLE THICKNESS	0.53" (13.46mm)	0.57" (14.48mm)	0.45" (11.43mm)	0.56" (14.22mm)





# BLACK CLASS

---

Used by professionals when quality tools can mean the difference between life and death. From law enforcement and public safety to elite military troops, our obligation is still the same: The best equipment for the job.




# REVOLUTIONARY

## The NEW AXIS<sup>®</sup> Dual-Action




### AXIS<sup>®</sup> Dual-Action Innovation

The strongest, most versatile automatic mechanism on the market for nearly 20 years has evolved. The new AXIS<sup>®</sup> dual-action automatic or manual opening combines the superior ambidextrous function of the manual AXIS<sup>®</sup> with a covert automatic action triggered by pulling the AXIS<sup>®</sup> bar down further. No matter the job, the AXIS<sup>®</sup> dual-action has you covered.



Pull down AXIS<sup>®</sup> for manual



Pull down further for automatic



**NEW 5400 SERUM™**  
BENCHMADE DESIGN • U.S.A.

- AXIS® dual-action mechanism
- Modified drop-point blade
- Elmax® premium stainless steel blade (58-60HRC)
- Black machined G10 handle scales with full stainless steel liners
- Reversible tip-up pocket clip



**5400**

<b>BLADE LENGTH</b>	3.47" (8.81cm)
<b>BLADE THICKNESS</b>	0.120" (3.05mm)
<b>OPEN</b>	8.09" (20.55cm)
<b>CLOSED</b>	4.70" (11.94cm)
<b>WEIGHT</b>	4.63oz (131.26g)
<b>HANDLE THICKNESS</b>	0.58" (14.63mm)

**CONFIGURATIONS/MSRP**

5400		\$265
5400S	SERR	\$265
5400BK	BLK	\$280
5400SBK	SERR BLK	\$280

BLACK CLASS



# INFIDEL® FAMILY

MCHENRY DESIGN • U.S.A.



## 3300 Infidel®

The Infidel's® out-the-front mechanism is fast and rock solid.

- Double-action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061-T6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port



Sheath with Malice Clip® included

## 3350 Mini-Infidel®

Our popular Infidel® out-the-front auto comes in a slightly smaller package.

- Double-action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061-T6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port



Sheath with Malice Clip® included

	3300	3350
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)
BLADE THICKNESS	0.118" (2.99mm)	0.104" (2.28mm)
OPEN	8.91" (22.63cm)	7.10" (21.35cm)
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)
WEIGHT	4.90oz (138.91g)	3.40oz (100.55g)
HANDLE THICKNESS	0.59" (14.90mm)	0.54" (13.71mm)

CONFIGURATIONS/MSRP	
3300	\$470
3300BK BLK	\$485
3350	\$400
3350BK BLK	\$415

**The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.**

- Push-button automatic with integrated safety
- 9051: Drop-point blade  
9052: Tanto blade
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with open backspacer
- Multiple clip positions: reversible, tip-up or tip-down



9052 Tanto

9051SBK  
Drop-Point

Sheath included

	9051/9052
BLADE LENGTH	3.56" (9.00cm)
BLADE THICKNESS	0.124" (3.17mm)
OPEN	8.51" (21.60cm)
CLOSED	4.95" (12.60cm)
WEIGHT	5.8oz (164.42g)
HANDLE THICKNESS	0.60" (15.23mm)

CONFIGURATIONS/MSRP		
9051		\$245
9051S	SERR	\$245
9051BK	BLK	\$260
9051SBK	SERR BLK	\$260
9052		\$245
9052S	SERR	\$245
9052BK	BLK	\$260
9052SBK	SERR BLK	\$260

# ADAMAS® FAMILY

SIBERT DESIGN • U.S.A.



MOLLE  
COMPATIBLE

## 275 Manual / 2750 Automatic

- 275 Folder: AXIS® locking mechanism with ambidextrous dual thumb-stud opener
- 2750 Auto: Auto-AXIS® locking mechanism
- D2 tool steel (60-62HRC)
- Tactical drop-point blade
- G10 handle with lanyard hole and full stainless steel liners
- Reversible deep-carry tip-up pocket clip



275BK

275SBKSN

Sheath with  
Malice Clip® included

## 175 Fixed Blade

- 440C (58-60HRC) Dagger
- Rubber-dipped handle
- PIM Sheath



175BKSN

	175	275/2750	375
BLADE LENGTH	2.50" (6.35cm)	3.82" (9.70cm)	4.20" (10.68cm)
BLADE THICKNESS	0.125" (3.17mm)	0.160" (4.06mm)	0.170" (4.32mm)
OVERALL LENGTH	5.47" (13.89cm)	8.70" (22.10cm)	9.03" (22.93cm)
CLOSED	-	4.88" (12.40cm)	-
WEIGHT	2.32oz (65.77g)	275: 7.68oz (217.50g) 2750: 7.54oz (213.60g)	5.60oz (158.75g)
HANDLE THICKNESS	0.25" (6.35mm)	0.73" (18.54mm)	0.17" (4.32mm)
SHEATH WEIGHT	1.70oz (48.19g)	1.50oz (42.52g)	1.11oz (31.61g)



### Rangers Lead the Way

Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Ranger Assistance Foundation. For more information, please visit [benchmade.com/adamas](http://benchmade.com/adamas).

### 375 Fixed Blade

- D2 tool steel (60-62HRC)
- Drop-point blade with serrations on spine
- Injection-molded sheath with secondary locking strap and tension screw
- Eight-position carry sheath with Tek-Lok



375SN

375BKSN  
Includes  
Sand Sheath

Tek-Lok included



CONFIGURATIONS/MSRP		
2750BK	BLK	\$255
2750SBK	SERR BLK	\$255
2750BKSN	BLK	\$255
2750SBKSN	SERR BLK	\$255
275BK	BLK	\$200
275SBK	SERR BLK	\$200
275BKSN	BLK	\$200
275SBKSN	SERR BLK	\$200
375SN	SAND	\$165
375BKSN	BLK	\$165
375BK	BLK	\$165
175BK	BLK	\$105
175BKSN	BLK	\$105



### CORD WRAP

(paracord included)

To view video, scan code below or visit:  
[www.benchmade.com/375](http://www.benchmade.com/375)



908/909 **AXIS® STRYKER®** NEW



903/904 **MINI-AXIS® STRYKER®** NEW

BENCHMADE DESIGN • U.S.A.

**The Stryker® strikes back with AXIS® and G10.**

- AXIS® locking mechanism
- 904/909: Tanto blade with ambidextrous dual thumb-stud opener
- 903/908: Drop-point blade
- 154CM stainless steel blade (58-61HRC)
- Black textured G10 handle scales with stainless steel liners and reversible tip-up pocket clip



	903/904	908/909
<b>BLADE LENGTH</b>	2.94" (7.47cm)	3.57" (9.07cm)
<b>BLADE THICKNESS</b>	0.104" (2.64mm)	0.124" (3.15mm)
<b>OPEN</b>	6.81" (17.30cm)	8.29" (21.06cm)
<b>CLOSED</b>	3.87" (9.83cm)	4.72" (11.99cm)
<b>WEIGHT</b>	2.84oz (80.51g)	4.38oz (124.17g)
<b>HANDLE THICKNESS</b>	0.40" (10.16mm)	0.47" (11.94mm)

CONFIGURATIONS/MSRP		
903		\$165
903S	SERR	\$165
903BK	BLK	\$180
903SBK	SERR BLK	\$180
904		\$165
904S	SERR	\$165
904BK	BLK	\$180
904SBK	SERR BLK	\$180
908		\$180
908S	SERR	\$180
908BK	BLK	\$195
908SBK	SERR BLK	\$195
909		\$180
909S	SERR	\$180
909BK	BLK	\$195
909SBK	SERR BLK	\$195



9101 **AUTO STRYKER®**  
 9500 **MINI-AUTO STRYKER®**  
 BENCHMADE DESIGN • U.S.A.

The 9101 next generation Auto-Stryker® incorporates a larger, stronger locking button, open backspacer design for easy maintenance and an increased spring force.

- Push-button automatic with integrated safety
- 154CM stainless steel tanto blade (58-61HRC)
- Machined 6061-T6 black anodized aluminum handle
- 9101: Multiple clip positions: reversible, tip-up or tip-down



9101BK

9500SBK

	9101	9500
BLADE LENGTH	3.60" (9.10 cm)	2.95" (7.49cm)
BLADE THICKNESS	0.124" (3.15mm)	0.098" (2.54mm)
OPEN	8.30" (21.08cm)	7.21" (18.31cm)
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)
WEIGHT	4.20oz (110.56g)	2.90oz (82.21g)
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.90mm)

CONFIGURATIONS/MSRP		
9101BK	BLK	\$260
9101SBK	SERR BLK	\$260
9500BK	BLK	\$215
9500SBK	SERR BLK	\$215

# 183 FIXED CONTEGO

OSBORNE DESIGN • U.S.A.

**MOLLE**  
COMPATIBLE

**Just like its folding predecessor, this tactical fixed blade from Warren Osborne was made to be tough.**

- Reverse tanto blade
- CPM-S30V premium stainless steel blade (58-60HRC)
- Smooth, contoured black G10 handles
- Includes multiple position, molded sheath with adjustable detent



Sheath included



183

183SBK

## 183

BLADE LENGTH	4.97" (12.62cm)
BLADE THICKNESS	0.166" (4.22mm)
OVERALL LENGTH	10.18" (25.87cm)
WEIGHT	7.14oz (202.42g)
HANDLE THICKNESS	0.62" (15.75mm)
SHEATH WEIGHT	2.32oz (66.00g)

## CONFIGURATIONS/MSRP

183		\$195
183S	SERR	\$195
183BK	BLK	\$210
183SBK	SERR BLK	\$210



**The Contego tactical folder is built with toughness and durability for any occasion.**

- AXIS® locking mechanism
- Reverse tanto blade with ambidextrous dual thumb-stud opener
- CPM-M4 steel blade with gray or black Cerakote™ (62-64HRC)
- Textured G10 handle scales with stainless steel backspacer, full liners and reversible deep-carry tip-up pocket clip
- Carbide glass breaker



Carbide glass breaker

**810**

BLADE LENGTH	3.98" (10.11cm)
BLADE THICKNESS	0.156" (3.96mm)
OPEN	9.28" (23.57cm)
CLOSED	5.30" (13.46cm)
WEIGHT	5.92oz (167.70g)
HANDLE THICKNESS	0.55" (13.91mm)

**CONFIGURATIONS/MSRP**

810	GRAY	\$215
810S	SERR GRAY	\$215
810BK	BLK	\$215
810SBK	SERR BLK	\$215



183 FIXED CONTEGO



*CONTEGO: TO COVER,  
PROTECT, DEFEND.*

---

Military-grade equipment is essential when lives are on the line. Nothing is guaranteed, and execution is critical. The 183 Fixed Contego's premier performance means you can focus on the mission at hand.



9170 **AUTO TRIAGE**® &

9160 **AUTO TRIAGE**®

BENCHMADE DESIGN • U.S.A.



**The dynamic Triage® packaged in high-strength aluminum with the speed and efficiency of AXIS® auto and an automatic opening hook.**

- AXIS® pull release with integrated safety
- 9170: Modified drop-point blade  
9160: Opposing bevel blade
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C automatic opening hook-shaped safety cutter (58-60HRC)
- Anodized black aluminum handles with textured G10 inlays available in black or safety orange
- Carbide glass breaker



Carbide glass breaker



9170SBK

9160BK-ORG  
Opposing Bevel

Sheath optional, see page 72.  
984094F and 984093F

	9170	9160
BLADE LENGTH	3.58" (9.09cm)	3.35" (8.51cm)
BLADE THICKNESS	0.124" (3.15mm)	0.124" (3.15mm)
OPEN	8.31" (21.11cm)	8.08" (20.52cm)
CLOSED	4.73" (12.01cm)	4.73" (12.01cm)
WEIGHT	5.75oz (163.00g)	5.58oz (158.30g)
HANDLE THICKNESS	0.58" (14.73mm)	0.58" (14.73mm)

CONFIGURATIONS/MSRP		
9170		\$275
9170S	SERR	\$275
9170BK	BLK	\$290
9170SBK	SERR BLK	\$290
9170-ORG		\$275
9170S-ORG	SERR	\$275
9170BK-ORG	BLK	\$290
9170SBK-ORG	SERR BLK	\$290
9160BK	BLK	\$290
9160SBK	SERR BLK	\$290
9160BK-ORG	BLK	\$290
9160SBK-ORG	SERR BLK	\$290





915 TRIAGE® & 916 TRIAGE®  
BENCHMADE DESIGN • U.S.A.

**This dynamic triple utility tool includes a knife, safety hook and carbide glass breaker.**

- AXIS® locking mechanism
- 915: Modified sheepsfoot blade  
916: Opposing bevel blade
- Ambidextrous dual thumb-stud opener
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C hook-shaped safety cutter (58-60HRC)
- Textured G10 handles (available in black or safety orange) with full stainless steel liners and reversible deep-carry tip-up pocket clip
- Carbide glass breaker



916SBK  
Opposing Bevel

915 Sheepsfoot



Carbide glass breaker

Sheath optional, see page 72.  
984094F and 984093F

	915	916
BLADE LENGTH	3.50" (8.89cm)	3.40" (8.64cm)
HOOK LENGTH	2.00" (5.08cm)	2.00" (5.08cm)
BLADE THICKNESS	0.130" (3.02mm)	0.124" (3.14mm)
OPEN	8.20" (20.82cm)	8.25" (20.96cm)
CLOSED	4.70" (11.93cm)	4.85" (12.32cm)
WEIGHT	5.10oz (144.58g)	5.24oz (148.60g)
HANDLE THICKNESS	0.45" (11.43mm)	0.45" (11.43mm)

CONFIGURATIONS/MSRP		
915		\$175
915S	SERR	\$175
915BK	BLK	\$190
915SBK	SERR BLK	\$190
915-ORG		\$175
915S-ORG	SERR	\$175
915BK-ORG	BLK	\$190
915SBK-ORG	SERR BLK	\$190
916BK	BLK	\$190
916BK-ORG	BLK	\$190
916SBK	SERR BLK	\$190
916SBK-ORG	SERR BLK	\$190



## 2550 MINI-REFLEX

BENCHMADE DESIGN • U.S.A.

**Test your reflexes with this small, push-button auto.**

- Push-button automatic with integrated safety
- 154CM stainless steel utility drop-point blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with tip-up pocket clip



### 2550

BLADE LENGTH	3.16" (8.03cm)
BLADE THICKNESS	0.098" (2.54mm)
OPEN	7.32" (18.59cm)
CLOSED	4.16" (10.57cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.47" (11.90mm)

### CONFIGURATIONS/MSRP

2550		\$200
2550S	SERR	\$200
2550BK	BLK	\$215
2550SBK	SERR BLK	\$215

## 3550

PARDUE DESIGN • U.S.A.

**The spear-point blade shape of this small auto offers enhanced tip qualities.**

- Push-button automatic with integrated safety
- 154CM stainless steel spear-point blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with tip-down pocket clip



### 3550

BLADE LENGTH	2.98" (7.57cm)
BLADE THICKNESS	0.088" (2.29mm)
OPEN	7.10" (18.03cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.80oz (79.38g)
HANDLE THICKNESS	0.47" (11.90mm)

### CONFIGURATIONS/MSRP

3550		\$200
3550S	SERR	\$200
3550BK	BLK	\$215
3550SBK	SERR BLK	\$215

**The perfect small, gentleman's auto.**

- Push-button auto with integrated safety
- Modified drop-point blade
- CPM-S30V premium stainless steel blade (58-60HRC)
- Machined 6061-T6 aluminum handle with textured G10 inlay and tip-down pocket clip



**3150**

<b>BLADE LENGTH</b>	1.98" (5.02cm)
<b>BLADE THICKNESS</b>	0.100" (2.54mm)
<b>OPEN</b>	5.03" (12.77cm)
<b>CLOSED</b>	3.06" (18.03cm)
<b>WEIGHT</b>	2.10oz (62.10g)
<b>HANDLE THICKNESS</b>	0.35" (8.88mm)

**CONFIGURATIONS/MSRP**

3150	\$165
3150BK	BLK \$180

8600 **AUTO BEDLAM**® &  
 860 **MANUAL BEDLAM**®  
 BENCHMADE DESIGN • U.S.A.



**The scimitar-like blade on this big folder offers great functionality and a unique look and feel.**

- 8600: AXIS® auto with integrated safety
- 860: AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with reversible tip-up deep-carry pocket clip



860

8600SBK (Automatic)

**8600/860**

BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.17mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.64cm)
WEIGHT	7.30oz (207.83g)
HANDLE THICKNESS	0.60" (15.18mm)

**CONFIGURATIONS/MSRP**

8600BK	BLK	\$285
8600SBK	SERR BLK	\$285
860		\$230
860SBK	SERR BLK	\$245



9555 **AUTO RIFT®** &  
 950 **MANUAL RIFT®**  
 OSBORNE DESIGN • U.S.A.

**Reverse tanto for toughness, large-bellied blade for utility cutting and textured G10 handle scales help you get a firm grip on any situation.**

- 9555: AXIS® auto with integrated safety
- 950/950-1: AXIS® locking mechanism with ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- G10 handle scales with reversible tip-up pocket clip



9555SBK (Automatic)

950 Layered Black & Gray Handles (Manual only)  
 950-1 Black Handles

	950/950-1	9555
<b>BLADE LENGTH</b>	3.67" (9.32cm)	3.67" (9.32cm)
<b>BLADE THICKNESS</b>	0.114" (2.90mm)	0.114" (2.90mm)
<b>OPEN</b>	8.27" (21.00cm)	8.27" (21.00cm)
<b>CLOSED</b>	4.60" (11.68cm)	4.60" (11.68cm)
<b>WEIGHT</b>	4.80oz (136.08g)	4.95oz (140.33g)
<b>HANDLE THICKNESS</b>	0.56" (14.28mm)	0.56" (14.28mm)

**CONFIGURATIONS/MSRP**

9555		\$250
9555S	SERR	\$250
9555BK	BLK	\$265
9555SBK	SERR BLK	\$265
950		\$195
950BK	BLK	\$210
950SBK	SERR BLK	\$210
950-1		\$195
950BK-1	BLK	\$210
950SBK-1	SERR BLK	\$210



# PRESIDIO® FAMILY

PARDUE DESIGN • U.S.A.



**MOLLE**  
COMPATIBLE

## A multi-directional positive grip defines these tough, reliable folders.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061-T6 aluminum handle with stainless steel liners and reversible tip-up pocket clip
- MOLLE® soft sheath (5000 & 5300)



**Presidio Tanto  
5300SBK (Automatic)**

**Presidio Drop-Point  
5000SBK (Automatic)  
520 (Manual)**



**5000 includes sheath  
with Malice Clip®**



**Mini-Presidio  
5500SBK (Automatic)**

	5000/520/5300	5500
<b>BLADE LENGTH</b>	3.47" (8.81cm)	2.97" (7.54cm)
<b>BLADE THICKNESS</b>	0.125" (3.17mm)	0.115" (2.92mm)
<b>OPEN</b>	8.25" (20.96cm)	7.12" (18.08cm)
<b>CLOSED</b>	4.87" (12.37cm)	4.15" (10.54cm)
<b>WEIGHT</b>	5.60oz (158.76g)	3.70oz (104.89g)
<b>HANDLE THICKNESS</b>	0.64" (16.30mm)	0.50" (12.60mm)

### CONFIGURATIONS/MSRP

520		\$195
520BK	BLK	\$210
520SBK	SERR BLK	\$210
5000		\$250
5000SBK	SERR BLK	\$265
5000SBKSN	SERR BLK	\$265
5300SBK	SERR BLK	\$265
5500		\$225
5500S	SERR	\$225
5500BK	BLK	\$240
5500SBK	SERR BLK	\$240



# PRESIDIO ULTRA® FAMILY

PARDUE DESIGN • U.S.A.

BLACK CLASS

**These tactical, lightweight autos deliver strength and speed in any situation.**

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous dual thumb-stud opener
- 440C stainless steel drop-point blade (58-60HRC)
- Grivory® handle with reversible tip-up pocket clip



Presidio Ultra  
522 (Manual)

Mini-Presidio Ultra  
5270SBK (Automatic)  
527 (Manual)

	522	527/5270
<b>BLADE LENGTH</b>	3.47" (8.81cm)	2.97" (7.54cm)
<b>BLADE THICKNESS</b>	0.125" (3.17mm)	0.115" (2.92mm)
<b>OPEN</b>	8.25" (20.96cm)	7.12" (18.08cm)
<b>CLOSED</b>	4.87" (12.37cm)	4.15" (10.54cm)
<b>WEIGHT</b>	4.80oz (136.07g)	3.10oz (87.88g)
<b>HANDLE THICKNESS</b>	0.64" (16.30mm)	0.50" (12.60mm)

CONFIGURATIONS/MSRP		
5270BK	BLK	\$210
5270SBK	SERR BLK	\$210
522		\$115
522S	SERR	\$115
522BK	BLK	\$130
522SBK	SERR BLK	\$130
527		\$105
527S	SERR	\$105
527BK	BLK	\$120

# 140/141 NIMRAVUS®

BENCHMADE DESIGN • U.S.A.

**MOLLE**  
COMPATIBLE

## Our all-time best-selling combat fixed blade.

- 140: Drop-point blade  
141: Modified tanto blade
- 154CM stainless steel blade (58-61HRC)
- Full-tang anodized, machined 6061-T6 aluminum handle
- Includes multifunction MOLLE® compatible nylon sheath



141SBK

140BK



Black

Coyote (SN)

ADC

Black and Coyote sheaths available separately.

	140	141
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)
WEIGHT	6.20oz (174.95g)	5.86oz (161.13g)
HANDLE THICKNESS	0.58" (14.79mm)	0.58" (14.79mm)
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)

### CONFIGURATIONS/MSRP

140BK	BLK	\$185
140SBK	SERR BLK	\$185
140BKSN	BLK	\$200
140SBKSN	SERR BLK	\$200
140SBK-ADC	SERR BLK	\$200
141BK	BLK	\$185
141SBK	SERR BLK	\$185
141BKSN	BLK	\$200
141SBKSN	SERR BLK	\$200
141SBK-ADC	SERR BLK	\$200

**Differentially heat treated, the forged 4140 steel and textured G10 handles make this tomahawk a very dynamic tool.**

- 4140 chromoly blade steel
- Full-tang handle with textured G10 cross-hatched pattern for ultimate grip
- Contoured wedged end for prying
- Differentially heat treated for increased durability
- Includes MOLLE® compatible sheath



**172BKF**

<b>HEAD LENGTH</b>	7.50" with 3.50" edge face
<b>SPIKE LENGTH</b>	3.50" (8.90cm)
<b>BLADE THICKNESS</b>	0.360" (9.14mm)
<b>OVERALL LENGTH</b>	16.25" (41.27cm)
<b>WEIGHT</b>	36.8oz (1.04kg)
<b>HANDLE THICKNESS</b>	0.96" (24.38mm)
<b>SHEATH WEIGHT</b>	5.50oz (155.92g)



Sheath included

**CONFIGURATION/MSRP**

172BKF	BLK	\$385
--------	-----	-------



176 **SOCP DAGGER**  
 178 **SOCP DAGGER** **NEW**  
 THOMPSON DESIGN • U.S.A.



**Professional self-defense tools for professional defenders.**

- 178: Skeletonized drop-point; 176: Skeletonized dagger
- 440C stainless steel blade (58-60HRC)
- Finger loop for ease of deployment and use
- Injection-molded sheath in black or sand with lanyard hole and dip-coated clip



	<b>176 DAGGER</b>	<b>178 DAGGER</b>	<b>176 TRAINER</b>
<b>DAGGER LENGTH</b>	7.25" (18.42cm)	7.25" (18.42cm)	6.81" (17.30cm)
<b>BLADE LENGTH</b>	3.22" (8.18cm)	3.22" (8.18cm)	2.78" (7.06cm)
<b>HANDLE LENGTH</b>	4.03" (10.24cm)	4.03" (10.24cm)	4.03" (10.24cm)
<b>DAGGER THICKNESS</b>	0.175" (4.45mm)	0.175" (4.45mm)	0.175" (4.45mm)
<b>WEIGHT</b>	2.20oz (62.37g)	2.20oz (62.37g)	2.31oz (65.49g)
<b>SHEATH WEIGHT</b>	1.00oz (28.35g)	2.02oz (57.40g)	1.00oz (28.35g)

<b>CONFIGURATIONS/MSRP</b>		
176BK Dagger & black sheath	BLK	\$105
176BK-COMBO Dagger & sheath with trainer	BLK	\$145
176BKSN Dagger & sand sheath	BLK	\$105
176BKSN-COMBO Dagger & sand sheath with trainer	BLK	\$145
176T Trainer with sheath		\$65
178SBK Dagger & black sheath	SERR BLK	\$115
178SBK-COMBO Dagger & sheath with trainer	SERR BLK	\$145
178SBKSN Dagger & sand sheath	SERR BLK	\$115
178SBKSN-COMBO Dagger & sand sheath with trainer	SERR BLK	\$145

**A versatile push dagger designed for durability and strength.**

- 440C stainless steel double-edge spear-point with chisel-ground edge (58-60HRC)
- Rubber-dipped coated handle, full-tang dagger
- PIM sheath with reversible belt clip to fit up to a 2-inch duty belt (available in black or sand)



175BK



175BKSN

175	
BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.17mm)
OVERALL LENGTH	5.47" (13.89cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.35mm)
SHEATH WEIGHT	1.70oz (48.19g)

CONFIGURATIONS/MSRP		
175BK	BLK	\$105
175BKSN	BLK	\$105

# SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

**MOLLE**  
COMPATIBLE



**Cut quickly and reliably in an emergency situation. All of our safety cutters are made in the U.S.A.**

- 440C premium stainless steel used in 5, 7 and 8 hooks (58-60HRC)
- Sheath color options are black, sand and foliage green for all hooks (see p. 72 for details)
- Blade opening: 0.50" (12.67mm)


## **8 Hook**

**The longer handle provides greater reach and leverage.**



## **8 BLKWMED**

**This hook is ideal for cutting bandages, medical tubing, casts and uniforms. O<sub>2</sub> wrench laser cut in blade.**



	<b>8 BLKW</b>
OVERALL LENGTH	6.50" (16.51cm)
WEIGHT	1.50oz (42.97g)

<b>CONFIGURATIONS/MSRP</b>		
8 BLKW	BLK	\$40
8 BLKWMED	BLK	\$40

### **7 Hook**

The larger handle design works well with gloved hands and the coated handle allows for better grip.



### **5 Hook**

This small, compact design is great for lightweight carry.

	<b>7 Hook</b>	<b>5 Hook</b>
OVERALL LENGTH	4.30" (10.92cm)	2.90" (7.37cm)
WEIGHT	1.50oz (42.97g)	1.20oz (33.97g)

<b>CONFIGURATIONS/MSRP</b>		
7 BLKW	BLK	\$40
5 BLKW	BLK	\$40



# SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.



9 CB-YEL

9 CB-BLK

Retractable  
blade cover

## 9 CB Hook

Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.



30200

30210

## Houdini Pro

Professional rescue tool featuring a window breaker, seatbelt cutter and LED flashlight. **IMPORT**

9 CB Hook	
LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.77g)

CONFIGURATIONS/MSRP	
9 CB-BLK	\$35
9 CB-YEL	\$35
30200 yellow	\$45
30210 black	\$45

**Our precision crafted writing tools are proudly made in the U.S.A.**

- Ergonomic knurling patterns
- Anodized aluminum, titanium, stainless steel or Damascus bodies
- Caps securely snap open or closed
- Fisher ink cartridges (refills available at [www.benchmade.com](http://www.benchmade.com))

## 1100 Series

### ALUMINUM



### TITANIUM



### STAINLESS STEEL



### DAMASCUS



#### 1100

PEN DIAMETER	0.50" (1.27cm)
OPEN W/OUT CAP	5.10" (12.97cm)
CLOSED W/ CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
TITANIUM WEIGHT	1.89oz (53.80g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

#### CONFIGURATIONS/MSRP

Aluminum	\$125
Aluminum with Carbide Tip	\$135
Stainless Steel	\$185
Titanium	\$215
Damascus	\$255

# APPAREL & ACCESSORIES

CHECK OUT BENCHMADE'S NEW ACCESSORIES AND CLOTHING ITEMS!



Ladies Sizes Available

### Tribal

Short-Sleeve Tee,  
Asphalt Gray. Made in USA.  
Men M, L, XL, 2XL.....\$22.00  
Ladies S, M, L, XL.....\$22.00



### OD Patriot

2013 T-Shirt Design Contest Winner  
by Ryan VanderDoes. Short-Sleeve  
Tee, Olive Drab. Made in USA.  
M, L, XL, 2XL.....\$22.00



### True Blue

Short-Sleeve Tee, Blue. Made in USA.  
M, L, XL, 2XL.....\$22.00



### HUNT.

Short-Sleeve Tee, Black.  
Made in USA.  
M, L, XL, 2XL.....\$22.00



### HQ Hoodie

Pull-over Hoodie, Heather Gray.  
M, L, XL, 2XL.....\$40.00



### Pro-Model Bottle Opener

Laser cut, stainless steel, wordmark.  
Made in USA.  
1000000.....\$15

ON BACK



**HUNT. Hat**  
One size fits most.  
989137F.....\$20.00



**Trucker "Solid Steel"**  
Mesh back with plastic snap closure.  
988162F..... \$20.00




**Black Flexfit® Hat**  
Raised embroidered Benchmade logo.  
983881F – S-M ..... \$20.00  
983798F – L-XL..... \$20.00



**Tactical Hat**  
Velcro® front and top.  
987908F..... \$20.00



**Knit Beanie**  
Embroidered Benchmade logo.  
989134F.....\$20.00



**Ladies Patrol Hat**  
Embroidered design and logo.  
989135F.....\$25.00



**Benchmade  
Pint Glass**  
988053F.....\$10.00



**Benchmade  
Coffee Mug**  
Matte Black with Gloss Black logo,  
handle and rim.  
989133F .....\$12.00



*Liberty*  
BOTTLEWORKS  
**Benchmade  
Water Bottle**  
Limited Edition, Aluminum, Devin  
Thomas Pattern. Made in USA.  
989138F.....\$20.00



# EXTRAS



**Folding Tool Kit**  
Keep your Benchmade knife in tune with this 12-piece folding tool kit plus sharpener. Carry case included.  
985995F – Folding Tool.....\$35.00



**Bluelube™**  
**Bluelube™ Cleaner**  
Clean, lubricate and protect your Benchmade.  
983901F – Bluelube Cleaner (4oz bottle).....\$10.00  
983900F – Bluelube (1.25oz bottle w/nozzle).....\$8.00



**Benchmade Foam Pad**  
Perfect for presenting products on retail countertops. 11 5/8" x 7 3/4"  
983326F – Foam Pad..... \$10.00




**Blue Box**  
Various bit sizes with a bit holder/extension; molded plastic case, which doubles as the handle.  
981084F – Blue Box..... \$20.00



**Plexiglass Knife Rack**  
Holds 7 knives.  
10" D x 3 3/4" W x 3" H  
985567F – Knife Rack.....\$25.00



**Benchmade Product Display**  
Rotatable shelf, multidrawer, 6' tall floor display.  
989136F.....\$2,000



**Benchmade Knife Sharpeners**

**A. The Tactical Pro Sharpener**  
Easy everyday carry with a ceramic honing surface. Length 3.00"  
983902F – Tactical Pro Sharpener.....\$25.00  
**B. The Mini-Tactical Pro**  
Smaller version of the Tactical Pro. Length 2.00"  
983903F – Mini-Tactical Pro Sharpener .....\$20.00  
**C. Combo Sharpener**  
Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75"  
985547F – ComboEdge Sharpener.....\$30.00



**Single Knife Holder**  
Transparent plastic, each one holds a single knife in the open position.  
1000005 – Knife Holder.....\$2.50



### **Brag-Bag Base Shell**

Tri-fold folio with 10 individual knife slot areas (6" D x 3" W). Full-width zippered flat files behind knife slots.  
(17.75" W x 10.50" H folded x 33" flat H)  
983445F Brag-Bag Base Shell.....\$60.00

### **Brag-Bag Pages**

Folder page holds 10 individual knife slots. (16.25" W X 20" L)  
Fixed blade page holds 4 individual knife slots. (3.5" W x 14" L)  
983446F – Brag-Bag Folder Page..... \$20.00  
983447F – Brag-Bag Fixed Blade Page..... \$20.00



### **Benchmade Knife Attaché**

Soft carry case holds 11 folders. Shell constructed of heavyweight denier with deep plush interior lining and Velcro® flap closure.  
981456F – Knife Attaché..... \$35.00




# SHEATHS

## Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice Clip® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- MOLLE® Folder Pouch.....\$25.00  
 A. 984818F – Black for models 3300 and 9051/9052  
 B. 984094F – Black for models 5000, 915/916 and 9170  
 C. 984093F – Coyote for models 5000, 915/916 and 9170



## 140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with Malice Clip® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

- MOLLE® Fixed Soft Sheath.....\$50.00  
 D. 983468F – Black  
 E. 983469F – Coyote



## Tek-Lok®

Multiple position options with compatible sheath.

- G. 981609F – Tek-Lok®, large size.....\$15.00



## Malice Clips®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop style carry. Clips securely close with a snap-lock.

- H. 983551F – Large Malice Clip® (4.75" size).....\$2.00  
 I. 983550F – Small Malice Clip® (3" size).....\$1.50



## 5 Hook/7 Hook/8 Hook Pouch (MOLLE® Compatible)


These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice Clip® (sold separately). Made in USA.

- MOLLE® 5 Hook Pouch.....\$8.00  
 J. 981494F – Black  
 K. 983856F – Foliage Green  
 L. 983855F – Coyote




- MOLLE® 7 Hook Pouch.....\$10.00

- M. 984166F – Black  
 N. 984205F – Foliage Green  
 O. 984204F – Coyote



- MOLLE® 8 Hook Pouch.....\$12.00

- P. 985398F – Black  
 Q. 985570F – Foliage Green  
 R. 985569F – Coyote



## Soft Sheaths

All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- S. 981086F – Soft Sheath, Small (1.625" W x 5" D), black.....\$10.00  
 981087F – Soft Sheath, Large (2" W x 5.25" D), black.....\$10.00  
 981717F – Soft Sheath, 4" Bali-Song® Series, black.....\$10.00



# THE BENCHMADE DIFFERENCE


For over two decades, Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools.

We continually strive to manufacture high-quality products that will deliver superior performance and provide great value for our customers.

Whether you are using a Griptilian® as a basic cutting tool or one of our professional-grade rescue hooks to perform a quick cut in an emergency situation, you can count on your Benchmade to get the job done.

## **It's not a knife...**

We believe that when a customer chooses to purchase a Benchmade, they don't do so just to be different, they do so because they want the best. This mindset of innovating for improvement is alive and well throughout Benchmade. It goes into every design and comes out of every product. Admittedly, it's not the easiest way to make knives, but it's the only way we know how.





# MODEL FEATURE CODES

These codes appear after the Benchmade model numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife, which features partially serrated ComboEdge and corrosion resistant coating on the blade.) We may do a limited edition of a model where the model number does not change but does get an addition to the ending, such as 470-131.

(NO CODE)	Plain edge/no blade coating
S	ComboEdge (partially serrated) no blade coating
BK	Plain edge black corrosion resistant coated blade
SBK	ComboEdge (partially serrated) black corrosion resistant coated blade
OD	Olive Drab color handle
SN	Sand color handle or sheath
-BLU	Blue color handle
-YEL	Yellow color handle
-ORG	Orange color handle
-BLK	Black color handle
-PNK	Pink color handle
W	Soft sheath for safety cutter
ADC	Army digital camouflage color sheath
D2	D2 tool steel blade
CP	Clam pack



# DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passions into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



**Mel Pardue** The senior team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

## McHenry & Williams

**Bill McHenry & Jason Williams** It runs in the family... Bill and son-in-law Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well, and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



**Warren Osborne** Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.



**Seiichi Nakamura** Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



**Shane Sibert** Since 1994, Shane Sibert's goal has been to design and create unique knives that will evoke pride of ownership, while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Sibert draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts, and enjoys scuba diving in Oregon's chilly waters.



**Ken Steigerwalt** In 1978, at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knife-making was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style and describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one such innovation, the Nitrous® Assist mechanism.



**Eddie Killian** Born with a love of knives, Eddie has carried a knife in his pocket since the second grade, and started to make his own knives in his garage in 2003. A volunteer search and rescue team leader, Eddie is also a certified technical rigging instructor specializing in technical/tactical rope rescue rigging for search and rescue teams, fire agencies, law enforcement and military personnel. He is the founder of Durango, CO-based K5 Tactical. He works as an industrial two-way radio system designer and consultant, as well as a military and law enforcement equipment designer. Eddie has worked with countless local, state and federal agencies including the California Highway Patrol, U.S. Secret Service, Department of Justice, and the Department of the Treasury.

## LERCH

**Matthew Lerch** Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations and will continue to be a valuable contributor to Benchmade's genuine passion for that next, better design.



**Bob Lum** Growing up in the Pacific Northwest gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.



**Greg Thompson** Greg is the creator of Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 12 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the 18 ABN CORPS at Fort Bragg, NC.



**Butch Ball** Butch Ball developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, recreates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanical or ergonomic. The results of this process are designs that are as robust as they are innovative.

# LOCKING MECHANISMS

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

## AXIS®

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners, and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS®-Assist or AXIS®-Auto configurations.

## MODIFIED LOCKING-LINER

The basic principle is an integral locking bar within the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand specific). And with a modified locking-liner you get a patented feature that helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.

## MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

## NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced with the opening finger never crossing the blade's path.

## NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantage to the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

## AUTOMATICS

Restricted to Active Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either push-button, slide-release, or dual-action mechanisms. The push-button auto deploys the blade from the side of the handle with a simple actuation of the button. OTF, or out-the-front, utilizes a slide release and spring system to deploy the blade from the front of the handle. The blade will lock in both the opened and closed positions. Our dual-action knives offer both manual and automatic functionality using a sliding bolster system to deploy the blade from the side of the handle. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, ensures that the blade will not inadvertently deploy or close once it is locked open.

## BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song, or butterfly knife, is of Filipino ancestry dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece handle, which when closed encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility capable.



# BLADE STEELS AND FINISHES

Benchmade uses a variety of modern materials specially selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it with materials that complement its form and enhance its function.

## M390

A super-performance blade steel with exceptional cutting ability and wear resistance. Because of its uniform micro-structure and stainless properties, M390 is often used in surgical cutting instruments and other applications that require a high finish.

## CPM-M4

Special purpose, high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. A powder-metal, non-stainless steel.

## CPM-S30V

An American-made and developed premium grade stainless steel created especially for knives. It is a powder-made steel with a uniform carbide distribution and clean steel properties. As a blade material, it offers excellent corrosion resistance and superb edge qualities.

## CPM-S90V

A unique tool steel, CPM-S90V is a martensitic stainless steel to which vanadium and carbon have been added for superior wear resistance. CPM-S90V offers substantial improvements in wear resistance over 440C and D2, and other high chromium steels, with corrosion resistance equal to or better than 440C.

## 154CM

An American-made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

## D2

An air-hardened tool steel that offers excellent wear resistance. A good choice for hard-use applications.

## N680

A chromium-molybdenum conventionally produced stainless steel with the addition of vanadium and nitrogen. Excellent corrosion resistance properties, especially in saltwater. Good hardenability and high obtainable hardness. High wear resistance and ability to preserve keenness.

## 440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to resharpen. An excellent value-priced steel for its performance.

## DAMASCUS

A specially forged, layered steel made of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

## CERAKOTE™

Designed and manufactured by NIC Industries, Cerakote™ has a unique ceramic structure that outperforms competitive coatings and improves performance in both laboratory and real-world settings.

## COMBOEDGE

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting, or rope.

## HEAT TREATMENT

Over the years we have developed a "special recipe" for heat treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

STEEL	CARBON	CHROMIUM	COBALT	NITROGEN	MANGANESE	MOLYBDENUM	NICKEL	PHOSPHOROUS	SILICON	SULPH	TUNGSTEN	VANADIUM	HRC
154CM	1.05	14.00	-	-	0.50	4.00	-	-	0.30	-	-	-	58-61
CPM-S30V	1.45	14.00	-	-	0.50	2.00	-	-	0.50	-	-	-	4.00
M2	0.85	4.15	-	0.30	0.30	5.00	0.30	-	0.30	-	5.50-6.75	-	1.95
D2	1.50	12.00	-	0.30	0.60	1.00	0.30	-	0.60	-	-	-	1.00
M390	1.90	20.00	-	-	0.30	1.00	-	-	0.60	-	0.60	-	4.00
N680	0.54	17.30	-	0.2072	0.40	1.10	-	-	0.45	-	-	-	0.09
440C	1.00	17.50	-	-	0.50	0.50	-	0.04	0.30	0.03	-	-	-
Elmax®	1.70	18.00	-	-	0.30	1.00	-	-	0.80	-	-	-	3.00
CPM-S90V	2.30	14.00	-	-	-	1.00	-	-	-	-	-	-	9.00
AUS-8	0.75	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	-	0.20
1095	1.00	-	-	-	0.40	-	-	0.04	-	0.05	-	-	-
9CR13CO3MOV	0.85	13.50	1.00	-	1.00	0.20	-	-	-	-	-	-	0.20
CPM-M4	1.42	4.00	-	-	-	5.25	-	-	-	-	5.50	-	4.00
													62-64



# HANDLES AND LINERS

## HANDLES

### CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin, which is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

### COCOBOLO

A tropical hardwood from Central America known for being hard and dense. Its coloring ranges from orange to reddish-brown.

### MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

### 6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

### NORYL GTX®

A modern engineered plastic offering high-strength, low-flex, and lightweight properties. Molded to form.

### G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is also available in various colors.

### ZYTEL®

A lightweight, glass-filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine-related components. Molded to form.

### KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

### DELTRIN®

A lightweight and durable engineered polymer with low-wear properties. Used throughout the auto industry. Molded to form.

### VALOX®

A reinforced resin with excellent stiffness, strength, and dimensional stability. Molded to form.

### GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

### ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

### SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

## LINERS

### 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

### 410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well. Also used in handles.


## SHEATHS

### BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

### LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.



The following are registered trademarks of their respective companies: Delrin®, E.I. du Pont de Nemours & Company; Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Kleerdex Company; Noryl GTX® and Valox®, General Electric Company; Xylan®, Whitford Worldwide Corporation; Kraton®, Kraton Polymers Company; Santoprene®, Advanced Elastomer Systems, Grivory®, EMS-Grivory.



### PERSONALIZED LASER MARKING

**Make any Benchmade your Benchmade.** Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade or, in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit [www.benchmade.com/lasermark](http://www.benchmade.com/lasermark).



### LIFESHARP SERVICE

**BENCHMADE® LIFESHARP** We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warranted repairs and “tune” the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address with \$5.00 to help cover return shipping charges. [www.benchmade.com/lifesharp](http://www.benchmade.com/lifesharp)

# WARRANTY

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit [www.benchmade.com](http://www.benchmade.com) NO EXCEPTIONS WILL BE MADE.

## WHAT IS COVERED?

This Warranty covers replacement parts and labor.

## WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

## SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

## ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way that the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

## COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

## PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit [www.benchmade.com](http://www.benchmade.com) for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms. Join AKTI today!

877.752.8770 or [www.akti.org](http://www.akti.org)

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: Adamas; Ally; Aphid; Ares; Ascender; Axial; AXIS; Bali-Song; Bali-Song (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT (wordmark logo); Blitz; BlueLube; Break. Cut. Escape.; Conspiracy; Emissary; Epidemic; Fugitive; Genuine AXIS Mechanics (logo); Glory; Griptilian; Hell's Kitchen; Houdini; Impel; Infidel; Instigator; LFTi; Mangus; Megumi; MonoChrome; Morpho; MPR; Nagara; Nak-Lok; Nimravus; NimCub II; Nitrous; NTK; Onslaught; Pika; Presidio; Presidio Ultra; Pro (bullseye logo); Rant; Rift; Rolling Lock; Rukus; Scorch; Seque; Shoki; Shori; Soldat; Stryker; Subrosa; Torrent; Triage; Tumult; Venom. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the following patents: U.S. Patent Nos. 5,685,079 (Rolling Lock); 5,737,841 (AXIS, Auto AXIS, AXIS Assist); 5,755,035 (Liner Lock); 5,822,866 (Automatic); 6,122,829 (AXIS); 6,438,848 (Auto AXIS); 6,550,832 (Levigator); US RE 41,259 E (AXIS, Auto AXIS, AXIS Assist); 6,675,484 (Levigator); 6,732,436 (Rolling Lock); 6,789,323 (Rolling Lock); 7,278,213 (Automatic, Liner Lock); 7,293,360 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,305,768 (Monolock); 7,305,769 (Out The Front); 7,409,766 (Lockback); 7,533,466 (Sliding Taillock); 7,562,454 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,562,455 (Out The Front); 7,748,122 (AXIS Assist); 7,905,023 (Nak-Lok); 7,987,601 (Nak-Lok); 8,171,645 (AXIS Assist); 8,261,633 (Nak-Lok); 8,375,590 (AXIS Assist); 8,572,851 (AXIS Assist); 8,646,184 (Dual Taper Manual Push Button); D428,789 (710 Handle); D431,991 (Ares Handle); D432,386 (Ares); D438,442 (940 Blade); D447,925 (940 Handle); D549,561 (Rescue Hook); D553,482 (Rescue Hook); D686,900 (916 Blade); Chinese Patent Nos. ZL 98813962.6 (AXIS), ZL 03106473.6 (AXIS), ZL 02815077.5 (Levigator), ZL 200680042105.7 (Nak-Lok), ZL 200680020710.4 (Auto Assist), ZL 02828500.X (Moizis Assist); French Patent Nos. 1552088 (Levigator), 1071546 (AXIS), 97452 (Stryker); German Patent Nos. 60236820.0-08 (Levigator), 1071546 / 69821034.4-08 (AXIS), M9711869.9 (Stryker), M711870.2 (Stryker); Hong Kong Patent No. HK1037344 (AXIS); Italian Patent Nos. 1552088 (Levigator), 1071546 (AXIS), 73990 (Stryker); Japanese Patent Nos. 3639990 (AXIS), 4225896; Spanish Patent No. 1552088 (Levigator); Taiwanese Patent Nos. 187158 (Levigator), 247653 (Assist). Other Patents Pending.



**HK**<sup>®</sup>

**KNIVES**



**14715** HK<sup>®</sup> AXIS<sup>®</sup>  
HK-KNIVES.COM





300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045

**TELEPHONE**

800.800.7427  
503.655.6004

**CUSTOMER SERVICE FAX**

503.496.1896

**EMAIL**

INFO@BENCHMADE.COM

**WEB**

BENCHMADE.COM



**ADDRESS SERVICE REQUESTED**

PRSR STD  
US POSTAGE

**PAID**

OREGON CITY, OR  
PERMIT NO. 25

