

# HOW TO CHOOSE YOUR **BENCHMADE KNIFE**

#### **O** ACTIVITY

Outdoor, tactical, every day use—there are many uses for a knife, and some knives are better for certain activities than others.

#### **HOW WILL YOU USE YOUR** KNIFE?



TACTICAL Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations where performance is a must



**RESCUE** For critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



**EVERY DAY** Not obtrusive or uncomfortable in slacks or shorts; just convenient and well fitted to your general needs.



**OUTDOOR** From water to woods, backpacking trips to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.



**HUNTING** Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



**SURVIVAL** Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

#### **KEY KNIFE FEATURES**



AXIS® The AXIS® lock is truly ambidextrous and extremely strona.



Ambidextrous Can be used equally well with either hand.



Reversible Clip The pocket clip can be removed and placed in alternate locations on the handle



MOLLE® Compatible A versatile attachment system designed for kitting military equipment.



LifeSharp: Service and Warranty Our industryleading lifetime warranty and product service program. For more detailed information, visit pages 97 and 104.

# **BLADE STYLE**

While the cutting edge does the work, the edge is applied to the cutting surface in different ways depending on the shape of the blade. Blade shapes with larger radiuses may be optimal for hunting, while blade shapes with hard angles, like the tanto, may be better for tactical applications.



Clip-point Blade contains a sharp beak, typically forward of the mid-point, as if the tip has been "clipped off."



**Drop-point** Drops off the spine to the top. Tip height is typically below the center line on the blade.




Tanto This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.



Reverse Tanto Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.



Wharncliffe Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.



Weehawk Characterized by a sweeping edge and spine radius that tapers to the tip and handle.

#### **CONFIGURATION CODES (INSIDE THE MODEL NUMBERS)**

#### **BLADE VARIATIONS**

None No coating, no serrations

S Serrations, no coating

**BK** Black coating, no serrations

SBK Serrations and black coating **DLC** Diamond-like-Carbon coating

#### **HANDLE**

**ORG** Orange

**OD** Olive Drab

SN Sand PNK Pink YEL Yellow **BLU** Blue

\*-1, -2, etc. typically indicate handle material variations

## **4** BLADE STEEL

Steel composition can mean the difference between one sharp cut and a thousand. There are many types of steel, and additional factors that play into the right kind of steel for your usage. For instance, the way some steels are heat-treated plays a critical role in a knife's performance.

#### **PROPERTIES**

#### **Edge Retention**

How long a blade can maintain its sharpened edge.

Maximum stress withstood before a blade breaks or fails.

#### **Corrosion Resistance**

Resistance of a blade to oxidization and chemical attack.

Resistance of a blade to fracture and chipping.

For more detailed information, visit page 100 or go to benchmade.com.

# **2 MECHANISM**

We offer five primary actions: manual-opening, assisted-opening, automatic-opening, fixed blade and Bali-Song®. If you're a mountain climber, you may want an assist. If you're a sportsman, a fixed blade may be the right choice. Whatever the case, consider which mechanism type is optimal for your needs. Mechanisms like the AXIS® lock deliver manual opening, assisted opening and automatic opening. Others, like the monolock, deliver only manual opening. For detailed information on our mechanisms, visit page 99.

#### **ACTIONS**

Manual-opening "Manuals" must be opened 100%, from the closed position to the open position, by the user.

Assisted-opening "Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

Automatic-opening "Autos" have a button or other actuation switch that mechanically

fires the blade open without the user directly manipulating the blade.

Fixed Blade These knives are permanently open and almost always come with a sheath to protect the edge.

Bali-Song® "Balis" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

#### **2018 NEW PRODUCTS**

#### GOLD CLASS PAGES 4-7



698-181 P.7

#### BLUE CLASS PAGES 8-35











HUNT SERIES PAGES 38-49









15085-2 P.46

#### BLACK CLASS PAGES 48-85























PAGES 4 - 7

Our top shelf. Our prized tool. An exquisite work of art crafted with the hard-working soul of the world's most reliable knives.

You may not see many of these majestic knives in the wild. But when you do—behold a flawless, safe-worthy creation that's not afraid to go to work.



# B L U E

**PAGES 8 - 37** 

Wallet, keys, phone, Blue Class knife.
This is the go-to. The EDC that never leaves your side. With Blue Class you get high-quality blades, effortless function, near-perfect performance, and a knife that's ready for just about anything the day can throw at you.



# HUNT

PAGES 38 - 49

Getting in position to take a shot on the buck you've been chasing for weeks takes preparation, hard work, a smart approach, and great skill. Benchmade knives are built with that same mindset—so when your moment comes, you don't have to wonder if your knife will be up to it.



# BLACK

**PAGES 50 - 87** 

A knife should be an extension of your instincts. Ready to perform when called upon. Ready to lay it all on the line.

Ready to do what needs to be done.

Every molecule of a Black Class knife has been meticulously crafted to become an integrated part of your well-oiled machine.



#### DON'T TREAT THIS KNIFE SPECIAL.

special blades. With exquisite details from pommel to point, it's a case. But that'd be a shame. This knife is built to perform.

#### 698-181 **FORAY** \* **NEW**

BENCHMADE DESIGN • U.S.A.









Producing high-quality, handcrafted products is a collaborative enterprise; marbled carbon fiber, mother of pearl, and an exclusive Damasteel® are brought together to form a beautiful and unique addition to our Gold Class Line.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** Loki™ patterned Damasteel® (58-60HRC) exclusively at Benchmade

**HANDLE** Black marbled carbon fiber with a mother of pearl inlay



#### 698-181

**BLADE LENGTH** 3.22" (8.18cm) BLADE THICKNESS 0.137" (3.480mm) **OPEN** 7.34" (18.64cm) **CLOSED** 4.15" (10.54cm) **WEIGHT** 3.46oz (98.09g) HANDLE THICKNESS 0.56" (14.224mm)




#### **BALI-SONG®**

The Bali-song,\* aka butterfly knife; so core to the Benchmade brand that the Benchmade logo was made to reflect it. When founder, Les de Asis, set out to create his first knife, it was a "Bali." It was there in the beginning and the company has since transformed. The product has evolved, incorporating more advanced manufacturing and materials. But through it all, the butterfly remains. Forever in our DNA.

#### 87 Ti BALI-SONG®

BENCHMADE DESIGN • U.S.A.





MECHANISM Bali-Song®

**BLADE STYLE** Wharncliffe

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Sandblasted, single-piece billet titanium

**POCKET CLIP** None

**EXTRA** Thrust bearing washers, custom hardware and patent-pending magnetic latch



CLOSED 5.50" (13.97cm)
WEIGHT 5.37oz (152.24g)

 HANDLE THICKNESS
 0.46" (11.684mm)

 SHEATH WEIGHT
 0.66oz (18.71g)

MADE IN

\* \* \*

# 62/63/67/62T **BALI-SONG**\* BENCHMADE DESIGN • U.S.A.





Based on the classic Bali-with crafted stainless steel handles.



#### CONFIGURATIONS/MSRP

62	WEEHAWK	\$400
63	BOWIE	\$400
67	TANTO	\$400
62T (440C STEEL)	TRAINER	\$325

	62	63	67	62T
BLADE LENGTH	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)	4.25" (10.80cm)
BLADE THICKNESS	0.125" (3.175mm)	0.125" (3.175mm)	0.125" (3.175mm)	0.125" (3.175mm)
OPEN	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)	9.20" (23.37cm)
CLOSED	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)	5.27" (13.39cm)
WEIGHT	6.33oz (179.45g)	6.37oz (180.59g)	6.39oz (181.15g)	6.33oz (179.45g)
HANDLE THICKNESS	0.48" (12.192mm)	0.48" (12.192mm)	0.48" (12.192mm)	0.48" (12.192mm)

#### 51 MORPHO<sup>®</sup>

BENCHMADE DESIGN • U.S.A.



A lightweight Bali that brings modern style to a classic.

MECHANISM Bali-Song® with Nitrous® latch-lock

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black skeletonized G10 with blue anodized, jeweled titanium liners

POCKET CLIP Tip-up blue anodized titanium



51
4.25" (10.80cm)
0.100" (2.540mm)
9.35" (23.75cm)
5.40" (13.72cm)
3.30oz (93.55g)
0.47" (11.938mm)

CONFIGURATIONS/MSRP		
51	\$325	
51D1/	DI VCK \$210	

12

#### 490 ARCANE®

BENCHMADE DESIGN • U.S.A.









The speed and function of AXIS\* Assist; the convenience of a flipper.

**MECHANISM** AXIS® Assist flipper with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S90V super-premium stainless steel (59-61HRC)

**HANDLE** Black anodized 7075-T6 billet aluminum

**POCKET CLIP** Reversible tip-up silver deep-carry



#### 490

	100
BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.286mm)
OPEN	7.77" (19.74cm)
CLOSED	4.52" (11.48cm)
WEIGHT	2.88oz (81.65g)
ANDLE THICKNESS	0.48" (12.192mm)

**CONFIGURATIONS/MSRP**490 \$260
490S SERR \$260

#### 495 **VECTOR™NEW**

BENCHMADE DESIGN • U.S.A.



G10 scales, stainless steel liners and expressive styling take the AXIS\* Assist flipper in a new direction.

**MECHANISM** AXIS® Assist flipper with integrated safety

**BLADE STYLE** Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up silver deep-carry

**EXTRA** Stainless steel barrel spacers



#### 495

BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.100" (2.540mm
OPEN	8.42" (21.39cm)
CLOSED	4.82" (12.24cm)
WEIGHT	4.11oz (116.52g)
IANDLE THICKNESS	0.60" (15.240mm

CONFIGURATION/MSRP
495 \$22

#### **EMISSARY**\* FAMILY


OSBORNE DESIGN • U.S.A.



470-1







safety **BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE 477: Black anodized, 6061-T6 billet aluminum; 477-1: Aqua anodized, 6061-T6 billet aluminum; 470-1: Black anodized, 7075-T6 billet aluminum



BLADE LENGTH	
BLADE THICKNESS	
OPEN	
CLOSED	
WEIGHT	

#### 477/477-1 470-1 3.00" (7.62cm) 3.45" (8.76cm) 0.100" (2.540mm) 0.090" (2.286mm) 8.00" (20.32cm) 6.90" (17.53cm) 4.55" (11.56cm) 3.90" (9.91cm) 3.95oz (111.98g) 2.20oz (62.37g) **HANDLE THICKNESS** 0.52" (13.208mm) 0.45" (11.430mm)

470-1

#### CONFIGURATIONS/MSRP

470-1		\$215
477		\$230
477S	SERR	\$230
477-1		\$230
477S-1	SERR	\$230

BENCHMADE DESIGN • U.S.A.



Utilizes the same AXIS® Assist as the Barrage® series but with a broader blade and a slimmer handle with G10 scales.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured and textured G10 with stainless steel liners



	1000001
BLADE LENGTH	3.26" (8.28cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	7.68" (19.51cm)
CLOSED	4.42" (11.23cm)
WEIGHT	4.28oz (121.34g)
HANDLE THICKNESS	0.56" (14.224mm)

1000001			\$180
1000001S	SERR		\$180
1000001BK		BLACK	\$195
1000001SBK	SERR	BLACK	\$195

#### 581 BARRAGE<sup>®</sup>

OSBORNE DESIGN • U.S.A.



The dressed-up handle and enhanced steel offer premium performance.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 superpremium stainless steel (58-61HRC)

**HANDLE** Black G10 with aluminum bolsters and stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide, split-arrow

# 581 BLADE LENGTH 3.60" (9.14cm) O.121" (3.073mm) 8.35" (21.21cm) CLOSED 4.75" (12.07cm) WEIGHT 5.20oz (147.42g) HANDLE THICKNESS 0.65" (16.510mm)



# G10 **BARRAGE**\* FAMILY OSBORNE DESIGN • U.S.A. **580-2/585-2**



Gray G10 and upgraded blade steel offer enhanced performance.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Gray textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide, split-arrow

**EXTRA** Black oxide metal backspacer, single barrel spacer



	580-2	585-2
BLADE LENGTH	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.073mm)	0.100" (2.540mm)
OPEN	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.94oz (140.05g)	3.76oz (106.59g)
HANDLE THICKNESS	0.62" (15.758mm)	0.57" (14.478mm)

#### CONFIGURATIONS/MSRP

		,	
580-2			\$190
580S-2	SERR		\$190
580BK-2		BLACK	\$205
580SBK-2	SERR	BLACK	\$205
585-2			\$180
585S-2	SERR		\$180
585BK-2		BLACK	\$195
5855BK-2	SEDD	BI VCK	¢105

#### **BARRAGE** FAMILY

OSBORNE DESIGN • U.S.A.

#### 580/585

583





Quick, one-handed opening for righties or lefties.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** 580 & 585: Drop-point; 583: Tanto



585

	580	583	585
BLADE LENGTH	3.60" (9.14cm)	3.60" (9.14cm)	2.91" (7.39cm)
BLADE THICKNESS	0.121" (3.073mm)	0.121" (3.073mm)	0.100" (2.540mm)
OPEN	8.35" (21.21cm)	8.35" (21.21cm)	6.91" (17.55cm)
CLOSED	4.75" (12.07cm)	4.75" (12.07cm)	4.00" (10.16cm)
WEIGHT	4.31oz (122.19g)	4.51oz (127.86g)	3.40oz (96.39g)
HANDLE THICKNESS	0.65" (16.510mm)	0.65" (16.510mm)	0.57" (14.478mm)

SERR		\$155
	BLACK	\$170
SERR	BLACK	\$170
		\$155
SERR		\$155
	BLACK	\$170
SERR	BLACK	\$170
		\$145
SERR		\$145
	BL ACK	\$160
	DE/ (0) (	Ψ.00
	SERR SERR SERR	BLACK SERR BLACK SERR BLACK SERR BLACK

CONFIGURATIONS/MSRP

S

#### **BOOST**\* FAMILY

BENCHMADE DESIGN • U.S.A.







Dual durometer handles greatly increase grip performance while maintaining strength on this fast-action assist.

**MECHANISM** AXIS® Assist with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Dark gray Grivory® and black overmolded Versaflex®



# FREEK\* FAMILY

BENCHMADE DESIGN • U.S.A.

#### 560/565



Dual durometer handles afford strength, comfort and positive grip to this versatile folder.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Warm gray Grivory® and black overmolded Versaflex®



# BLADE LENGTH BLADE THICKNESS OPEN CLOSED WEIGHT HANDLE THICKNESS

590	595
3.70" (9.40cm)	3.11" (7.90cm)
0.120" (3.048mm)	0.100" (2.540mm)
8.52" (21.64cm)	7.18" (18.22cm)
4.83" (12.26cm)	4.07" (10.33cm)
4.59oz (130.12g)	3.31oz (93.84g)
0.70" (17.780mm)	0.63" (16.002mm)

#### CONFIGURATIONS/MSRP

		,	
590			\$165
590S	SERR		\$165
590BK		BLACK	\$180
590SBK	SERR	BLACK	\$180
595			\$155
595S	SERR		\$155
595BK		BLACK	\$170
595SBK	SERR	BI ACK	\$170

# BLADE LENGTH 3.60" (9.14cm) 3.00" (7.62cm) BLADE THICKNESS 0.114" (2.896mm) 0.104" (2.642mm) OPEN 8.46" (21.49cm) 7.05" (17.91cm) CLOSED 4.86" (12.34cm) 4.05" (10.29cm) WEIGHT 3.720z (105.46g) 2.570z (72.86g) HANDLE THICKNESS 0.65" (16.510mm) 0.59" (14.986mm)

560			\$135
560S	SERR		\$135
560BK		BLACK	\$150
560SBK	SERR	BLACK	\$150
565			\$125
565S	SERR		\$125
565BK		BLACK	\$140
565SBK	SERR	BLACK	\$140

\$120

\$110

\$110

\$110

\$110





BLADE LENGTH
BLADE THICKNESS
OPEN
CLOSED
WEIGHT
HANDLE THICKNESS

551SBK



	551	556
NGTH	3.45" (8.76cm)	2.91" (7.39cm)
NESS	0.115" (2.921mm)	0.100" (2.540mm)
OPEN	8.07" (20.50cm)	6.78" (17.22cm)
OSED	4.62" (11.73cm)	3.87" (9.83cm)
IGHT	3.88oz (110.00g)	2.81oz (79.66g)
NESS	0.64" (16.256mm)	0.51" (12.954mm)

556S

Mini



CONFIGU	RATIO	NS/MS	RP
551			\$120
551S	SERR		\$120
551BK		BLACK	\$135
551SBK	SERR	BLACK	\$135
551BKOD		BLACK	\$135
551SBKOD	SERR	BLACK	\$135
551BKSN		BLACK	\$135
551SBKSN	SERR	BLACK	\$135
551-ORG			\$120
551S-ORG	SERR		\$120
551BK-ORG		BLACK	\$135
551SBK-ORG	SERR	BLACK	\$135
551T (440C STEEL)	TRA	INER	\$100
	TRA	INER	\$100 \$110
(440C STEEL)	TRA	INER	
(440C STEEL) 556		BLACK	\$110
(440C STEEL) 556 556S			\$110 \$110
556 556S 556BK	SERR	BLACK	\$110 \$110 \$125
556 556S 556SK 556SBK	SERR	BLACK BLACK	\$110 \$110 \$125 \$125
556 556S 556S 556BK 556SBK 556BKOD	SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125
556 556S 556SK 556SK 556SBK 556SBK 556SBKOD	SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125
556 556S 556S 556BK 556SBK 556SBK 556SBKOD 556SBKOD	SERR SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125 \$110
556 556S 556S 556BK 556SBK 556SBKOD 556SBKOD 556-YEL 556S-YEL	SERR SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125 \$110 \$110
556 5568 5568K 5568BK 5568BKOD 5565BKOD 556-YEL 556S-YEL 556-BLU	SERR SERR SERR	BLACK BLACK BLACK	\$110 \$110 \$125 \$125 \$125 \$125 \$110 \$110





#### **G10 GRIPTILIAN**° FAMILY



550SBK-1 SERR BLACK \$225

555SBK-1 SERR BLACK \$210

SERR

\$195

\$195

BLACK \$210

555-1

555S-1

555BK-1



551-1/556-1

PARDUE DESIGN • U.S.A.





The Griptilian® in layered G10 with upgraded blade steel.

**MECHANISM** AXIS® lock **BLADE STYLE** 551-1/556-1: Drop-point;

**BLADE STEEL CPM-20CV premium** stainless steel (59-61HRC)

HANDLE Gray and blue layered G10 **POCKET CLIP** Reversible tip-up

black oxide deep-carry **EXTRA** Blue aluminum barrel spacers

550-1/555-1: Sheepsfoot





Mini

	551-1	556-1	550-1	555-1
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.39cm)	3.45" (8.76cm)	2.91" (7.39cm)
BLADE THICKNESS	0.115" (2.921mm)	0.100" (2.540mm)	0.115" (2.921mm)	0.100" (2.540mm)
OPEN	8.07" (20.50cm)	6.78" (17.22cm)	8.07" (20.50cm)	6.78" (17.22cm)
CLOSED	4.62" (11.73cm)	3.87" (9.83cm)	4.62" (11.73cm)	3.87" (9.83cm)
WEIGHT	4.17oz (118.22g)	2.90oz (82.21g)	4.13oz (117.08g)	2.88oz (81.65g)
HANDLE THICKNESS	0.61" (15.494mm)	0.55" (13.970mm)	0.61" (15.494mm)	0.55" (13.970mm)



#### **HELP SUPPORT BREAST CANCER RESEARCH**

HANDLE THICKNESS 0.64" (16.256mm)



551SH20

\$140

m

PARDUE DESIGN • U.S.A.









Superior performance in a rugged, lightweight package.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Gray and black textured G10

POCKET CLIP Reversible tip-up black oxide,



#### 535 **BUGOUT™NEW**

BENCHMADE DESIGN • U.S.A.



Sometimes being versatile means packing light.

MECHANISM AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Textured blue Grivory®

POCKET CLIP Reversible tip-up mini



	531
BLADE LENGTH	3.25" (8.26cm)
BLADE THICKNESS	0.090" (2.286mm)
OPEN	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)
WEIGHT	2.10oz (59.53g)

HANDLE THICKNESS 0.37" (9.398mm)

#### CONFIGURATIONS/MSRP

531			\$160
531S	SERR		\$160
531BK		BLACK	\$175
531SBK	SERR	BLACK	\$175

535

BLADE LENGTH	3.24" (8.23cm)
BLADE THICKNESS	0.090" (2.286mm)
OPEN	7.46" (18.95cm)
CLOSED	4.22" (10.72cm)
WEIGHT	1.85oz (52.45g)
HANDLE THICKNESS	0.42" (10.668mm)

535		\$135
535S	SERR	\$135

## 940 FAMILY

OSBORNE DESIGN • U.S.A.

#### 940/943



Highly regarded as one of the most quintessential EDCs of all time.

 $\textbf{MECHANISM} \ \mathsf{AXIS}^* \ \mathsf{lock}$ 

**BLADE STYLE** 940: Reverse tanto; 943: Clip-point

**BLADE STEEL** 940 & 943: CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 940: Green anodized 6061-T6 billet aluminum; 943: Black anodized 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up standard black oxide

**EXTRA** 940: Purple anodized titanium backspacer; 943: Blue anodized titanium backspacer



943SBK

BLADE LENGTH	
BLADE THICKNESS	
OPEN	
CLOSED	
WEIGHT	
HANDLE THICKNESS	

940	943
3.40" (8.64cm)	3.40" (8.64cm)
0.115" (2.921mm)	0.115" (2.921mm)
7.87" (19.99cm)	7.87" (19.99cm)
4.47" (11.35cm)	4.47" (11.35cm)
2.90oz (82.21g)	2.90oz (82.21g)
0.41" (10.414mm)	0.41" (10.414mm)

CONFIG	URATI	ONS/M	SRP
940			\$215
940S	SERR		\$215
940BK		BLACK	\$230
940SBK	SERR	BLACK	\$230
943			\$215
943S	SERR		\$215
943BK		BLACK	\$230
943SBK	SERR	BLACK	\$230

and the second second

# 940 FAMILY

OSBORNE DESIGN • U.S.A.

#### 940-1/940-2



Barrel spacers and composite handles make these 940s lighter than ever.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940-2: CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 940-1: Carbon fiber with stainless steel liners; 940-2: Black 3D milled G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up standard black oxide

**EXTRA** 940-1: Blue anodized barrel spacers; 940-2: Green anodized barrel spacers



940S-2



CONFIGURATIONS/MSRP
---------------------

940-1		\$315
940S-1	SERR	\$315
940-2		\$200
940S-2	SERR	\$200
	940S-1 940-2	940S-1 SERR 940-2

#### TI MONOLOCK FAMILY

BENCHMADE DESIGN • U.S.A.

# 761/765



Clean lines and premium materials make our Ti Monolock perfect for any occasion.

**MECHANISM** Monolock

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 super-premium stainless steel (58-61HRC)

**HANDLE** Machined and sandblasted titanium

**POCKET CLIP** 761: Tip-down custom titanium; 765: Tip-up or tip-down custom titanium



	761	765
BLADE LENGTH	3.73" (9.47cm)	3.24" (8.23cm)
BLADE THICKNESS	0.120" (3.048mm)	0.115" (2.921mm)
OPEN	8.60" (21.84cm)	7.46" (18.95cm)
CLOSED	4.87" (12.37cm)	4.22" (10.72cm)
WEIGHT	4.36oz (123.60g)	3.16oz (89.58g)
HANDLE THICKNESS	0.42" (10.668mm)	0.41" (10.414mm)

#### CONFIGURATIONS/MSRP

761		\$400
761S	SERR	\$400
765		\$355
765S	SERR	\$355
	761S 765	761S SERR 765

BENCHMADE DESIGN • U.S.A.



The first-ever single-piece, billet titanium AXIS® knife. Cue the music.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-20CV premium stainless steel (59-61HRC)

**HANDLE** Chevron-patterned, weathered bronze anodized, single-piece billet titanium

**POCKET CLIP** Reversible chevron-patterned tip-up titanium

**EXTRA** Thrust bearing washers



_	
7	81
-	•

	,
BLADE LENGTH	3.50" (8.89cm)
BLADE THICKNESS	0.112" (2.845mm)
OPEN	8.06" (20.47cm)
CLOSED	4.56" (11.58cm)
WEIGHT	3.66oz (103.76g)
HANDLE THICKNESS	0.43" (10.922mm)

c	ON	FI	GU	RΔ	ΤI	ON	IS/	MS	RP

781		\$500
781S	SERR	\$500

30

#### **AXIS** FLIPPER FAMILY

BUTCH BALL DESIGN • U.S.A.

#### 300/300-1



The convenience of a flipperthe performance of an AXIS®.

**MECHANISM** AXIS® lock flipper

**BLADE STYLE** Drop-point

**BLADE STEEL 154CM stainless** steel (58-61HRC)

HANDLE 300SN: Brown and tan textured G10 with stainless steel liners; 300-1: Blue and black contoured and textured G10 with stainless steel liners

POCKET CLIP 300SN: Reversible tip-up silver deep-carry; 300-1: Reversible tip-up black oxide deep-carry



	300SN	300-1
BLADE LENGTH	3.18" (8.08cm)	3.18" (8.08cm)
BLADE THICKNESS	0.130" (3.302mm)	0.130" (3.302mm)
OPEN	7.43" (18.87cm)	7.43" (18.87cm)
CLOSED	4.25" (10.80cm)	4.25" (10.80cm)
WEIGHT	4.85oz (137.50g)	4.68oz (132.68g)
HANDLE THICKNESS	0.59" (14.986mm)	0.59" (14.986mm)

CONFIGURATIONS/MSRF		
300SN		\$180
300SSN	SERR	\$180
300-1		\$180
300S-1	SERR	\$180

### 698 **FORAY**\*

BENCHMADE DESIGN • U.S.A.



The Foray® offers gent-styling in a larger overall profile, translating to improved handling and all-around utility.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-20CV premium** stainless steel (59-61HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up silver deep-carry



	698
BLADE LENGTH	3.22" (8.18cm)
BLADE THICKNESS	0.137" (3.479mm)
OPEN	7.34" (18.64cm)
CLOSED	4.15" (10.54cm)
WEIGHT	3.58oz (101.49g)
HANDLE THICKNESS	0.56" (14.224mm)

CONFIG	SURATION	S/MSRP
698		\$225
698S	SERR	\$225

#### NAKAMURA AXIS° FAMILY

NAKAMURA DESIGN • U.S.A.

#### 484/484-1



Brings together the best of both worlds: detailed design and functional strength.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** 484: M390 super-premium stainless steel (58-61HRC); 484-1: CPM-S90V super-premium stainless steel (59-61HRC)

HANDLE 484: Black contoured G10 with

stainless steel liners; 484-1: Contoured carbon fiber with stainless steel liners POCKET CLIP 484: Reversible tip-up

**EXTRA** 484: Stainless steel pivot bushing and barrel spacers; 484-1: Blue anodized aluminum



	484	484-1
BLADE LENGTH	3.08" (7.82cm)	3.08" (7.82cm)
BLADE THICKNESS	0.114" (2.896mm)	0.114" (2.896mm)
OPEN	7.03" (17.86cm)	7.03" (17.86cm)
CLOSED	3.95" (10.03cm)	3.95" (10.03cm)
WEIGHT	3.52oz (99.79g)	3.28oz (92.99g)
HANDLE THICKNESS	0.57" (14.478mm)	0.57" (14.478mm)

CONFIGURATIONS/MSF	RI
--------------------	----

484		\$225
484S	SERR	\$225
484-1		\$315
484S-1	SERR	\$315

33

m

MADE |N ★ ★ ★

#### **485 VALET**

BENCHMADE DESIGN • U.S.A.





A stylish, comfortable AXIS® gent knife.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** M390 super premium stainless steel (58-61HRC)

**HANDLE** Gray contoured G10 with stainless

**POCKET CLIP** Reversible tip-up silver deep-carry

**EXTRA** Machined G10 backspacer



**WEIGHT** 2.18oz (61.80g)

HANDLE THICKNESS 0.45" (11.430mm)

#### CONFIGURATIONS/MSRP \$200 485S SERR \$200

318

318

318-1

319

319-1

CONFIGURATIONS/MSRP

\$135

\$135

\$135

\$135

#### PROPER\* FAMILY NEW BENCHMADE DESIGN • U.S.A.

## 318/318-1/319/319-1



advanced performance you can expect from a Benchmade.

**BLADE STYLE** 318: Clip-point:

canvas micarta; 318-1/319-1:



	310/310 1	313/313 1
BLADE LENGTH	2.82" (7.16cm)	2.86" (7.26cm)
BLADE THICKNESS	0.090" (2.286mm)	0.090" (2.286mm)
OPEN	6.65" (16.89cm)	6.69" (16.99cm)
CLOSED	3.85" (9.78cm)	3.85" (9.78cm)
WEIGHT	2.28oz (64.64g)	2.32oz (65.77g)
HANDLE THICKNESS	0.40" (10.160mm)	0.40" (10.160mm)

#### BENCHMADE 1100 SERIES PENS

BENCHMADE DESIGN • U.S.A.



#### Precision-crafted writing tools.

- Ergonomic knurling patterns
- Anodized aluminum, titanium, stainless steel or Damascus bodies
- · Caps securely snap open and closed
- Fisher Space Pen® ink cartridges

#### ALUMINUM









Carbide tip breaks glass

#### STAINLESS STEEL





1100-3 (Blue Ink) 1100-4 (Black Ink)

**1100-15** (Blue Ink) 1100-16 (Black Ink)

#### DAMASCUS PATTERN






**1100-13** (Blue Ink) 1100-14 (Black Ink)

#### REFILLS

984864F Black Ink Refill 984865F Blue Ink Refill



Damascus pattern detail

#### 1100

	1100
PEN DIAMETER	0.50" (12.70mm)
OPEN WITHOUT CAP	5.10" (12.95cm)
CLOSED WITH CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
TITANIUM WEIGHT	1.89oz (53.58g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

Alumini	um	\$130
Aluminum with	Carbide Tip	\$145
Stainless	Steel	\$185
Titaniu	m	\$220
Damaso	cus	\$325
Black Ink Refill	984864F	\$5.50
Blue Ink Refill	984865F	\$5.50

m

MADE IN

\* \* \*

### **JUNGLE FAMILY**

BENCHMADE DESIGN • U.S.A.



#### 153/154





Sheath included

	153	154
BLADE LENGTH	9.69" (24.61cm)	9.69" (24.61cm)
BLADE THICKNESS	0.195" (4.953mm)	0.195" (4.953mm)
OVERALL LENGTH	14.29" (36.30cm)	14.29" (36.30cm)
WEIGHT	11.82oz (335.09g)	10.90oz (309.01g)
HANDLE THICKNESS	0.89" (22.606mm)	0.89" (22.606mm)
SHEATH WEIGHT	3 4707 (98 37a)	3 500z (99 22a)

154BK

CONFIG	URATIONS/M	ISRP
153BK	BOLO	\$130
154BK	CLIP-POINT	\$130

153BK

154BK

SIBERT DESIGN • U.S.A.

162

162-1







Unsurpassed reliability for planned (or unplanned) adventures.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

stainless steel (58-60HRC) HANDLE 162: Hand-blended green and red, contoured G10; 162-1: Handblended sand, contoured G10

**BLADE STEEL CPM-S30V premium** 

SHEATH 162: Full-grain leather with belt loop and D-ring; 162-1: Molded Kydex® with reversible belt loop

**EXTRA** Pressed titanium handle tubing



162 162-1 **BLADE LENGTH** 4.40" (11.18cm) 4.40" (11.18cm) BLADE THICKNESS 0.164" (4.166mm) 0.164" (4.166mm) **OVERALL LENGTH** 9.15" (23.24cm) 9.15" (23.24cm) 7.72oz (218.86g) 7.72oz (218.86g) HANDLE THICKNESS 0.92" (23.368mm) 0.92" (23.368mm)

1.86oz (52.73g)


WEIGHT

**SHEATH WEIGHT** 2.70oz (76.54g)

Sheath included. Additional sheaths available for purchase, \$25

162	GREEN	\$230
162-1	TAN	\$230





#### 15200 **ALTITUDE™ NEW**

BENCHMADE DESIGN • U.S.A.



Designed for backcountry adventure; for the hunter who counts every ounce. The ultimate lightweight hunting knife features the incredible edge performance of CPM-S90V blade steel and unique carbon fiber micro scales for dexterity and control not typically found in skeletonized knives. The Altitude continues to take hunting performance to new heights.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S90V super-premium stainless steel (59-61HRC)

**HANDLE** DLC coated or orange cerakote with carbon fiber and G10 stacked microscales with anodized orange washer

15200DLC







A portion of the sale from each 15200ORG will be used to support public lands.



152000RG sheath features First Lite Fusion camo





15200DLC

152000RG

Sheath included

#### 15200

BLADE LENGTH 3.08" (7.82cm)
BLADE THICKNESS 0.090" (2.286mm)
OVERALL LENGTH 7.38" (18.75cm)
WEIGHT 1.67oz (47.34g)
HANDLE THICKNESS 0.35" (8.890mm)
SHEATH WEIGHT 0.76oz (21.55g)

15200ORG	\$230
15200DLC	\$230

43

MADE IN

\* \* \*

#### **SADDLE MOUNTAIN SKINNER FAMILY**

BENCHMADE DESIGN • U.S.A.

#### 15001/15003



"With the Saddle Mountain Skinner I feel like I can break down game or fight off a bear."

-Nate Simmons, The Western Hunter

**MECHANISM** Fixed blade

BLADE STYLE 15001: Skinner; 15003: Skinner with hook

**HANDLE** 15001-1 and 15003-1: Gray and black contoured and textured G10; 15001-2 and 15003-2: Contoured

**BLADE STEEL CPM-S30V premium** 

**SHEATH** 15001-1 and 15003-1: Molded Kydex® with reversible belt loop; 15001-2 and 15003-2: Pressure-fit,



Sheath included. Additional sheaths available for purchase, \$25

15003-2 (989251F)

	15001	15003
BLADE LENGTH	4.17" (10.59cm)	4.17" (10.59cm)
BLADE THICKNESS	0.140" (3.556mm)	0.140" (3.556mm)
HOOK OPENING	-	0.375" (9.525mm)
OVERALL LENGTH	8.73" (22.17cm)	8.73" (22.17cm)
WEIGHT	5.13oz (145.43g) G10 4.65oz (131.83g) Wood	5.18oz (146.85g) G10 4.70oz (133.24g) Wood
HANDLE THICKNESS	0.58" (14.732mm)	0.58" (14.732mm)
SHEATH WEIGHT	1.85oz (52.45g) Kydex <sup>o</sup>	1.85oz (52.45g) Kydex <sup>®</sup>

#### CONFIGURATIONS/MSRP

15001-1	G10	\$160
15001-2	Wood	\$160
15003-1	G10	\$170
15003-2	Wood	\$170

#### 15400 PARDUE HUNTER NEW

PARDUE DESIGN • U.S.A.



An all-around hunting fixed blade built for the outdoors.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Contoured olive drab and black striped linen micarta

**SHEATH** Pressure-fit rich leather with integrated guard



#### 15400

BLADE LENGTH	3.48" (8.84cm)
BLADE THICKNESS	0.132" (3.353mm
OVERALL LENGTH	7.96" (20.22cm)
WEIGHT	5.08oz (144.02g)
HANDLE THICKNESS	0.57" (14.478mm
SHEATH WEIGHT	2.02oz (57.27g)

#### 15016 HIDDEN CANYON HUNTER

BENCHMADE DESIGN • U.S.A.



A compact knife for those who are looking to save space, it's truly about as much knife as you'll ever need.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 15016-1: Gray and black, contoured and textured G10; 15016-2: Contoured stabilized wood

**SHEATH** 15016-1: Molded Kydex® with ambidextrous, horizontal carry, leather belt loop; 15016-2: Pressure-fit, rich leather with ambidextrous, horizontal carry, belt loop





BLADE LENGTH 2.67" (6.78cm)

BLADE THICKNESS 0.140" (3.556mm)

OVERALL LENGTH 6.32" (16.05cm)

WEIGHT 3.53oz (100.07g) G10
3.19oz (90.43g) Wood

HANDLE THICKNESS 0.58" (14.732mm)

SHEATH WEIGHT 1.38oz (39.12g) Kydex\* 1.06oz (30.05g) Leather





15016-2 15016-1 (988829F) (988848F)

Sheath included. Additional sheaths available for purchase, \$25

#### CONFIGURATIONS/MSRP

15016-1	G10	\$140
15016-2	Wood	\$140

# 15100 **NESTUCCA CLEAVER**

BENCHMADE DESIGN • U.S.A.



Based on the Alaskan ulu, this unique cleaver makes short work of big game.

**MECHANISM** Fixed blade

**BLADE STYLE** Cleaver

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Orange contoured and textured G10

**SHEATH** Brown leather sheath



#### 15100

	13100
BLADE LENGTH	4.41" (11.20cm)
BLADE THICKNESS	0.140" (3.556mm)
OVERALL LENGTH	6.58" (16.71cm)
WEIGHT	4.95oz (140.33g)
HANDLE THICKNESS	0.57" (14.478mm)
SHEATH WEIGHT	1.25oz (35.44g)

CONFIGURATION/MSRP

#### STEEP COUNTRY FAMILY

BENCHMADE DESIGN • U.S.A.

#### 15008/15009



Designed to hit a hunter's preferences for shape and feel dead-center.

**MECHANISM** Fixed blade

15009: Drop-point with hook

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**BLADE STYLE** 15008: Drop-point;

**HANDLE** 15008-ORG and 15009-ORG: Orange textured high-vis Santoprene®; 15008-BLK and 15009-BLK: Black textured Santoprene®

multiple carry positions

**SHEATH** Molded Kydex® with



15008-ORG

15008 15009 Sheath included

	15008	15009
BLADE LENGTH	3.50" (8.89cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.556mm)	0.140" (3.556mm)
HOOK OPENING	-	0.375" (9.525mm)
OVERALL LENGTH	7.65" (19.43cm)	7.65" (19.43cm)
WEIGHT	3.71oz (105.18g)	3.85oz (109.15g)
HANDLE THICKNESS	0.62" (15.748mm)	0.62" (15.748mm)
SHEATH WEIGHT	1.88oz (53.30g)	1.88oz (53.30a)

#### CONFIGURATIONS/MSRP

15008-BLK	BLACK	\$120
15008-ORG	ORANGE	\$120
15009-BLK	BLACK	\$130
15009-ORG	ORANGE	\$130

#### **CROOKED RIVER FAMILY**









#### 15080/15085



A traditional profile with modern technology and style that pushes the preconceived notions of what a hunting knife should be.

**MECHANISM** AXIS® lock

**BLADE STYLE** Clip-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

**HANDLE** 15080-1: Gray contoured G10 with anodized aluminum bolsters and stainless steel liners; 15080-2 and 15085-2: Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners

15080-1

**OPEN** 9.30" (23.62cm)

**CLOSED** 5.33" (13.54cm)

**WEIGHT** 5.41oz (153.37g)

**BLADE THICKNESS** 0.124" (3.150mm)

4.00" (10.16cm)

**HANDLE THICKNESS** 0.60" (15.240mm) 0.52" (13.208mm)

BLADE LENGTH



15085-2

3.40" (8.64cm)

0.114" (2.896mm)

7.89" (20.04cm)

4.50" (11.43cm)

3.29oz (93.27g)

CONFIGURATIONS/MSRP		
15080-1	\$235	
15080-2	\$235	
15085-2	\$220	

#### 15031 **NORTH FORK**

BENCHMADE DESIGN • U.S.A.



A compact folding AXIS® hunting knife with a recurved blade to assist with processing duties.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15031-1: Gray and black textured G10; 15031-2: Contoured stabilized wood



#### 15031

**BLADE LENGTH** 2.97" (7.54cm) BLADE THICKNESS 0.114" (2.989mm) **OPEN** 6.87" (17.45cm) **CLOSED** 3.90" (9.91cm) WEIGHT 3.41oz (96.67g) G10 3.16oz (89.58g) Wood

HANDLE THICKNESS 0.53" (13.462mm)

CONFIGUR	RATIONS	MSR
15031-1	G10	\$16
15031-2	Wood	\$16

#### 15060-2 **GRIZZLY CREEK**





BENCHMADE DESIGN • U.S.A.



The total package for a hunting folder: the AXIS® lock, the perfect blade size and shape, and a folding gut hook that's there when you need it.

MECHANISM AXIS® lock with folding gut hook

**BLADE STYLE** Drop-point

stainless steel (58-60HRC)



#### 15060-2

**BLADE LENGTH** 3.50" (8.89cm) **BLADE THICKNESS** 0.124" (3.145mm) HOOK OPENING 0.50" (12.700mm) **OPEN** 7.84" (19.91cm) **CLOSED** 4.34" (11.02cm) **WEIGHT** 4.76oz (134.94g) HANDLE THICKNESS 0.56" (14.224mm)

CONFIGURATION/MSRP

#### 15061 GRIZZLY RIDGE™NEW

BENCHMADE DESIGN • U.S.A.



The sure grip and comfort of a dualdurometer handle and a blade designed for all-around hunting utility.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

**HANDLE** Orange Grivory® and warm gray overmolded Versaflex®



#### 15061

**BLADE LENGTH** 3.50" (8.89cm) BLADE THICKNESS 0.124" (3.154mm) **OPEN** 7.84" (19.91cm) **CLOSED** 4.34" (11.02cm) **WEIGHT** 3.77oz (106.99g) HANDLE THICKNESS 0.58" (14.732mm)



S

MOLLE COMPATIBLE WAS USA

#### **INFIDEL**® FAMILY

MCHENRY DESIGN • U.S.A.

#### 3300/3350



An incredibly fast, reliable tactical out-thefront, the Infidel® has a cool factor that's hard to describe without experiencing it.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Double-edge dagger

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black anodized, 6061-T6



Sheath with MALICE CLIP® included

	3300	3350
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)
BLADE THICKNESS	0.118" (2.997mm)	0.104" (2.642mm)
OPEN	8.91" (22.63cm)	7.10" (18.03cm)
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)
WEIGHT	4.90oz (138.91g)	3.40oz (96.39g)
HANDLE THICKNESS	0.59" (14.986mm)	0.54" (13.716mm)

#### CONFIGURATIONS/MSRP

3300		\$480
3300BK	BLACK	\$495
3350		\$410
3350BK	BLACK	\$425

BENCHMADE DESIGN • U.S.A.



The same incredible mechanism as the Infidel," with smooth handles and a chisel-ground blade.

**MECHANISM** Double-action out-the-front automatic

BLADE STYLE Chisel-ground, doubleedge dagger

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum **POCKET CLIP** Gray two-hole tip-down deep-carry SHEATH Cordura® with



Sheath with MALICE CLIP® included

#### 3320

	0020
BLADE LENGTH	3.96" (10.06cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	8.96" (22.76cm)
CLOSED	5.00" (12.70cm)
WEIGHT	5.11oz (144.87g)
HANDLE THICKNESS	0.60" (15.240mm)

3320		\$430
3320BK	BLACK	\$445

#### **PHAETON**\*FAMILY

BENCHMADE DESIGN • U.S.A.

#### 4600/4600-1



This spine-fire OTF combines speed and style in a semi-tactical every day carry.

**MECHANISM** Double-action out-the-front automatic

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)



A sleek, spine-fire OTF. Stealth-like handles and rock-solid performance.

**MECHANISM** Double-action out-the-front automatic

4700 PRECIPICE®

BENCHMADE DESIGN • U.S.A.

**BLADE STYLE** Spear-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum



#### 4600/4600-1

**BLADE LENGTH** 3.45" (8.76cm) BLADE THICKNESS 0.112" (2.845mm) **OPEN** 8.08" (20.52cm) **CLOSED** 4.63" (11.76cm) **WEIGHT** 3.01oz (85.33g) HANDLE THICKNESS 0.47" (11.938mm)

#### CONFIGURATIONS/MSRP

4600		\$350
4600DLC BLACK		\$370
4600-1	BRONZE	\$350
4600DLC-1 BLACK	BRONZE	\$370

#### 4700

**BLADE LENGTH** 3.45" (8.76cm) BLADE THICKNESS 0.124" (3.149mm) **OPEN** 8.23" (20.90cm) **CLOSED** 4.78" (12.14cm) **WEIGHT** 3.31oz (93.84g) HANDLE THICKNESS 0.47" (11.938mm)

4700		\$355
4700DLC	BLACK	\$375

#### 2750 AUTO ADAMAS<sup>®</sup>









The strongest AXIS® knife ever made.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

HANDLE Sand or black G10 with stainless

POCKET CLIP Reversible tip-up black oxide

deep-carry







Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.



#### **AUTO PRESIDIO**° II FAMILY

BENCHMADE DESIGN • U.S.A.

#### 5700/5750



A combat legend receives significant ergonomic and performance upgrades. Faster. Better. Stronger.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum





MALICE CLIP® included

#### 2750

**BLADE LENGTH** 3.82" (9.70cm) BLADE THICKNESS 0.160" (4.064mm) OVERALL LENGTH 8.70" (22.10cm) **CLOSED** 4.88" (12.40cm) **WEIGHT** 7.54oz (213.76g) HANDLE THICKNESS 0.73" (18.542mm)

**SHEATH WEIGHT** 1.50oz (42.52g)

#### CONFIGURATIONS/MSRP

2750BK		BLACK	\$275
2750SBK	SERR	BLACK	\$275
2750BKSN		BLACK	\$275
2750SBKSN	SERR	BLACK	\$275

#### 5700 5750 **BLADE LENGTH** 3.72" (9.45cm) 3.20" (8.13cm) **BLADE THICKNESS** 0.140" (3.149mm) 0.114" (2.896mm) **OPEN** 8.72" (22.15cm) 7.48" (19.00cm) 4.34" (11.02cm) **CLOSED** 5.00" (12.70cm) **WEIGHT** 6.32oz (179.17g) 4.13oz (117.08g) **HANDLE THICKNESS** 0.63" (16.007mm) 0.56" (14.224mm)

5700			\$270
5700SBK	SERR	BLACK	\$285
5750			\$240
5750SBK	SERR	BLACK	\$255

#### **AUTO TRIAGE** FAMILY

BENCHMADE DESIGN • U.S.A.





A triple utility tool that includes a knife, safety hook and glass breaker.

MECHANISM Auto AXIS® lock with integrated safety

BLADE STYLE 9170: Drop-point; 9160: Opposing bevel

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

aluminum with textured G10 inlays (available in black or safety orange)

carry

hook (58-60HRC), carbide glass breaker



Carbide glass breaker

	9170	9160
BLADE LENGTH	3.58" (9.09cm)	3.35" (8.51cm)
HOOK OPENING	0.50" (12.700mm)	0.50" (12.700mm)
BLADE THICKNESS	0.124" (3.150mm)	0.124" (3.150mm)
OPEN	8.31" (21.11cm)	8.08" (20.52cm)
CLOSED	4.73" (12.01cm)	4.73" (12.01cm)
WEIGHT	5.75oz (163.01g)	5.58oz (158.19g)
HANDLE THICKNESS	0.58" (14.732mm)	0.58" (14.732mm)

#### CONFIGURATIONS/MSRP

9170BK		BLACK	\$300
9170SBK	SERR	BLACK	\$300
9170BK-ORG		BLACK	\$300
9170SBK-ORG	SERR	BLACK	\$300
9160SBK	SERR	BLACK	\$300

#### 8600 AUTO BEDLAM®

BENCHMADE DESIGN • U.S.A.



Looks like a scimitar because it was originally designed for the security forces of a king.

**MECHANISM** Auto AXIS® lock with integrated safety

**BLADE STYLE** Scimitar

**BLADE STEEL 154CM stainless** steel (58-61HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversable tip-up black oxide deep-carry



#### 8600

BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.073mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.63cm)
WEIGHT	7.30oz (206.95g)
HANDLE THICKNESS	0.60" (15.240mm)

#### CONFIGURATIONS/MSRP

8600BK		BLACK	\$290
8600SBK	SERR	BLACK	\$290

# 9555 AUTO RIFT®

OSBORNE DESIGN • U.S.A.



A reverse tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

MECHANISM Auto AXIS® lock with integrated safety

**BLADE STYLE** Reverse tanto

**BLADE STEEL 154CM stainless** steel (58-61HRC)

**HANDLE** Black textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide split-arrow



#### 9555

BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.896mm)
OPEN	8.27" (21.01cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.95oz (140.33g)
HANDLE THICKNESS	0.56" (14.224mm

#### CONFIGURATIONS/MSRP

9555			\$260
9555SBK	SERR	BLACK	\$275

#### **AFO II** FAMILY

BENCHMADE DESIGN • U.S.A.

#### 9051/9052



The AFO-II push-button auto has become a proven tool used in all branches of the Armed Forces.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** 9051: Drop-point; 9052: Tanto

**BLADE STEEL 154CM stainless** steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Multi-position reversible, tip-up or tip-down standard black oxide

**SHEATH** Cordura® with snap retention and MALICE CLIP®



Sheath included

	9051	9052
BLADE LENGTH	3.56" (9.04cm)	3.56" (9.04cm)
BLADE THICKNESS	0.124" (3.150mm)	0.124" (3.150mm)
OPEN	8.51" (21.62cm)	8.51" (21.62cm)
CLOSED	4.95" (12.57cm)	4.95" (12.57cm)
WEIGHT	5.83oz (165.28g)	5.71oz (161.88g)
HANDLE THICKNESS	0.60" (15.240mm)	0.60" (15.240mm)

#### CONFIGURATIONS/MSRP

9051			\$255
9051BK		BLACK	\$270
9051SBK	SERR	BLACK	\$270
9052			\$255
9052BK		BLACK	\$270
9052SBK	SERR	BLACK	\$270

## **AUTO STRYKER\* FAMILY**

BENCHMADE DESIGN • U.S.A.

#### 9101







The next-generation Auto Strykers® are upgraded for increased function and reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Tanto

**BLADE STEEL 154CM** stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** 9101: Multi-position tip-up or tip-down standard black oxide; 9501: Tip-up standard black oxide



	9101	9501
BLADE LENGTH	3.60" (9.14 cm)	2.95" (7.49cm)
BLADE THICKNESS	0.124" (3.150mm)	0.098" (2.489mm)
OPEN	8.30" (21.08cm)	7.21" (18.31cm)
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)
WEIGHT	4.20oz (119.07g)	2.91oz (82.50g)
HANDLE THICKNESS	0.50" (12.700mm)	0.47" (11.938mm)

#### CONFIGURATIONS/MSRP

9101BK		BLACK	\$270
9101SBK	SERR	BLACK	\$270
9501BK		BLACK	\$230
9501SBK	SERR	BLACK	\$230

#### 9600 RUKUS II NEW

BENCHMADE DESIGN • U.S.A.



The same comfortable ergonomics, back again and rowdy as ever.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum



#### 9600

BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.124" (3.150mm
OPEN	8.50" (21.59cm)
CLOSED	5.10" (12.95cm)
WEIGHT	4.94oz (140.05g
HANDLE THICKNESS	0.62" (15.748mm

9600BK		BLACK	\$255
9600SBK	SERR	BLACK	\$255

m

#### 2551 MINI REFLEX II

BENCHMADE DESIGN • U.S.A.



The Reflex gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

POCKET CLIP Tip-up standard black oxide



#### 2551

	2551
BLADE LENGTH	3.17" (8.05cm)
BLADE THICKNESS	0.097" (2.464mm)
OPEN	7.34" (18.64cm)
CLOSED	4.17" (10.59cm)
WEIGHT	2.58oz (73.14g)

HANDLE THICKNESS 0.48" (12.192mm)

#### CONFIGURATIONS/MSRP

2551			\$215
2551BK		BLACK	\$230
2551SBK	SERR	BLACK	\$230

# **3551 STIMULUS**

PARDUE DESIGN • U.S.A.



The 3550 gets an upgrade with an enlarged button and increased reliability.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Spear-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Tip-up or tip-down standard black oxide

35	55	1	
	-		

BLADE LENGTH	2.99" (7.59cm)
BLADE THICKNESS	0.088" (2.235mm)
OPEN	7.09" (18.00cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.71oz (76.83g)
HANDLE THICKNESS	0.46" (11.684mm)



#### CONFIGURATIONS/MSRP

3551			\$215
3551S	SERR		\$215
3551BK		BLACK	\$230
3551SBK	SERR	BLACK	\$230

#### 9750 COALITION NEW

BENCHMADE DESIGN • U.S.A.



An alliance between aircraft-grade alloy and tractable G10 make for a reliable, positive grip.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Dark gray anodized, 6061-T6 billet aluminum with black G10 inlay.

**POCKET CLIP** Reversible black oxide deepcarry



#### 9750

BLADE LENGTH	2.87" (7.29cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	6.78" (17.22cm)
CLOSED	3.91" (9.93cm)
WEIGHT	2.63oz (74.56g)
HANDI E THICKNESS	0.53" (13.460mm)

#### CONFIGURATIONS/MSRP

9750			\$235
9750BK		BLACK	\$250
9750SBK	SERR	BLACK	\$250

### 3150 **IMPEL**\*

LERCH DESIGN • U.S.A.



This small automatic gent knife is packed with premium features.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** 6061-T6 billet aluminum with black textured G10 inlays

**POCKET CLIP** Tip-down silver



#### 3150

BLADE LENGTH	1.98" (5.03cm)
BLADE THICKNESS	0.100" (2.540mm)
OPEN	5.04" (12.80cm)
CLOSED	3.06" (7.77cm)
WEIGHT	1.39oz (39.41g)
HANDLE THICKNESS	0.35" (8.890mm)

#### CONFIGURATIONS/MSRP

3150		\$175
3150BK	BL ACK	\$190

#### **CLA** FAMILY

#### BENCHMADE DESIGN • U.S.A.





A classy, all-purpose G10 auto for any occasion, formal to tactical.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL 154CM stainless** steel (58-61HRC)

HANDLE 4300: Black contoured G10; 4300-1: Green and black contoured and textured G10





BENCHMADE DESIGN • U.S.A.

#### 4400/4400-1



Quick auto-action in a high-traction, lightweight, composite handle.

**MECHANISM** Push-button automatic with integrated safety

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

HANDLE 4400: Black textured Grivory® with stainless steel liners; 4400-1: Blue



#### 4300-1 4300 **BLADE LENGTH** 3.40" (8.64cm) 3.40" (8.64cm) BLADE THICKNESS 0.114" (2.896mm) 0.114" (2.896mm) 7.85" (19.94cm) **OPEN** 7.85" (19.94cm) **CLOSED** 4.45" (11.30cm) 4.45" (11.30cm) **WEIGHT** 3.47oz (98.37g) 3.60oz (102.06g) **HANDLE THICKNESS** 0.49" (12.446mm) 0.49" (12.446mm)

### CONFIGURATIONS/MSRP

0011111		0110/110	,,,,,
4300			\$240
4300BK		BLACK	\$255
4300SBK	SERR	BLACK	\$255
4300-1			\$240
4300SBK-1	SERR	BLACK	\$255

#### 4400/4400-1

	•
BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.114" (2.896mm
OPEN	7.80" (19.81cm)
CLOSED	4.40" (11.18cm)
WEIGHT	3.43oz (97.24g)
HANDLE THICKNESS	0.59" (14.986mr

4400			\$175
4400S	SERR		\$175
4400BK		BLACK	\$190
4400SBK	SERR	BLACK	\$190
4400-1			\$175
4400SBK-1	SERR	BLACK	\$190

S













Slim and purpose-built for duty; ask anyone...

**MECHANISM** AXIS® lock

**BLADE STYLE** Spear-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Skeletonized black anodized, 6061-T6 billet aluminum

**POCKET CLIP** Reversible tip-up black oxide deep-carry





A truly robust tactical knife with refined, custom-styled hardware.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)

**HANDLE** Black contoured G10 with stainless steel liners



	417
BLADE LENGTH	3.95" (10.03cm)
BLADE THICKNESS	0.110" (2.794mm)
OPEN	8.72" (22.15cm)
CLOSED	4.77" (12.12cm)
WEIGHT	3.24oz (91.85g)
HANDLE THICKNESS	0.48" (12.192mm)

CONFIGURATIONS/MSRP			
417		\$210	
417BK	BLACK	\$225	

	808	818
BLADE LENGTH	3.68" (9.35cm)	3.36" (8.53cm)
BLADE THICKNESS	0.160" (4.064mm)	0.144" (3.658mm)
OPEN	8.62" (21.89cm)	7.62" (19.34cm)
CLOSED	4.94" (12.55cm)	4.38" (11.13cm)
WEIGHT	6.56oz (185.97g)	4.47oz (126.72g)
HANDLE THICKNESS	0.67" (17.018mm)	0.59" (14.986mm)

CONFI	GURAT	TIONS/M	SRP
808			\$240
808BK		BLACK	\$255
808SBK	SERR	BLACK	\$255
818			\$225
818BK		BLACK	\$240

S

## 275 MANUAL ADAMAS<sup>®</sup> SIBERT DESIGN • U.S.A.









The strongest AXIS® knife ever made.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Sand or black G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry

MALICE CLIP®







2	7	5	

	2/3
BLADE LENGTH	3.82" (9.70cm)
BLADE THICKNESS	0.160" (4.064mm
OVERALL LENGTH	8.70" (22.10cm)
CLOSED	4.88" (12.40cm)
WEIGHT	7.68oz (217.72g)
HANDLE THICKNESS	0.73" (18.542mm)
SHEATH WEIGHT	150oz (42 52g)

## CONFIGURATIONS/MSRP

MALICE CLIP® included

275BK		BLACK	\$230
275SBK	SERR	BLACK	\$230
275BKSN		BLACK	\$230
275SBKSN	SERR	BLACK	\$230

## MANUAL PRESIDIO® II FAMILY

BENCHMADE DESIGN • U.S.A.

## 570/575



A combat legend receives significant ergonomic and performance upgrades. Faster. Better. Stronger.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL** CPM-S30V premium stainless steel (58-60HRC)



	570	575
BLADE LENGTH	3.72" (9.45cm)	3.20" (8.13cm)
BLADE THICKNESS	0.124" (3.149mm)	0.114" (2.896mm)
OPEN	8.72" (22.15cm)	7.48" (19.00cm)
CLOSED	5.00" (12.70cm)	4.34" (11.02cm)
WEIGHT	6.10oz (172.93g)	3.99oz (113.11g)
HANDLE THICKNESS	0.63" (16.002mm)	0.56" (14.224mm)

CONF	IGUD	ATIO	NS/	MSDD

570			\$20
570SBK	SERR	BLACK	\$22
575			\$19
575BK		BLACK	\$210
575SBK	SERR	BLACK	\$210

## 916 TRIAGE

BENCHMADE DESIGN • U.S.A.





A triple utility tool that includes a knife, safety hook and glass breaker.

**MECHANISM** AXIS® lock

**BLADE STYLE** Opposing bevel **BLADE STEEL** N680 ultra stainless

steel (57-59HRC) **HANDLE** Textured G10 (available in black

**POCKET CLIP** Reversible tip-up black

and carbide glass breaker



Carbide glass breaker

	916
BLADE LENGTH	3.40" (8.64cm)
HOOK OPENING	0.50" (12.700mm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.25" (20.96cm)
CLOSED	4.85" (12.32cm)
WEIGHT	5.24oz (148.55g)
HANDLE THICKNESS	0.45" (11.430mm)

## CONFIGURATIONS/MSRP

916SBK	SERR	BLACK	\$19
916SBK-ORG	SERR	BLACK	\$19

## 917 TACTICAL TRIAGE® NEW

BENCHMADE DESIGN • U.S.A.



The newest member of the Triage family; designed for rescue and other mission objectives.

**MECHANISM** AXIS® lock

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

**HANDLE** Black contoured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry



Carbide glass breaker

917 **BLADE LENGTH** 3.48" (8.84cm) HOOK OPENING 0.50" (12.700mm) BLADE THICKNESS 0.124" (3.15mm) **OPEN** 8.33" (21.16cm)

**CLOSED** 4.85" (12.32cm) **WEIGHT** 5.28oz (149.69g) HANDLE THICKNESS 0.55" (13.970mm)

## CONFIGURATIONS/MSRP

917			\$215
917BK		BLACK	\$230
917SBK	SERR	BLACK	\$230

## 320 PRECINCT

BUTCH BALL DESIGN • U.S.A.



A compact Butch Ball-designed flipper with textured G10 and finger relief for exceptional grip.

**MECHANISM** Liner lock flipper

**BLADE STYLE** Drop-point

**BLADE STEEL 154CM** stainless steel (58-61HRC)

**HANDLE** Black textured G10 with stainless steel liner

**POCKET CLIP** Reversible tip-up black oxide deep-carry

**EXTRA** Thrust bearing washers



## 320

BLADE LENGTH	3.30" (8.38cm)
BLADE THICKNESS	0.124" (3.150mm)
OPEN	7.78" (19.76cm)
CLOSED	4.48" (11.38cm)
WEIGHT	3.42oz (96.96g)
HANDLE THICKNESS	0.48" (12.192mm)

## CONFIGURATIONS/MSRP

320				\$150
320B	K		BLACK	\$165
320SE	3K	SERR	BLACK	\$165



810 **BLADE LENGTH** 3.98" (10.11cm) **BLADE THICKNESS** 0.156" (3.962mm) **OPEN** 9.28" (23.57cm)

810 **CONTEGO** 

OSBORNE DESIGN • U.S.A.

**MECHANISM** AXIS® lock

steel (62-64HRC)

**BLADE STYLE** Reverse tanto

**BLADE STEEL CPM-M4 super** 

**HANDLE** Black textured G10

**POCKET CLIP** Reversible tip-up

**EXTRA** Carbide glass breaker

with stainless steel liners

black oxide deep-carry

A large, aggressively styled tactical knife

with a glass breaker on the pommel.

HANDLE THICKNESS 0.55" (13.970mm)

810SBK

CONFIGURATIONS/MSRP 810 GRAY \$240 810BK BLACK \$240 810SBK SERR BLACK \$240

Carbide glass breaker

# 860 MANUAL BEDLAM

BENCHMADE DESIGN • U.S.A.



Looks like a scimitar because it was originally designed for the security forces of a king.

**MECHANISM** AXIS® lock

**BLADE STYLE** Scimitar

**BLADE STEEL 154CM** stainless steel (58-61HRC)

**HANDLE** Black contoured and textured G10 with stainless steel liners

**POCKET CLIP** Reversible tip-up black oxide deep-carry



	860
BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.073mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.63cm)
WEIGHT	7.20oz (204.12g)
HANDLE THICKNESS	0.60" (15.240mm)

## CONFIGURATIONS/MSRP 860

# \$230 860SBK SERR BLACK \$245

## 950 MANUAL RIFT®

OSBORNE DESIGN • U.S.A.



A reverse-tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.

**MECHANISM** AXIS® lock

**BLADE STYLE** Reverse tanto

**BLADE STEEL 154CM stainless** steel blade (58-61HRC)

**HANDLE** Gray and black textured G10 with stainless steel liners

POCKET CLIP Reversible tip-up black oxide split-arrow



## 950

**CLOSED** 5.30" (13.46cm)

**WEIGHT** 5.92oz (167.83g)

BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.896mm)
OPEN	8.27" (21.01cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)
IANDLE THICKNESS	0.56" (14.224mm

## CONFIGURATIONS/MSRP

950			\$200
950BK		BLACK	\$215
950SBK	SERR	BLACK	\$215

## **SOCP** FAMILY

THOMPSON DESIGN • U.S.A.

## 176/178



Designed for the Special Operations Combatives Program, it's the optimal tool for self-defense.

**MECHANISM** Fixed blade

**BLADE STYLE** 176: Dagger; 178: Spearpoint; 179: Rescue hook with carbide glass breaker and oxygen wrench

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Black coated single-piece with finger ring

**SHEATH** MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and dip-coated clip

**EXTRA** Combo kits with trainer available







Sand Sheath (987496F)

Black Sheath (987495F)

Sheath included. Additional sheaths available for purchase, \$20.

## CONFIGURATIONS/MSRP

176BK Dagger & black sheath		BLACK	\$110
176BKSN Dagger & sand sheath		BLACK	\$110
176BK-COMBO Dagger & black sheath with trainer		BLACK	\$150
176BKSN-COMBO Dagger & sand sheath with trainer		BLACK	\$150
178SBK Spear-point & black sheath	SERR	BLACK	\$120
178SBKSN Spear-point & sand sheath	SERR	BLACK	\$120
178SBK-COMBO Spear-point & black sheath with trainer	SERR	BLACK	\$150
178SBKSN-COMBO	0555	BLACK	\$150

## **SOCP** FAMILY

THOMPSON DESIGN • U.S.A.

176

<u>179</u>



Designed for rescue professionals and less than-lethal self-defense.

**MECHANISM** Fixed blade

**BLADE STYLE** 176T: Trainer; 179: Rescue hook with carbide glass breaker and oxygen wrench

**BLADE STEEL** 440C stainless steel (58-60HRC)


**HANDLE** Coated single-piece tool with finger ring

**SHEATH** MOLLE\* compatible, MALICE CLIP\* free, injection molded in black or sand with lanyard hole and dip-coated clip

**EXTRA** Combo kits with trainer available

179GRY
Includes the Bend





179 HOOK

0.375" (9.525mm)

4.03" (10.24cm)

6.75" (17.15cm)

0.175" (4.446mm)

176 TRAINER

2.78" (7.06cm)

4.03" (10.24cm)

6.81" (17.30cm)

**THICKNESS** 0.175" (4.446mm)

BLADE LENGTH

HANDLE LENGTH

OVERALL LENGTH

Black Sheath (987495F)

Sheath included. Additional sheaths

available for purchase, \$20.

Sand Sheath (987496F)

## CONFIGURATIONS/MSRP

176T Trainer with sheath	RED	\$70
179GRY Hook & black sheath	GRAY	\$95
179GRYSN Hook & sand sheath	GRAY	\$95
179GRY-COMBO Hook & black sheath with trainer	GRAY	\$135
179GRYSN-COMBO Hook & sand sheath with trainer	GRAY	\$135

75







S

## 133 **FIXED INFIDEL**® **NEW**

BENCHMADE DESIGN • U.S.A.



Driven by the iconic tactical design of the Infidel® OTF, the Fixed Infidel affords the certainty of a fixed blade for the uncertainty of the mission.

**MECHANISM** Fixed blade

**BLADE STYLE** Double-edge dagger

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black anodized, 6061-T6 billet aluminum



## 133

	133
BLADE LENGTH	4.52" (11.48cm)
BLADE THICKNESS	0.144" (3.658mm)
OVERALL LENGTH	9.21" (23.39cm)
WEIGHT	5.11oz (114.87g)
ANDLE THICKNESS	0.48" (12.192mm)
SHEATH WEIGHT	2.51oz (71.16g)

## CONFIGURATIONS/MSRP

133		\$235
133BK	BLACK	\$250

# 375 ADAMAS\* FIXED BLADE

SIBERT DESIGN • U.S.A.



Includes a paracord handle wrap, molded jump-rated sheath and Tek-Lok™ attachment system.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point with serrations on spine

**BLADE STEEL** D2 tool steel (60-62HRC)

**HANDLE** Black or sand coated and skeletonized, with optional paracord wrap included

**SHEATH** Injection molded with tension screw, removable locking strap and eight-position Tek-Lok $^{\text{\tiny TM}}$ 





Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.





To view video, scan code below or visit: www.benchmade.com/375

	3/5
BLADE LENGTH	4.20" (10.67cm)
BLADE THICKNESS	0.170" (4.318mm)
OVERALL LENGTH	9.03" (22.94cm)
WEIGHT	5.60oz (158.76g)
HANDLE THICKNESS	0.17" (4.318mm)
SHEATH WEIGHT	1.11oz (31.47g)

## CONFIGURATIONS/MSRP

(987800F)

(987592F)

Sheath included. Additional sheaths available for purchase, \$40

375SN	SAND	\$195
375BK	BLACK	\$195
375BKSN	BLACK	\$195

MOLLE \*\*\*

## 125 AZERIA®

BENCHMADE DESIGN • U.S.A.



When bad days get worse, it's good to have back-up plans.

**MECHANISM** Fixed blade

**BLADE STYLE** Wharncliffe with angled profile

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Black Grivory®

**SHEATH** Low-profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device

## 125BK

**BLADE LENGTH** 2.90" (7.37cm) BLADE THICKNESS 0.114" (2.896mm) OVERALL LENGTH 5.64" (14.33cm) **WEIGHT** 2.37oz (67.19g) HANDLE THICKNESS 0.55" (13.970cm) **SHEATH WEIGHT** 1.81oz (51.31g)



Sheath reverse

## CONFIGURATION/MSRP

125BK BLACK \$95

# 175 **CBK**

BENCHMADE DESIGN • U.S.A.



A tool designed for combattype applications.

**MECHANISM** Fixed blade

**BLADE STYLE** 

Chisel-ground, double-edge dagger

**BLADE STEEL 440C** (58-60HRC)

multi-position carry

**HANDLE** Rubber-dipped **SHEATH** Injection molded



175BK Sheath (988085F)

(982397F)

Sheath included. 175BKSN Sheath Additional sheaths available for purchase, \$25

## 175

BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.18mm)
OVERALL LENGTH	5.47" (13.89cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.350mn
SHEATH WEIGHT	170oz (48 19a)

## CONFIGURATIONS/MSRP

001111	00117111011071	
175BK	BLACK	\$105
175BKSN	BLACK	\$105

A portion of the proceeds from the 175BKSN benefit the Three Rangers and Navy SEAL foundations.

## 101 **FOLLOW-UP™NEW**

BENCHMADE DESIGN • U.S.A.



However you wear it, this small, convenient fixed blade is at the top of the curriculum for back-up on bad days; hence the numeric designation.

**MECHANISM** Fixed blade

**BLADE STYLE** Drop-point

**BLADE STEEL CPM-S30V premium** stainless steel (58-60HRC)

**HANDLE** Coated skeletonized handle with optional paracord wrap included

SHEATH Black Boltaron®



Handle wrap option

## 101

BLADE LENGTH	2.60" (6.60cm)
HANDLE LENGTH	3.39" (8.61cm)
OVERALL LENGTH	5.99" (15.21cm)
WEIGHT	2.03oz (57.55g)
HANDLE THICKNESS	0.140" (3.656m
SHEATH WEIGHT	0.62oz (17.58g)

CONFIGUE	RATION/	MSRP
----------	---------	------

101BK	BLACK	\$115

## **NIMRAVUS**\*FAMILY

BENCHMADE DESIGN • U.S.A.



140/141

Our all-time best-selling combat fixed blade.

**MECHANISM** Fixed blade

**BLADE STYLE** 140: Drop-point; 141: Tanto



### 140 141 **BLADE LENGTH** 4.50" (11.43cm) 4.50" (11.43cm) BLADE THICKNESS 0.115" (2.921mm) 0.115" (2.921mm) **OVERALL LENGTH** 9.45" (24.00cm) 9.45" (24.00cm) **WEIGHT** 6.20oz (175.77g) 5.86oz (166.13g) HANDLE THICKNESS 0.58" (14.732mm) 0.58" (14.732mm) **SHEATH WEIGHT** 5.00oz (141.75g) 5.00oz (141.75g)

## CONFIGURATIONS/MSRP

Coyote

(983469F)

Sheath included. Additional sheaths available for purchase, \$50

140BK		BLACK	\$200
140SBK	SERR	BLACK	\$200
140BKSN		BLACK	\$215
140SBKSN	SERR	BLACK	\$215
141BK		BLACK	\$200
141SBK	SERR	BLACK	\$200
141SBKSN	SERR	BLACK	\$215

## PROTAGONIST FAMILY

BENCHMADE DESIGN • U.S.A.

## 167/169



One for the good guys, the Protagonist was designed with military and law enforcement front of mind.

**MECHANISM** Fixed blade

**BLADE STYLE** 167: Tanto;

169: Drop-point

**BLADE STEEL** 154CM stainless steel (58-61HRC)

HANDLE Grivory® with black Versaflex® over-mold, olive drab accents

**SHEATH** Black injection molded with tension screw, ballistic nylon removable belt loop and removable locking strap. MOLLE® compatible with MALICE CLIP®

> **BLADE LENGTH** 4.54" (11.53cm) BLADE THICKNESS 0.124" (3.150mm)

> > **WEIGHT** 4.23oz (119.92g)

**HANDLE THICKNESS** 0.54" (13.716mm) 0.54" (13.716mm)

**OVERALL LENGTH** 9.12" (23.16cm)



## CONFIGURATIONS/MSRP

4.54" (11.53cm)

0.124" (3.150mm)

9.12" (23.16cm)

4.20oz (119.07g)

167BK		BLACK	\$170
167SBK	SERR	BLACK	\$170
169BK		BLACK	\$170
169SBK	SERR	BLACK	\$170

## 112 **H20 FIXED**

BENCHMADE DESIGN • U.S.A.



This dive knife was orginally developed for an elite military program

**MECHANISM** Fixed blade

**BLADE STYLE** Opposing bevel with blunt tip and integrated rescue hook

**BLADE STEEL** N680 ultra stainless steel (57-59HRC)

**HANDLE** Black textured Santoprene®

**SHEATH** Molded thermoplastic with thumb release



	112
BLADE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.124" (3.150mm
OVERALL LENGTH	8.07" (20.50cm)
WEIGHT	3.20oz (90.72g)
HANDLE THICKNESS	0.59" (14.986mr
SHEATH WEIGHT	1.04oz (29.48g)

CONFIGURATION/MSRP 112SBK-BLK SERR BLACK \$135

MOLLE MADEIN \*\*\*
COMPATIBLE USA

## 119 ARVENSIS

SIBERT DESIGN • U.S.A.





A big, heavy-duty tactical knife that Shane Sibert designed to be well balanced with a "light hand feel."

**BLADE STYLE** Clip-point **BLADE STEEL** 154CM stainless steel (58-61HRC) **HANDLE** Black contoured G10

SHEATH Black Boltaron®

**MECHANISM** Fixed blade





Sheath included

## 183 FIXED CONTEGO


OSBORNE DESIGN • U.S.A.

**MECHANISM** Fixed blade



Thick steel and a reverse tanto blade make for great tip strength and good all-around performance.

**BLADE STYLE** Reverse tanto



Sheath included

## 119

**BLADE LENGTH** 6.42" (16.31cm) BLADE THICKNESS 0.193" (4.902mm) **OVERALL LENGTH** 11.70" (29.72cm) **WEIGHT** 11.74oz (332.82g) HANDLE THICKNESS 0.75" (19.050mm) **SHEATH WEIGHT** 4.25oz (120.49g)

## CONFIGURATIONS/MSRP

119			\$220
119SBK	SERR	BLACK	\$235

	183
BLADE LENGTH	4.97" (12.62cm)
BLADE THICKNESS	0.166" (4.216mm)
OVERALL LENGTH	10.18" (25.86cm)
WEIGHT	7.14oz (202.42g)
HANDLE THICKNESS	0.62" (15.748mm
SHEATH WEIGHT	2.32oz (65.77g)

## CONFIGURATIONS/MSRP

183			\$215
183BK		BLACK	\$225
183SBK	SERR	BLACK	\$225

## RESCUE HOOK FAMILY









MOLLE MADE IN \* \* \* \* \* \*
COMPATIBLE USA

## **CUT QUICKLY IN AN EMERGENCY SITUATION.**

A recent performance study found hooked cutting devices to be as much as 363% faster than scissors in clothing removal. (Use of a Hooked Cutting Device Compared With Scissors for the Emergency Exposure of Critically III and Injured Patients Nelson Tanga\, Matthew J. Levy, Jeffrey Harrow and Nina Bingham Prehospital and Disaster Medicine, FirstView Article, pp. 1-4 Copyright © 2013 World Association for Disaster and Emergency Medicine)

## 7 BLKW **RESCUE HOOK**

BENCHMADE DESIGN • U.S.A.



Whether treating serious injury, locating contraband or extracting someone from a vehicle, these compact rescue hooks are an essential tool for the armed professional.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** BDZ1 stainless steel (58-60 HRC)

**HANDLE** Single-piece dip-coated handle

**SHEATH** Nylon MOLLE® compatible with included MALICE CLIP®



## **RESCUE HOOK FAMILY**

BENCHMADE DESIGN • U.S.A.

## 8 BLKW/8 BLKWMED



Ideal for cutting tasks where speed and safety are primary concerns.

**MECHANISM** Rescue hook

**BLADE STYLE** Opening: 0.50" (12.70mm)

BLADE STEEL 440C stainless steel (58-60HRC)

**HANDLE** Coated skeletonized

SHEATH Black nylon with MALICE CLIP®. Alternative sheath colors are available separately (see page 95).



Sheath Included

	8 BLKW	8 BLKWMED
HOOK OPENING	0.50" (12.700mm)	0.50" (12.700mm)
OVERALL LENGTH	6.50" (16.51cm)	6.50" (16.51cm)
WEIGHT	1.43oz (40.54g)	1.86oz (52.73g)
SHEATH WEIGHT	0.88oz (24.95g)	0.88oz (24.95g)

CONFIGURA	TIONS/MS	RP
8 BLKW	BLACK	\$45
8 BLKWMED	BLACK	\$45



## 10 BLK **RESCUE HOOK**

BENCHMADE DESIGN • U.S.A.





A versatile rescue instrument designed originally for corrections officers, the enlarged hook gap allows cutting of rope up to 1" thick, and other larger-diameter woven materials. The sheath provides ambidextrous carry in both vertical and horizontal positions.

**MECHANISM** Rescue hook

**BLADE STYLE** Hook

**BLADE STEEL** 440C stainless steel (58-60HRC)

**HANDLE** Coated skeletonized

SHEATH Boltaron® with MOLLE® compatible clip

**EXTRA** Hook fits in sheath from both sides and has removable retention strap



Sheath reverse

## 10 BLK

HOOK OPENING 1.00" (2.54cm) **OVERALL LENGTH** 6.05" (15.37cm) **SHEATH WEIGHT** 2.37oz (67.19g)

**WEIGHT** 2.05oz (58.12g)

CONFIGURATION/MSRP 10 BLK BLACK \$75

# BENCHMADE

## PROUD PARTNERS

WE ARE HAPPY TO SUPPORT THE BHA IN THEIR MISSION TO KEEP WILD PLACES WILD AND MAINTAIN ACCESS TO THESE PLACES FOR OUR FUTURE GENERATIONS.



## **BACKCOUNTRY HUNTERS & ANGLERS**

BHA seeks to ensure North America's outdoor heritage of hunting and fishing in a natural setting, through education and work on behalf of wild public lands and waters.



P.41

MAKING TOOLS FOR OUR NATION'S SPECIAL OPERATIONS COMMUNITY AND THE MILITARY AS A WHOLE IS ONE OF BENCHMADE'S GREATEST HONORS.



## **NAVY SEAL FOUNDATION**

The Navy SEAL Foundation provides immediate and ongoing support and assistance to the Naval Special Warfare community and its families.



## THREE RANGERS FOUNDATION

EMPOWERING VETERANS TO ACHIEVE LIFELONG SUCCESS We provide veterans with the best experts, advice, assistance in every aspect of their journey; whether it is spiritual, physical, mental, employment, finances, family, education....



CBK P.77



Manual Adamas® P.68



Fixed Adamas



Auto Adamas\*

### **T-SHIRTS T-SHIRTS**



## 50001 - True Blue Shirt

Our classic butterfly logo.

COLOR Benchmade Blue

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

PRICE \$24

SIZES Small through 4X

50001-SM 50001-MD 50001-LG 50001-XL 50001-2X

50001-3X 50001-4X



## 50002 - Subdued Black Shirt

Our classic butterfly logo, subdued.

COLOR Black

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

PRICE \$24

SIZES Small through 4X

50002-SM 50002-MD 50002-LG 50002-XL 50002-2X 50002-3X 50002-4X



## 50003 - OD Patriot Shirt

Patriotic design from a patriotic brand.

COLOR New Olive Drab

MATERIAL 100% Cotton

ORIGIN Printed in the USA with imported fabric

PRICE \$24

SIZES Small through 4X

50003-SM 50003-MD 50003-LG 50003-XL 50003-2X 50003-3X 50003-4X



## 50004 - The Infidel Shirt

We could tell you, but...

COLOR Dark Heather Gray

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

PRICE \$24

SIZES Small through 4X

50004-SM 50004-MD 50004-LG 50004-XL 50004-2X 50004-3X 50004-4X



50005 - Bali-Song® Legend Shirt The best in Bali-Song since 1987.

COLOR Navy

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

PRICE \$24

SIZES Small through 4X

50005-SM 50005-MD 50005-LG 50005-XL 50005-2X 50005-3X 50005-4X



## 50006 - Oregon Shirt

Where Benchmade's are born.

COLOR Green Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

PRICE \$24

SIZES Small through 3X

50006-SM 50006-MD 50006-LG 50006-XL 50006-2X 50006-3X



## 50007 - FOOD. WATER. KNIVES. Shirt

Don't forget your essentials.

COLOR Steel Blue Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

PRICE \$24

SIZES Small through 3X

50007-SM 50007-MD 50007-LG 50007-XL 50007-2X 50007-3X



## 50008 - HUNT. Shirt

Updated colors for 2018.

COLOR Heather Brown

MATERIAL 52% Cotton 48% Polyester

ORIGIN Printed in the USA with imported fabric

PRICE \$24

SIZES Small through 3X 50008-SM

50008-MD 50008-LG 50008-XL 50008-2X 50008-3X

## **OUTERWEAR**

NEW



## 50010 - 87 Pullover Hoodie

STYLE Pull-over hoodie with back design

COLOR Black

MATERIAL 10oz. 80% Cotton, 20% Polyester

ORIGIN Printed in the USA with imported fabric

PRICE \$45

SIZES Small through 3X

50010-SM 50010-3M 50010-MD 50010-LG 50010-XL 50010-2X 50010-3X





STYLE Zip-up hoodie

COLOR Gunmetal Heather

MATERIAL 8.5oz. 80% Cotton, 20% Polyester

ORIGIN Printed in the USA with imported fabric

PRICE \$40

SIZES Small through 3X

50011-SM

50011-MD

50011-LG 50011-XL

50011-2X

50011-3X



## 50012 - Tactical Softshell Jacket

Any outer layer designed for 24/7 use, featuring welded seams, multiple pockets and Veclro® loop on both sleeves.

STYLE Softshell

COLOR Black

MATERIAL 100% Polyester with DWR waterresistant finish

ORIGIN Made by Tru-Spec

PRICE \$125

SIZES Small through 2X

50012-SM

50012-MD

50012-LG

50012-XL

50012-2X





## 50013 - Black Flexfit® Hat

STYLE Raised embroidered Benchmade logo COLOR Black

MATERIAL 83% Acrylic, 15% Wool, 2% Spandex

FIT Structured FlexFit

SIZE Small / Medium - 50013-SM

Large / XL - 50013-LXL

PRICE \$22



## 50014 - Solid Steel Trucker Hat

STYLE Classic weathered-style patch logo COLOR Black

MATERIAL 55% Cotton, 45% Polyester

FIT Structured with snapback closure SIZE One size fits most - 50014

PRICE \$22



## 50015 - Tan Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro\* COLOR Tan

MATERIAL 100% Cotton

FIT Unstructured with Velcro® closure

SIZE One size fits most - 50015-TAN

PRICE \$22



## 50015 - Gray Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro® COLOR Gray

MATERIAL 100% Cotton

FIT Unstructured with Velcro® closure

SIZE One size fits most - 50015-GRY

PRICE \$22



## 50016 - Custom Knit Beanie

STYLE Classic beanie with custom knit COLOR Grey/black marling with blue streaks MATERIAL 100% Acrylic ORIGIN Knit in the USA with imported yarn SIZE One size fits most - 50016

PRICE \$28

## **PROMOTIONAL ITEMS**

## 1113

## **SHARPENERS**

## Benchmade Coffee Mug

Black on black on black.

STYLE Coffee mug

COLOR Matte Black with Gloss Black logo, handle, rim

MATERIAL Ceramic

SKU 989133F

PRICE \$12





# Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads and more.

STYLE Field sharpener

ABRASIVES Ceramic, diamond, leather

SERRATIONS Dual ceramic rods fit most sizes

SKU 100604F

PRICE \$40



## Benchmade Pint Glass

For when the time comes to pocket the knife and raise a pint.

STYLE Pint glass

COLOR Clear with blue Benchmade butterfly logo

MATERIAL Glass

SKU 988053F

PRICE \$10



## Tactical and Mini-Tactical Pro Sharpener

Easy every day carry with a ceramic honing surface.

STYLE Field sharpener

MATERIAL Ceramitized coating and Duromite® cutters

SKU 983902F - Tactical Pro

983903F - Mini-Tactical Pro

PRICE \$25 - Tactical Pro

\$20 - Mini-Tactical Pro



## Pro-Model Bottle Opener

High-speed beverage-entry tool.

STYLE Bottle opener

COLOR Gray Steel

MATERIAL Stainless steel with wordmark cutout

SKU 1000000

PRICE \$15



# NEW



## Benchmade Water Bottle

Stanley and Benchmade team up to bring you this exclusive water bottle.

STYLE Double-walled vacuum-sealed water bottle

COLOR Silver with Benchmade exclusive Loki™ Damasteel pattern design

MATERIAL 18/8 stainless steel

SPECS 18 oz., keeps drinks cold for 28 hours

SKU 100725F

PRICE \$22





## Combo Sharpener

Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75".

STYLE Field sharpener

MATERIAL Ceramitized coating and Duromite® cutters

SKU 985547F

PRICE \$30

## **MAINTENANCE**



## Folding Tool Kit

Keep your Benchmade knife in tune with this 14-piece folding tool kit plus sharpener. Carry case included.

SKU 985995F

PRICE \$35



## Blue Box Tool Kit

T6, T8, and T10 Torx bits with a bit holder/extension, all in a molded plastic case that doubles as the handle.

SKU 981084F

PRICE \$20



## Bluelube<sup>™</sup> Lubricant Bluelube<sup>™</sup> Cleanser

Clean, lubricate and protect your Benchmade.

SKU 983901F - Bluelube™ Cleaner

983900F - Bluelube™ Lubricant

PRICE \$10 - Bluelube™ Cleaner (4oz bottle)

\$8 - Bluelube™ Lubricant (1.25oz bottle w/nozzle)

## SHEATHS AND ATTACHMENT ACCESSORIES

## Model-specific sheaths

For optional model-specific sheaths, please visit their respective pages in the catalog.

Bushcrafter	Page 37
Saddle Mountain Skinner	Page 42
Hidden Canyon Hunter	Page 44
SOCP	Page 74
Adamas Fixed	Page 77
CBK	Page 78
Nimravus	Page 80

# 7-Hook/8-Hook Pouch (MOLLE\* Compatible)

These Velcro\* hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE\* system enabled with the MALICE CLIP\* (sold separately). Made in USA.



MOLLE' 8-Hook Pouch \$12 H. 985398F - Black


I. 985570F - Foliage Green J. 985569F - Coyote



# Folder Pouch (MOLLE\* Compatible) These snap-over hood closure pouches secure the knife

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP' (included), and are MOLLE' system enabled too. Heavy stitch and elasticized true fit. Made in USA.

MOLLE' Folder Pouch.....\$2 A. 984818F - Black B. 987642F - Coyote



# Cordura\* Folder Pouch with Snap Retention (MOLLE\* Compatible)

Sheaths come standard with MALICE CLIP\* and Velcro\* adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

Cordura Pouch with Snap Retention ......\$30 C.100778F - Black



## Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro\* closures. Made in USA.

D. 981086F - Soft Sheath, small (1.625" W x 5" D), black



## Tek-Lok™

Multiple position options, with compatible sheath.

K. 981609F - Tek-Lok™, large size.....\$15



## MALICE CLIPS®

Injection-molded connecting clip to attach sheaths to MOLLE' systems, or to use as a belt-loop-style carry. Clips securely closed with a snap-lock.



## **DISPLAYS**



Magnetic Knife Display Hinged magnetic display; holds up to nine open knives. 13"W x 9"D x 5"H 989797F



Large Display Case Rotatable shelf, multi-drawer, floor

display. Three volcano displays that holds 24 knives each. 24"H × 24"D × 72"H

989136F - Tower 100738F - Volcano Display



Single Knife Block Transparent acrylic; each one holds a single knife in the open position. ½"W × 2 ½"D × ¾"H 1000005



Single Knife Holder Transparent acrylic; each one holds a single knife in the open position with space for information card. 6 ½"W x 2"D x 2"H 100370F



Waterfall Knife Rack Transparent blue acrylic; holds seven knives in the open position. 10"D × 3 3/4"W × 3"H 985567F



Benchmade Counter Mat Transparent flexible counter mat with Benchmade and LifeSharp logos. 10"x12" 100724F



Two-Piece Display Case Two-piece, 4" tall floor display. Holds 24+ knives. (Base features exchangeable side panels.) 16"W x 16"D x 60"H

989605F - Top 989604F - Base

## SPECIAL SERVICES



## **LIFESHARPSERVICE**



We will gladly resharpen your Benchmade knife to a factory razorsharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for

any warrantied repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address. www.benchmade.com/lifesharp



## **PERSONALIZED LASER MARKING**

Make any Benchmade your Benchmade. Commemorate an event, or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed on the blade or, for some models, on the handle. If you're interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.

## **DESIGNER COLLABORATION**

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



**MEL PARDUE** The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHënry & Williams

## **BILL MCHENRY & JASON WILLIAMS**

Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



**WARREN OSBORNE** Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



**SEIICHI NAKAMURA** Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



**SHANE SIBERT** Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



GREG THOMPSON Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC



**BUTCH BALL** Butch developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, re-creates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanically or ergonomically. The results of this process are designs that are as robust as they are innovative.



**STEVE TARANI** A former Central Intelligence Agency (CIA) employee who served the U.S. Defense, Law Enforcement, and Intelligence communities for over 25 years. Specializing in operational readiness, he is a federally certified force options instructor actively contracted by the DOD, NSA, FBI, DHS, and DEA. Tarani is currently a federal contractor, works in executive protection, is a non-ballistic weapons expert, an edged weapons expert witness, and a master knife designer.



KEN STEIGERWALT & MATTHEW LERCH Co-developers of the Nitrous® Assist mechanism.



## LOCKING MECHANISMS

It seems simple enough: you open the knife, you close the knife. But it's the mechanics of motion that happen in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

## AXIS\*

A Benchmade original, AXIS\* has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS\* gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omegastyle springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS\* bar itself. Available in manual, AXIS\* Assist or Auto AXIS\* configurations.

## AXIS\* ASSIST

Easily opened, quickly and with one hand, this evolution of the AXIS' includes a spring that helps fire the blade into the open position once the user pushes it beyond a certain point manually. The AXIS' lock also has the added benefit of "suck-back," which encourages the blade to stay in the closed position. AXIS' Assist knives also feature integrated safety lock systems.

## LINER LOCK

The basic principle is an integral locking bar, resulting from the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand-specific). And with a modified locking-liner you get a patented feature that helps enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made, and also the quality of the materials used. With Benchmade, you get the best of both.

## MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one and the same as the knife handle, and thus the handle is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

## SLIP-JOINT

A back spring-tension hold method found on traditional pocket knives. The spring consists of a piece of steel fixed to the handle. When the blade is rotated, the spring applies varying pressure onto the back of the blade using a camming action. This is not a true locking device because folding the knife requires only that the user overcome the spring pressure in order to rotate the blade back into the handle.

## BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song\*, or butterfly knife, is of Filipino ancestry, dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece that which, when closed, encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility-capable.

## NITROUS®

Another patented Benchmade exclusive, the Nitrous' boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. When opening, the user rotates the blade open to a 30-degree angle, where the torsion arms take over and continue the blade-opening process on their own. The huge advantage of the Nitrous' design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

## **AUTOMATICS**

Sometimes restricted to Active-Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either pushbutton, slide-release or dual-action mechanisms. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, can also ensures that the blade will not inadvertently deploy, or close once it is locked open.

## AXIS\* AUTOMATIC

Auto AXIS\* — strong, reliable, fast and an AXIS\* lock through and through—this locking mechanism fires the blade open 100% mechanically when the AXIS\* bar is pulled downward. Auto AXIS\* also features integrated safety mechanisms and the added safety of "suck-back."

## PUSH-BUTTON AUTOMATIC

Push the button and the blade fires into the open position. Our push-button mechanisms are not only fast and convenient, they're also extremely strong. Most also feature integrated safety mechanisms.

## OUT-THE-FRONT (OTF) AUTOMATIC

Our OTF mechanisms are mechanical masterpieces. Slide the lock button towards the top and the blade fires straight out. Pull the button back to the bottom and the blade returns into the handle.



## **BLADE STEELS**

Benchmade uses a variety of modern materials selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a premium quality performance cutting tool, then it only makes sense to build it with premium-materials.

## **KEY**

**E** Edge Retention

**S** Strength

**C** Corrosion Resistance

Toughness

How long a blade can maintain its sharpened edge Maximum stress withstood before a blade breaks or fails Resistance of a blade to oxidization and chemical attack Resistance of a blade to fracture and chipping

## STEELS







A premium steel created especially for knives, it is a powder steel creating uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities. This stainless steels is extremely well balanced, making it one of the best allaround choices for daily tasks.







A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2. Extremely high carbon and vanadium content gives this premium stainless powder-metal alloy the ultimate in edge retention while maintaining great strength and toughness properties.









A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys. The original "go-to" tool steel for knife blades, D2 provides great edge retention but requires a little extra care to keep the rust off.





A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel, with edge retention between 420HC and 440C.



A powder-metal, non-stainless,

wear resistance and toughness.

Due to its lower level of chrome

Originally designed for ball

bearings, valves and gears, this

high-carbon stainless steel is the

staple of the cutlery industry. A

high-chromium stainless steel with

balanced hardness and corrosion

resistance, 440C takes a fine edge

and is fairly easy to re-sharpen.

its performance.

M390

154CM

An excellent value-priced steel for

A super-performance blade steel

with exceptional cutting ability and

wear resistance. Given its uniform

microstructure, M390 is often used

in surgical cutting instruments and

other applications that require a

high finish. Extremely high carbon

and chrome content also gives this

premium stainless powder-metal

alloy the best corrosion resistance

of any martensitic stainless alloy.

to avoid corrosion.

440C

special purpose high-speed steel with

a combination of high carbon, moly.

vanadium and tungsten for excellent

content it may require additional care



HRC: 58-60

HRC: 58-61





CPM-20CV

HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel: however, they meet here in CPM-20CV. A powdermetal steel that takes a fine edge and maintains it, 20CV is a great choice for someone looking for low maintenance and superior cutting performance.







A high-carbon steel that has been used for knife blades for over a century. Excellent strength and toughness allow this steel to take a beating that would leave other blades in pieces. Poor corrosion resistance and edge retention means you have to take a little extra care to keep the blade clean and sharp.







HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness while affording edge retention comparable to that of 440C. Used in special applications due to its high cost and artistic nature.

## **HEAT TREATMENT**

HRC: 58-61

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and superior performance. All steels may be created equal, but when it comes to Benchmade, that's where it stops.

## COATINGS, HANDLES, LINERS, SHEATHS

## COATINGS

## CERAKOTE®

A spray-on ceramic coating with excellent wear and corrosion resistance. Used frequently in the firearms industry, and available in a wide variety of colors.

'Diamond-like Carbon,' is a thin layer of carbon atoms that is slowly built up on the surface, providing a sleek black look, a hardness similar to natural diamond, and excellent abrasion resistance. DLC is also used as a coating in machining, stamping and molding tools, as well as engine components.

## ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum, with the addition of a chemical coloring bath.

## **HANDLES**

## **CARBON FIBER**

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin that is most commonly clear but can be colortinted. It offers great looks and is exceptionally strong for its minimal weight.

## STABILIZED WOOD

A composite material backfilled with resin, stabilized wood is much more resistant to environmental hardships than natural wood.

## **6AL-4V TITANIUM**

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.

## MICARTA

Layers of linen cloths soaked in resin and compressed together. Most commonly used on more stylish knives due to its rich color and finish qualities.

## 6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraftgrade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color-anodized.

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

## **GRIVORY®**

An amorphous nylon copolymer with exceptional dimensional stability, 50% or greater glass fill.

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

## LINFRS

## 6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.

## 410SS STAINLESS STEEL

A common knife grade with low-carbon, high-chromium-content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well.

## SHEATHS

## **BALLISTICS NYLON**

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

### LEATHER

A natural material dating back to humans' earliest beginnings in the knife world. It can be easily dyed and tooled for a desired visual effect. Offers traditionally accepted levels of performance and design capability.

## KYDEX\*

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

A proprietary, fire-retardant PVC/acrylic alloy sheet, black in color, offering a UL Standard 94 V-0 fire rating, excellent impact strength, abrasion resistance, chemical resistance and thermoformability. Manufactured using recycled resin, it is a cost-effective alternative to other general-purpose flame-retardant materials.

The following are registered trademarks of their respective companies: Zytel\*, E.I. du Pont de Nemours & Company; Kydex\*, Kleerdex Company; Noryl GTX" and Valox", General Electric Company; Santoprene\*, Advanced Elastomer Systems; Grivory\*, EMS-Grivory; Boltaron, Boltaron Performance Products, LLC



A premium-grade steel developed for tough industrial applications. **SANTOPRENE®** Known best for its all-around

> qualities. 154CM offers a good balance of corrosion resistance, toughness and edge quality.



## WARRANTY

## LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge. repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer Any automatic knife (button or slide activated springopening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will be returned via an authorized Benchmade dealer. To obtain an AKOA form, please visit www.benchmade.com. NO EXCEPTIONS

"The Benchmade Lifetime Warranty only applies to genuine Benchmade products from authorized Benchmade dealers. Knives purchased on the internet through discount websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are not entitled to our warranty coverage."

## WHAT IS COVERED?

This Warranty covers replacement parts and labor.

## WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool) or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

## ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

The Benchmade AKOA form can be found at: www.benchmade.com/media/forms/ako\_acknowledgment.pdf

## SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of

automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

# ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

## COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

## **PRICING**


Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help protect your knife freedoms. Join AKTI today!

877.752.8770 or www.akti.org

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: 87; Adamas; Aileron; Altitude; Anthem; Arcane; AXIS; Azeria; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT. (wordmark logo); BlueLube; Boost; Break. Cut. Escape.; Bugout; Butterfly (wordmark logo); Casbah; Coalition; Conspiracy; Custom Knife Builder (wordmark logo); Emissary; Epidemic; Fact; Follow-Up; Freek; Genuine AXIS Mechanics (logo); Griptilian; Grizzly Ridge; Houdini; Impel; Infidel; Megumi; Morpho; Nak-Lok; Nimravus; Nitrous; Nonconformist; Pagan; Phaeton; Pika; Precipice; Presidio; Presidio Ultra; Proper; Rift; Rollina Lock: Seauel: Shori; Shrine; Stryker; Torrent; Triage; Vallation: Vector. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. Benchmade products may be manufactured under one or more of the patents found at www.benchmade.com/patents



# BENCHTADE

300 BEAVERCREEK ROAD OREGON CITY, OR 97045

CUSTOMER SERVICE/SALES **USA DOMESTIC** 

TELEPHONE

CUSTOMER SERVICE FAX

EMAIL





CUSTOMER SERVICE/SALES FEDERAL GOVERNMENT

TELEPHONE

FED/GOV SALES FAX

EMAIL

**GSA CONTRACT** 

CAGE CODE

GSΔ

CUSTOMER SERVICE/SALES

TELEPHONE