



Yours,
for life.®

2022 COLLECTION




2022



T A B L E O F C O N T E N T S

8	TECHNICAL FEATURES	16	BLUE CLASS	75	ACCESSORIES
10	BLADE STEEL	38	HUNT CLASS	78	PRODUCT INDEX
12	GOLD CLASS	48	BLACK CLASS		



LIFE SHARP

GUARANTEED FOR LIFE

When we say a Benchmade is yours, for life, we mean it. We will re-sharpen your Benchmade back to a factory edge, anytime you need. Learn more at benchmade.com/lifesharp-service.



OREGON BUILT

BENCHMADE'S HISTORY

Forged from a rich history dating back nearly 40 years, Benchmade is the craftsmanship of many dedicated employees, an unyielding demand for excellence, and the de Asis family's visionary commitment to culture, service and innovation. This is the story of Benchmade.

BALI-SONG® INC IS BORN

Like many American dreams, Benchmade grew from humble beginnings... Thus, from a small shop rented in a second story mezzanine in California, founder Les de Asis incorporated his company as Bali-Song®, Inc. Les actually purchased the original equipment from the owner of a manufacturing operation who was looking to retire. Utilizing the rudimentary technology available to him at the time, he began building handmade custom Bali-Songs (a popular type of butterfly knife originating in the Philippines) with partner, Jody Samson, who ground all of the blades. The massive success of these custom Balis spurred the creation of the first production Bali-Song®: The model 68.

Over the next eight years, the company expanded its notoriously superior product offerings into fixed blades and conventional folding knives, evolving its name from Bali-Song®, Inc. to Pacific Cutlery Corp.

BENCHMADE SETS ROOTS IN OREGON

Making the move from California to a facility in Clackamas, Oregon, Benchmade finally began producing knives there under the name Benchmade, Inc. This was a major turning point, as the company was now located in the American epicenter of knife manufacturing. With a plethora of technological advancements now possible, Benchmade became the first company to own and employ a high-power laser cutter. A laser cutter, for example, allowed for work with steels previously too hard to stamp. Benchmade also became the world leader in automatic knife manufacturing (and still is, to this day) and also began to supply military units.

BENCHMADE MOVES TO OREGON CITY

Responding to an enthusiastic, growing customer demand, Benchmade moved from the 15,000 sq. ft. shop in Clackamas to its current location in Oregon City, Oregon which sprawls approximately 144,000 sq. ft. today.

With its first ten years of manufacturing experience behind them, and by working with world-class custom knife makers like Mel Pardue and Warren Osborne, Benchmade perfected a business model that involved lending manufacturing processes to custom knife designs; affording a level of innovation and quality to the larger market that was previously unavailable. This template eventually led to Bill McHenry and Jason Williams approaching Benchmade with the AXIS® lock...and the future of cutlery was born.

FAMILY FORGED, PEOPLE POWERED

Now more than ever, we continue our momentum with great passion and enthusiasm. We're at a critical point in our business as the industry continues to grow, forcing us to really focus our efforts on the recipe that got us to where we are today. There are inevitable challenges associated with growth, but we are confident in our ability to learn from time's lessons and continually forge ourselves to be better.



A NEW NAME, BENCHMADE

By 1987, Les reintroduced a new company and new version of the Model 68; this time with a vision to produce in the US, with an even stronger commitment to product availability, quality and customer relationships. He knew the company needed a new name. While phrases like "handmade" and "factory-made" aptly described the knives, it was "Benchmade" that truly expressed the quality of Les' product. He was building an operation that made precision parts, but with legendary American hand-assembly on the finished products. Indeed, it was a "bench" operation and Les wanted the name to reflect this marriage of manufactured—with custom. The sentiment still describes Benchmade's position in the market, to this day.

FOCUS ON ETHICS & OPERATIONS

To this day, the proudly American-bred Benchmade brand continues to focus on innovation, customer needs, responsible business ethics and operations to bring the highest quality products to the world's elite.



ELEVATING OUR BRAND

Over the past year Benchmade has focused on making our great brand, even better. This meant first investing in our people and transforming the way we rally through challenges and drive innovation to bring more premium product into your stores and customers hands. This focus has been important to me as we look to the customer experience as the most critical part of our journey.

As we get ready to launch into 2022, this focus on our customer and brand experience continues and we are proud to bring that level of support to our retail partners. With new product that will push the limits of what you expect, to new merchandising and display elevation, we are committed to each one of you delivering the most premium Benchmade experience at retail and we have the tools to help you do it!

Benchmade has always been about more than just building a great knife. It is a passion driven by our founder, my father Les de Asis, to create tools that people could depend on in any situation, for life. Since then, we have always sought to be held to a higher standard and to partner with the best. Thank you all for being a part of this journey and I look forward to the next year and seeing how you all elevate the Benchmade brand to your customers.

Sincerely

Jon deAsis - President & CEO



HOW YOU CHOOSE YOUR KNIFE

DEPENDS ON HOW YOU LIVE YOUR LIFE



EDC



Not obtrusive or uncomfortable in slacks or shorts, just convenient and well fitted to your general needs.



OUTDOOR



From water to woods, backpacking to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.



SURVIVAL



Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.



HUNT



Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



TACTICAL



Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations where performance is a must.



RESCUE



Built for critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



Metal Matters

BLADE STYLES



»
OPENING MANUAL

"Manuals" must be opened 100%, from the closed position to the open position, by the user.

»
ASSISTED OPENING

"Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

»
AUTOMATIC OPENING

"Autos" have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.

»
FIXED BLADE

These knives are permanently open and almost always come with a sheath to protect the edge.

»
BALI-SONG

"Bali" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

BK

Black coating, no serrations

NONE

No coating, no serrations

GY

Gray coating, no serrations

FE

Flat earth coating

DLC

Diamond-like-Carbon coating

SBK

Serrations and black coating

S

Serrations, no coating

SGY

Serrations and gray coating

SFE

Serrations and flat earth coating

OR

Orange Coating



BK
Black




ORG
Orange



WHT
White



SN
Sand



OD
Olive Drab



BLU
Blue

*-1, -2, etc. typically indicate handle material variations

Trailing Point

The spine curves upward to create an elevated point that's typically higher than the handle.

Tanto

This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.

Opposing Bevel

Design features a non-uniform blade geometry that creates an offset pry-tip, while maintaining a consistent chisel grind on the cutting edge.

Drop-Point

Drops off the spine to the top. Tip height is typically below the center line on the blade.

Spear-Point

Must be symmetrical considering the blade profile. *Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.

Sheepsfoot

The spine of the blade "rolls" into the tip earlier. This blade has a completely straight edge.

Wharncliffe

Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.

Clip-Point

Blade contains a sharp beak, typically forward of the midpoint, as if the tip has been "clipped off."





BUILT FOR STRENGTH

Blade strength is the maximum stress withstood before a blade breaks or fails. These are among some of the strongest steels in the industry that can stand up to the demands of hard use applications.



CPM-S30V / HRC: 58-60

As a blade material it offers excellent corrosion resistance and superb edge qualities.



CPM-M4 / HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with excellent wear resistance and toughness.



CPM-3V / HRC: 60-62

A powder-metal tool steel, its high carbon and vanadium paired with low chromium make it exceptionally tough while still being able to maintain a good cutting edge.



BUILT FOR EDGE RETENTION

Edge retention is how long a blade can maintain its sharpened edge. When performing cutting tasks over and over, you need an edge that stays sharp. These steels are among some of the best for edge retention.



CPM-154 / HRC: 58-61

This powder-metal version of conventional 154CM steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength.



D2 / HRC: 60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys.



CPM-S90V / HRC: 59-61

A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2.



CPM-20CV / HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in CPM-20CV.



BUILT FOR TOUGHNESS

Blade toughness is the resistance of a blade to fractures and chipping. This is an important consideration for activities such as batoning or other uses that may involve force on the blade to perform cutting tasks. These steels have exceptional toughness.



CPM-D2 / HRC: 60-62

This powder-metal version of conventional D2 steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength. A great choice for the customer who loves D2 but wants an upgrade in performance.



DAMASTEEL / HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness.



CPM-S45VN / HRC: 60-62

The higher levels of Chrome along with the introduction of Nitrogen in S45VN allow for improved corrosion resistance over CPM-S30V and CPM-S90V, while balancing the excellent performance found in both of those steels.



CPM-CRUWEAR / HRC: 63-65

An air-hardenable non-stainless tool steel that has improved toughness and wear resistance over D2 steel. CPM-Cruwear has vanadium to form extremely hard vanadium carbides for edge retention along with tungsten and molybdenum to increase the working hardness without reducing the toughness.



BUILT TO AVOID CORROSION

Corrosion resistance is measured by the resistance of a blade to oxidization and chemical attack. This is an important consideration when you're going to be in wet or humid environments and need a blade that can stand up to the elements.



N680 / HRC: 57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel.



M390 / HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance.



440C / HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry.



154CM / HRC: 58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.

945-221

THE 945 MINI OSBORNE GETS THE GOLD TREATMENT. SAME BENCHMADE QUALITY, NEW BENCHMADE LOOK.

GOLD CLASS



945-221 MINI OSBORNE

EDC



Mini Osborne | EST. SHIP MONTH: APRIL
945-221 OSBORNE DESIGN

CONFIGURATIONS/MSRP
945-221 | | \$700

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse Tanto
- + **BLADE STEEL** - Ægir™ Damasteel®
- + **HANDLE** - Arctic Storm Fat Carbon handles w/ aqua anodized bolsters; gold plated floating back spacer
- + **BLADE LENGTH** - 2.92" (7.42cm)

- + **BLADE THICKNESS** - 0.104" (2.642mm)
- + **OPEN** - 6.76" (17.17cm)
- + **CLOSED** - 3.84" (9.754cm)
- + **WEIGHT** - 2.24oz (63.50g)
- + **HANDLE THICKNESS** - 0.43" (10.922mm)




/ MINI OSBORNE

Fans and collectors of the Osborne family—one of Benchmade's most iconic designs—will notice the classic reverse tanto blade shape coupled with a brand-new pattern on the Damasteel® blade. Called Ægir™, the pattern is inspired by Norse mythology, and takes design cues from the Baltic Sea. The new design has fat carbon "Arctic Storm" handles with flowing blue accents and gold-plated floating back-spacer which give this limited-edition Mini Osborne a cold look, like the chilling waters off Sweden's coast. This one-of-a-kind knife rounds out the 945 Mini Osborne family with eye-catching styling to augment an EDC collection.



EDC





BLUE CLASS

EDC FOR ALL





CONFIGURATIONS/MSRP
535-3 | | \$310

Bugout®

535-3

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (10.414mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 2.02oz (57.27g)
- + **HANDLE THICKNESS** - 0.41" (10.46mm)



CONFIGURATIONS/MSRP
535BK-4 | | BLACK | \$275

Bugout®

535BK-4

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - M390 premium stainless steel (58-61 HRC)
- + **HANDLE** - Gray anodized 6061-T6 aluminum w/ milled pattern w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.24cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 2.50oz (70.87g)
- + **HANDLE THICKNESS** - 0.412" (10.46mm)



CONFIGURATIONS/MSRP
535 | | \$160

Bugout®

535

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPMS30V (58-60 HRC)
- + **HANDLE** - Textured Blue Grivory® w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 1.8oz (51.03g)
- + **HANDLE THICKNESS** - 0.42" (10.668mm)



 / **BUGOUT®**

The Bugout® was designed for the modern outdoor adventurer, incorporating the lightest, best performing materials in an extremely slim yet ergonomic package. Choose a Bugout® with a plain-edge drop-point or serrated drop-point blade, coupled with a CF-Elite®, Grivory®, aluminum, or carbon fiber handle. Premium blade steels, along with Benchmade's AXIS® Lock technology, can stand up to any task. Subtle, yet capable, and made in the USA, the Bugout® is a trustworthy EDC or outdoor knife that does not draw attention to itself. Whether you're in the city or the mountains, this lightweight folder will be ready when you are.



EDC



OUTDOOR





CONFIGURATIONS/MSRP
535GRY-1 | GRAY | \$175

Bugout[®] 535GRY-1

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S30V (58-60 HRC)
- + HANDLE - Textured Ranger Green Grivory[®] w/ stainless steel liners
- + BLADE LENGTH - 3.24" (8.23cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 7.46" (18.95cm)
- + CLOSED - 4.22" (10.72cm)
- + WEIGHT - 1.8oz (51.03g)
- + HANDLE THICKNESS - 0.42" (10.668mm)



CONFIGURATIONS/MSRP
533BK-2 | BLACK | \$165

Mini Bugout[®] 533BK-2

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S30V premium stainless steel (58-60HRC)
- + HANDLE - Textured Black CF-Elite[®] w/ stainless steel liners
- + BLADE LENGTH - 2.82" (7.16cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 6.49" (16.48cm)
- + CLOSED - 3.70" (9.41cm)
- + WEIGHT - 1.50oz (42.52g)
- + HANDLE THICKNESS - 0.41" (10.414mm)



CONFIGURATIONS/MSRP
535BK-2 | BLACK | \$175

Bugout[®] 535BK-2

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S30V premium stainless steel (58-60HRC)
- + HANDLE - Textured Black CF-Elite[®] w/ stainless steel liners
- + BLADE LENGTH - 3.24" (8.23cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 7.46" (18.95cm)
- + CLOSED - 4.22" (10.72cm)
- + WEIGHT - 1.8oz (51.03g)
- + HANDLE THICKNESS - 0.42" (10.668mm)



CONFIGURATIONS/MSRP
533BK-1 | BLACK | \$165

Mini Bugout[®] 533BK-1

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S30V premium stainless steel (58-60HRC)
- + HANDLE - Textured White Grivory[®] w/ stainless steel liners
- + BLADE LENGTH - 2.82" (7.16cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 6.49" (16.48cm)
- + CLOSED - 3.70" (9.41cm)
- + WEIGHT - 1.50oz (42.52g)
- + HANDLE THICKNESS - 0.41" (10.414mm)



IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP
533-3 | \$300



Mini Bugout[®] | EST. SHIP MONTH: MAY 533-3

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S90V premium stainless steel (59-61HRC)
- + HANDLE - Carbon Fiber w/ stainless steel liners
- + BLADE LENGTH - 2.82" (7.16cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 6.49" (16.48cm)
- + CLOSED - 3.70" (9.41cm)
- + WEIGHT - TBD
- + HANDLE THICKNESS - TBD



CONFIGURATIONS/MSRP
533 | \$150

Mini Bugout[®] 533

- + MECHANISM - AXIS[®] lock
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S30V premium stainless steel (58-60HRC)
- + HANDLE - Textured Orange Grivory[®] w/ stainless steel liners
- + BLADE LENGTH - 2.82" (7.16cm)
- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 6.49" (16.48cm)
- + CLOSED - 3.70" (9.41cm)
- + WEIGHT - 1.50oz (42.52g)
- + HANDLE THICKNESS - 0.41" (10.414mm)





Weekender™
EST. SHIP MONTH: APRIL
317-1



MECHANISM

Slip-joint

BLADE STEEL

CPM-S30V premium stainless steel (58-60HRC)

BLADE LENGTH

2.97" (7.544cm) / 1.97" (5.00cm)

OPEN

7.05 (17.907cm) / 6.05 (15.367cm)

WEIGHT

2.28oz (64.64g)

BLADE STYLE

Clip-point w/ utility drop-point w/ modified spear

HANDLE

Dark brown canvas micarta w/ orange aluminum decorative pivot rings

BLADE THICKNESS

0.090" (2.286mm)

CLOSED

4.08" (10.363cm)

HANDLE THICKNESS

0.40" (10.16mm)

CONFIGURATIONS/MSRP

317-1 : : \$250



Weekender™
EST. SHIP MONTH: APRIL
317



MECHANISM

Slip-joint

BLADE STEEL

CPM-S30V premium stainless steel (58-60HRC)

BLADE LENGTH

2.97" (7.544cm) / 1.97" (5.00cm)

OPEN

7.05 (17.907cm) / 6.05 (15.367cm)

WEIGHT

2.28oz (64.64g)

BLADE STYLE

Clip-point w/ utility drop-point w/ modified spear

HANDLE

Cool gray G10 w/ OD aluminum decorative pivot rings

BLADE THICKNESS

0.090" (2.286mm)

CLOSED

4.08" (10.363cm)

HANDLE THICKNESS

0.40" (10.16mm)

CONFIGURATIONS/MSRP

317 : : \$250





CONFIGURATIONS/MSRP
940 | | \$225

Osborne

940 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Green anodized 6061-T6 billet aluminum with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.90oz (82.21g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
945 | | \$210

Mini Osborne

945 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Green anodized 6061-T6 billet aluminum with stainless steel liners
- + **BLADE LENGTH** - 2.92" (7.42cm)
- + **BLADE THICKNESS** - 0.104" (2.642mm)
- + **OPEN** - 6.76" (17.17cm)
- + **CLOSED** - 3.84" (9.754cm)
- + **WEIGHT** - 2.00oz (56.70g)
- + **HANDLE THICKNESS** - 0.43" (10.922mm)



CONFIGURATIONS/MSRP
940-1 | | \$320

Osborne

940-1 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S90V super premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.44oz (69.17g)
- + **HANDLE THICKNESS** - 0.44" (11.18mm)



CONFIGURATIONS/MSRP
945BK-1 | BLACK | \$210

Mini Osborne

945BK-1 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black G10/Blue base layer with stainless steel liners
- + **BLADE LENGTH** - 2.92" (7.42cm)
- + **BLADE THICKNESS** - 0.104" (2.642mm)
- + **OPEN** - 6.76" (17.17cm)
- + **CLOSED** - 3.84" (9.754cm)
- + **WEIGHT** - 2.19oz (62.09g)
- + **HANDLE THICKNESS** - 0.41" (10.922mm)



CONFIGURATIONS/MSRP
940-2 | | \$210

Osborne

940-2 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black milled G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.65oz (75.13g)
- + **HANDLE THICKNESS** - 0.44" (11.18mm)



CONFIGURATIONS/MSRP
550-S30V | | \$140

Griptilian®

550-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Sheepsfoot
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured Black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 8.07" (20.50cm)
- + **CLOSED** - 4.62" (11.73cm)
- + **WEIGHT** - 3.79oz (107.44g)
- + **HANDLE THICKNESS** - 0.64" (16.26mm)





CONFIGURATIONS/MSRP

551-S30V			\$140
551BK-S30V		BLACK	\$150
551SBK-S30V	SERR	BLACK	\$150

Griptilian®

551-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 8.07" (20.50cm)
- + **CLOSED** - 4.62" (11.73cm)
- + **WEIGHT** - 3.88oz (110.0g)
- + **HANDLE THICKNESS** - 0.64" (16.26mm)



CONFIGURATIONS/MSRP

551BKOD-S30V		BLACK	\$150
--------------	--	-------	-------

Griptilian®

551BKOD-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured OD green Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 8.07" (20.50cm)
- + **CLOSED** - 4.62" (11.73cm)
- + **WEIGHT** - 3.88oz (110.0g)
- + **HANDLE THICKNESS** - 0.64" (16.26mm)



CONFIGURATIONS/MSRP

551BKSN-S30V		BLACK	\$150
--------------	--	-------	-------

Griptilian®

551BKSN-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured sand Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 8.07" (20.50cm)
- + **CLOSED** - 4.62" (11.73cm)
- + **WEIGHT** - 3.88oz (110.0g)
- + **HANDLE THICKNESS** - 0.64" (16.26mm)

ELEVATE YOUR EVERYDAY CARRY



GRIPILIAN®

PRECISION MADE TO HANDLE ANY CONDITIONS



Mini Griptilian®

555-S30V PARDUE DESIGN



CONFIGURATIONS/MSRP
555-S30V : : \$130

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Sheepsfoot
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 2.91" (7.39cm)

- + **BLADE THICKNESS** - 0.100" (2.540mm)
- + **OPEN** - 6.78" (17.22cm)
- + **CLOSED** - 3.87" (9.83cm)
- + **WEIGHT** - 2.68oz (75.98g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)

Freek®

560BK-1



CONFIGURATIONS/MSRP
560BK-1 : : BLACK : \$250

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-M4 super steel (62-64 HRC)
- + **HANDLE** - Black and gray textured G10 with red base layer and stainless steel liners
- + **BLADE LENGTH** - 3.60" (9.14cm)

- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 8.46" (21.49cm)
- + **CLOSED** - 4.86" (12.34cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.62" (15.75mm)

Mini Griptilian®

556-S30V PARDUE DESIGN



CONFIGURATIONS/MSRP

556-S30V			\$130
556S-S30V	SERR		\$130
556BK-S30V		BLACK	\$140
556SBK-S30V	SERR	BLACK	\$140
556SBKOD-S30V	SERR	BLACK	\$140

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners.
556-S30V/556S-S30V/556BK-3S30V/556SBK-S30V: Black,
556SBKOD-S30V: OD Green
- + **BLADE LENGTH** - 2.91" (7.39cm)

- + **BLADE THICKNESS** - 0.100" (2.540mm)
- + **OPEN** - 6.78" (17.22cm)
- + **CLOSED** - 3.87" (9.83cm)
- + **WEIGHT** - 2.81oz (79.66g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)

Mini Freek®

565-1



CONFIGURATIONS/MSRP
565-1 : : \$310

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber with stainless steel liners
- + **BLADE LENGTH** - 3.00" (7.62cm)

- + **BLADE THICKNESS** - 0.104" (2.642mm)
- + **OPEN** - 7.05" (17.91cm)
- + **CLOSED** - 4.05" (10.29cm)
- + **WEIGHT** - 2.74oz (77.68g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)





CONFIGURATIONS/MSRP
318 : : \$160

Proper[®] 318

- + **MECHANISM** - Slip-joint
- + **BLADE STYLE** - Clip-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Dark brown canvas micarta w/ stainless steel liners
- + **BLADE LENGTH** - 2.82" (7.16cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 6.65" (16.89cm)
- + **CLOSED** - 3.85" (9.78cm)
- + **WEIGHT** - 2.28oz (64.64g)
- + **HANDLE THICKNESS** - 0.40" (10.16mm)



CONFIGURATIONS/MSRP
319 : : \$160

Proper[®] 319


- + **MECHANISM** - Slip-joint
- + **BLADE STYLE** - Sheepsfoot
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Dark brown canvas micarta w/ stainless steel liners
- + **BLADE LENGTH** - 2.86" (7.26cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 6.69" (16.99cm)
- + **CLOSED** - 3.85" (9.78cm)
- + **WEIGHT** - 2.32oz (65.77g)
- + **HANDLE THICKNESS** - 0.40" (10.16mm)



CONFIGURATIONS/MSRP
580 : : \$175

Barrage[®] 580 OSBORNE DESIGN

- + **MECHANISM** - AXIS[®] Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox[®] with stainless steel liners
- + **BLADE LENGTH** - 3.66" (9.30cm)
- + **BLADE THICKNESS** - 0.121" (3.073mm)
- + **OPEN** - 8.45" (21.46cm)
- + **CLOSED** - 4.79" (12.166cm)
- + **WEIGHT** - 4.31oz (122.19g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP
583SBK : SERR : BLACK : \$185

Barrage[®] 583SBK OSBORNE DESIGN

- + **MECHANISM** - AXIS[®] Assist with integrated safety
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox[®] with stainless steel liners
- + **BLADE LENGTH** - 3.66" (9.30cm)
- + **BLADE THICKNESS** - 0.121" (3.073mm)
- + **OPEN** - 8.45" (21.46cm)
- + **CLOSED** - 4.79" (12.17cm)
- + **WEIGHT** - 4.51oz (127.86g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP
585 : : \$165
585S : SERR : \$165

Mini Barrage[®] 585 OSBORNE DESIGN

- + **MECHANISM** - AXIS[®] Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox[®] with stainless steel liners
- + **BLADE LENGTH** - 2.91" (7.39cm)
- + **BLADE THICKNESS** - 0.100" (2.540mm)
- + **OPEN** - 6.91" (17.55cm)
- + **CLOSED** - 4.00" (10.16cm)
- + **WEIGHT** - 3.40oz (96.39g)
- + **HANDLE THICKNESS** - 0.57" (14.48mm)



CONFIGURATIONS/MSRP
595 : : \$175
595BK : : BLACK : \$185

Mini Boost[®] 595

- + **MECHANISM** - AXIS[®] Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Dark gray Grivory[®] and black overmolded Versaflex[®]
- + **BLADE LENGTH** - 3.11" (7.90cm)
- + **BLADE THICKNESS** - 0.100" (2.540mm)
- + **OPEN** - 7.18" (18.24cm)
- + **CLOSED** - 4.07" (10.34cm)
- + **WEIGHT** - 3.31oz (93.84g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)





CONFIGURATIONS/MSRP

495 : : \$275

Vector®

495

- + **MECHANISM** - AXIS® Assist flipper with integrated safety
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black contoured and textured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.100 (2.540mm)
- + **OPEN** - 8.42" (21.39cm)
- + **CLOSED** - 4.82" (12.24cm)
- + **WEIGHT** - 4.11oz (116.52g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

496 : : \$350

Vector®

496

- + **MECHANISM** - AXIS® Assist flipper with integrated safety
- + **BLADE STYLE** - Drop-point with compound grind
- + **BLADE STEEL** - CPM-20CV premium stainless steel (59-61 HRC)
- + **HANDLE** - Gray milled, contoured 6061-T6 aluminum bolsters; contoured olive drab G10 handles with an ivory base layer with stainless steel liners
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.100 (2.540mm)
- + **OPEN** - 8.42" (21.39cm)
- + **CLOSED** - 4.82" (12.24cm)
- + **WEIGHT** - 4.50oz (127.57g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

490 : : \$270

Arcane®

490

- + **MECHANISM** - AXIS® Assist flipper with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V super premium stainless steel (59-61 HRC)
- + **HANDLE** - Black anodized 7075-T6 billet aluminum
- + **BLADE LENGTH** - 3.20" (8.13cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 7.72" (19.61cm)
- + **CLOSED** - 4.52" (11.48cm)
- + **WEIGHT** - 2.88oz (81.65g)
- + **HANDLE THICKNESS** - 0.48" (12.19mm)

Emissary®

470-1 OSBORNE DESIGN



CONFIGURATIONS/MSRP

470-1 : : \$235

- + **MECHANISM** - AXIS® Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black anodized 7075-T6 billet aluminum
- + **BLADE LENGTH** - 3.00" (7.62cm)

- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 6.90" (17.53cm)
- + **CLOSED** - 3.90" (9.91cm)
- + **WEIGHT** - 2.20oz (62.37g)
- + **HANDLE THICKNESS** - 0.45" (11.43mm)

Bushcrafter

162 SHANE SIBERT DESIGN



OUTDOOR SURVIVAL



CONFIGURATIONS/MSRP

162 : : \$260

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Hand-blended green contoured G10 with a red base layer
- + **SHEATH** - Brown full-grain leather with belt loop and D-ring
- + **BLADE LENGTH** - 4.40" (11.18cm)

- + **BLADE THICKNESS** - 0.164" (4.166mm)
- + **OPEN** - 9.15" (23.24cm)
- + **WEIGHT** - 7.72oz (218.86g)
- + **HANDLE THICKNESS** - 0.92" (23.368mm)
- + **SHEATH WEIGHT** - 2.70oz (76.54g)





OUTDOOR



SURVIVAL



ANONIMUS™ EST. SHIP MONTH: JANUARY 539GY



MECHANISM

Fixed Blade

BLADE STEEL

CPM-CruWear super strong tool steel (62-64HRC)

BLADE LENGTH

5.00" | 12.70cm

OPEN

9.83" | 24.97cm

WEIGHT

5.94oz | 168.40g

CONFIGURATIONS/MSRP

539GY | \$290



BLADE STYLE

Drop-Point

HANDLE

OD Green G10

BLADE THICKNESS

0.114" | 2.90mm

SHEATH WEIGHT

2.56oz | 72.57g

HANDLE THICKNESS

0.68" | 17.27mm

Puukko

200



OUTDOOR



SURVIVAL



- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Textured ranger green Santoprene®
- + **SHEATH** - Black leather with ferro rod loop and dangler
- + **BLADE LENGTH** - 3.75" (9.53cm)

- + **BLADE THICKNESS** - 0.140" (3.556mm)
- + **OPEN** - 8.25" (20.96cm)
- + **WEIGHT** - 4.51oz (127.86g)
- + **HANDLE THICKNESS** - 0.80" (20.32mm)
- + **SHEATH WEIGHT** - 2.65oz (75.13g)

CONFIGURATIONS/MSRP

200 | \$160

Leuku

202



OUTDOOR



SURVIVAL



- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Textured ranger green Santoprene®
- + **SHEATH** - Black leather with ferro rod loop and dangler
- + **BLADE LENGTH** - 5.19" (13.18cm)

- + **BLADE THICKNESS** - 0.140" (3.556mm)
- + **OPEN** - 9.69" (24.61cm)
- + **WEIGHT** - 5.31oz (150.54g)
- + **HANDLE THICKNESS** - 0.80" (20.32mm)
- + **SHEATH WEIGHT** - 3.04oz (86.18g)

CONFIGURATIONS/MSRP

202 | \$180





Billet Bali-Song®

85



EDC

- + **MECHANISM** - Bali-Song® with magnetic latch-lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - 6Al-4V Titanium
- + **SHEATH** - Black Elastic and Hypalon
- + **BLADE LENGTH** - 4.40" (11.18cm)

CONFIGURATIONS/MSRP

85 : : : \$695

- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 10.00" (25.40cm)
- + **CLOSED** - 5.50" (13.97cm)
- + **WEIGHT** - 5.29oz (149.97g)
- + **HANDLE THICKNESS** - 0.46" (11.68mm)



The original 1980
Bali-Song, Inc. logo

BILLET BALI- SONG®

85

4.40" long blade
and 0.124" thick

6Al-4V Billet
Titanium

Magnetic latch-lock





HUNT

RELISH THE HARVEST





Meatcrafter[®] 15500

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Trailing point featuring 14° **SelectEdge[®]**
- + **BLADE STEEL** - CPM-154 stainless steel
- + **HANDLE** - Orange Santoprene™
- + **SHEATH** - Black/Orange Boltaron[®]
- + **BLADE LENGTH** - 6.09" (15.47cm)
- + **BLADE THICKNESS** - 0.09" (2.286mm)
- + **OPEN** - 11.08" (28.14cm)
- + **WEIGHT** - 3.24oz (91.85g)
- + **HANDLE THICKNESS** - 0.67" (17.02mm)

CONFIGURATIONS/MSRP

15500 | | \$170



Meatcrafter[®] | EST. SHIP MONTH: JANUARY 15500OR - 2



CONFIGURATIONS/MSRP

15500OR-2 | | \$400

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Trailing Point featuring 14° **SelectEdge[®]**
- + **BLADE STEEL** - CPM-S45VN premium stainless steel (60-62HRC)
- + **HANDLE** - Carbon Fiber
- + **BLADE LENGTH** - 6.08" (15.44cm)
- + **BLADE THICKNESS** - 0.09" (2.286mm)
- + **OPEN** - 11.06" (28.09cm)
- + **WEIGHT** - 4.52oz (128.14g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH** - Orange/Black Boltraron
- + **SHEATH WEIGHT** - 2.15oz (60.95g)



Meatcrafter[®] | EST. SHIP MONTH: JULY 15500 - 3



IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

15500-3 | | \$300

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Trailing Point featuring 14° **SelectEdge[®]**
- + **BLADE STEEL** - CPM-S45VN premium stainless steel (60-62HRC)
- + **HANDLE** - OD Green G10
- + **BLADE LENGTH** - 6.08" (15.44cm)
- + **BLADE THICKNESS** - 0.09" (2.286mm)

- + **OPEN** - 11.06" (28.09cm)
- + **WEIGHT** - 4.52oz (128.14g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH** - Orange/Black Boltraron
- + **SHEATH WEIGHT** - 2.15oz (60.95g)





Flyway™ | EST. SHIP MONTH: AUGUST 15700

MECHANISM

Fixed Blade

SHEATH

Orange/Black Boltraron

BLADE STEEL

CPM-154 wear resistant stainless steel (58-61HRC)

BLADE STYLE

Drop-point featuring 14° SelectEdge®

BLADE LENGTH

2.70" (6.86cm)

HANDLE

Orange G10

OPEN

6.96" (17.86cm)

BLADE THICKNESS

TBD

WEIGHT

TBD

HANDLE THICKNESS

TBD

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

15700 | | \$200



Raghorn™ | EST. SHIP MONTH: JULY 15600OR

- + MECHANISM - Fixed Blade
- + BLADE STYLE - Drop-point featuring 14° SelectEdge®
- + BLADE STEEL - CPM-CruWear super strong tool steel (63-65HRC)
- + HANDLE - Carbon Fiber
- + BLADE LENGTH - 4.64" (11.78cm)
- + BLADE THICKNESS - 0.090" (2.286mm)

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

15600OR | | \$370

- + OPEN - 8.88" (22.56cm)
- + WEIGHT - 1.67oz (47.34g)
- + HANDLE THICKNESS - 0.35" (8.89mm)
- + SHEATH - Orange/Black Boltraron
- + SHEATH WEIGHT - 0.75oz (21.26g)



Altitude® 15200ORG

- + MECHANISM - Fixed blade
- + BLADE STYLE - Drop-point
- + BLADE STEEL - CPM-S90V premium stainless steel (59-61 HRC)
- + HANDLE - Carbon fiber and G10 stacked micro-scales with anodized orange bushing
- + SHEATH - First Lite proprietary Fusion® camo kydex
- + BLADE LENGTH - 3.08" (7.82cm)



CONFIGURATIONS/MSRP

15200ORG | | \$245

- + BLADE THICKNESS - 0.090" (2.286mm)
- + OPEN - 7.38" (18.75cm)
- + WEIGHT - 1.67oz (47.34g)
- + HANDLE THICKNESS - 0.35" (8.890mm)
- + SHEATH WEIGHT - 0.76oz (21.55g)





CONFIGURATIONS/MSRP

15006 :: :: \$140

Steep Country

15006

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Orange Santoprene™
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 3.54" (8.99cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 7.76" (19.71cm)
- + **WEIGHT** - 3.0oz (85.04g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)
- + **SHEATH WEIGHT** - 1.1oz (31.18g)



CONFIGURATIONS/MSRP

15002-1 :: :: \$250

Saddle Mtn Skinner

15002-1

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point featuring 14° SelectEdge®
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Tri-color Richlite with orange G10 base layer
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.120" (3.048mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 1.38oz (39.12g)



CONFIGURATIONS/MSRP

15017-1 :: :: \$230

Hidden Canyon Hunter

15017-1

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point featuring 14° SelectEdge®
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Tri-color Richlite with orange G10 base layer
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 2.79" (7.09cm)
- + **BLADE THICKNESS** - 0.120" (3.048mm)
- + **OPEN** - 6.42" (16.31cm)
- + **WEIGHT** - 3.11oz (88.17g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH WEIGHT** - 0.99oz (28.07g)



CONFIGURATIONS/MSRP

15002 :: :: \$190

Saddle Mtn Skinner

15002

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.120" (3.048mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 2.46oz (69.74g)



CONFIGURATIONS/MSRP

15017 :: :: \$180

Hidden Canyon Hunter

15017

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 2.79" (7.09cm)
- + **BLADE THICKNESS** - 0.120" (3.048mm)
- + **OPEN** - 6.42" (16.31cm)
- + **WEIGHT** - 2.81oz (79.66g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH WEIGHT** - 2.01oz (57.10g)



CONFIGURATIONS/MSRP

15004 :: :: \$200

Saddle Mtn Skinner

15004

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point with gut hook
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.12" (3.048mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 2.63oz. (74.56g)





Taggedout™ | EST. SHIP MONTH: JULY
15535

- + **MECHANISM** - AXIS® Lock
- + **BLADE STYLE** - Clip-point featuring 17° SelectEdge®
- + **BLADE STEEL** - CPM-154 wear resistant stainless steel (58-61HRC)
- + **HANDLE** - Orange Grivory® with orange anodized aluminum barrel spacers
- + **BLADE LENGTH** - 3.50" (8.89cm)

CONFIGURATIONS/MSRP

15535 | | \$190

- + **BLADE THICKNESS** - 0.090" (2.285mm)
- + **OPEN** - 8.13" (20.65cm)
- + **CLOSED** - 4.63" (11.760cm)
- + **WEIGHT** - 2.10oz (59.53g)
- + **HANDLE THICKNESS** - 0.49" (12.446mm)



CONFIGURATIONS/MSRP

15061 | | \$180

Grizzly Ridge®
15061

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Orange Grivory® and warm gray overmolded Versaflex® with stainless steel liners
- + **BLADE LENGTH** - 3.50" (8.89cm)
- + **BLADE THICKNESS** - 0.124" (3.154mm)
- + **OPEN** - 7.84" (19.91cm)
- + **CLOSED** - 4.34" (11.02cm)
- + **WEIGHT** - 3.77oz (106.99g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)



CONFIGURATIONS/MSRP

15031-2 | | \$200

North Fork
15031-2

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Stabilized wood
- + **BLADE LENGTH** - 2.97" (7.54cm)
- + **BLADE THICKNESS** - 0.114" (2.989mm)
- + **OPEN** - 6.87" (17.45cm)
- + **CLOSED** - 3.90" (9.91cm)
- + **WEIGHT** - 3.16oz (89.58g)
- + **HANDLE THICKNESS** - 0.53" (14.73mm)



CONFIGURATIONS/MSRP

15060-2 | | \$250

Grizzly Creek
15060-2

- + **MECHANISM** - AXIS® lock with folding gut hook
- + **BLADE STYLE** - Drop-point with folding gut hook
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Stabilized wood with stainless steel liners
- + **BLADE LENGTH** - 3.50" (8.89cm)
- + **BLADE THICKNESS** - 0.124" (3.145mm)
- + **HOOK OPENING** - 0.50" (1.27cm)
- + **OPEN** - 7.84" (19.91cm)
- + **CLOSED** - 4.34" (11.02cm)
- + **WEIGHT** - 4.76oz (134.94g)
- + **HANDLE THICKNESS** - 0.56" (14.22mm)



CONFIGURATIONS/MSRP

15080-2 | | \$290

Crooked River
15080-2

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Clip-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners
- + **BLADE LENGTH** - 4.00" (10.16cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 9.30" (23.62cm)
- + **CLOSED** - 5.33" (13.54cm)
- + **WEIGHT** - 5.41oz (153.37g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

15085-2 | | \$270

Mini Crooked River
15085-2

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Clip-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 7.89" (20.04cm)
- + **CLOSED** - 4.50" (11.43cm)
- + **WEIGHT** - 3.29oz (93.27g)
- + **HANDLE THICKNESS** - 0.52" (13.21mm)





BLACK CLASS

LAST LINE OF DEFENSE



TACTICAL



RESCUE



CONFIGURATIONS/MSRP

980SBK | SERR | BLACK | \$260

Turret® 980SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Olive drab G10 with stainless steel liners
- + **BLADE LENGTH** - 3.70" (9.40cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.60" (21.84cm)
- + **CLOSED** - 4.90" (12.45cm)
- + **WEIGHT** - 5.81oz (164.71g)
- + **HANDLE THICKNESS** - 0.67" (17.02mm)



TACTICAL



RESCUE



EDC



CONFIGURATIONS/MSRP

916SBK-ORG | SERR | BLACK | \$225

Triage® 916SBK-ORG

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Opposing bevel with folding safety hook
- + **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- + **HANDLE** - Textured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.25" (20.96cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.24oz (148.55g)
- + **HANDLE THICKNESS** - 0.45" (11.43mm)
- + **EXTRA** - Carbide glass breaker



TACTICAL



RESCUE



EDC



CONFIGURATIONS/MSRP

916SBK | SERR | BLACK | \$225

Triage® 916SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Opposing bevel with folding safety hook
- + **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- + **HANDLE** - Textured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.25" (20.96cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.24oz (148.55g)
- + **HANDLE THICKNESS** - 0.45" (11.43mm)
- + **EXTRA** - Carbide glass breaker



TACTICAL



RESCUE



EDC



CONFIGURATIONS/MSRP

917SBK | SERR | BLACK | \$260

Tactical Triage® 917SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point with folding safety hook
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Black contoured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.48" (8.84cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.33" (21.16cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.28oz (149.69g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **EXTRA** - Carbide glass breaker





Bailout® 537SGY-1

For those looking for something a little more robust, the 537GY-1 Bailout® takes lightweight strength one step further. Outfitted with woodland green anodized aluminum handles, and a CPM-M4 blade, this Bailout® can hang with the best of them despite its slim profile.



CONFIGURATIONS/MSRP

537GY-1		GRAY		\$260		
537SGY-1		SERR		GRAY		\$260

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - CPM-M4 super steel (62-64 HRC)
- + **HANDLE** - Woodland green anodized 6061-T6 aluminum
- + **BLADE LENGTH** - 3.38" (8.59cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 8.07" (20.5cm)
- + **CLOSED** - 4.71" (11.96cm)
- + **WEIGHT** - 2.70oz (76.54g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)
- + **EXTRA** - Carbide glass breaker



Bailout® 537GY

Looking to fly under the radar? The slim and ultralight design of the Bailout® offers users an optimal strength-to-weight ratio. Black Grivory® handles, a tanto CPM-3V blade, and aluminum pommel complete a package that cuts weight while maintaining durability. The Bailout®: Two ounces of confidence in your kit.



CONFIGURATIONS/MSRP

537GY		GRAY		\$185
-------	--	------	--	-------

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.36" (8.53cm)
- + **BLADE THICKNESS** - 0.090" (2.286mm)
- + **OPEN** - 8.06" (20.47cm)
- + **CLOSED** - 4.73" (12.0cm)
- + **WEIGHT** - 2.05oz (58.12g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)

THE ONE AND ONLY

BAILOUT®

The Bailout is an outdoor classic. This professional class powerhouse delivers a look that is totally Benchmade. The aluminum handle gives a feel that you have to experience while the AXIS lock confirms that signature Benchmade action. Built for any adventure and durable enough to dig into any trouble you might find yourself in, this knife comes ready for action.

Customer Review: ★★★★★

“Wow!!!

The 537GY-1 Bailout is in a different class entirely! The blade material is fantastic and I am sure it is more durable than anything that could be thrown at it. The handles are truly excellent with a grippy texture and have a great color. I love that even though it is slim, it exudes hard use. This is my favorite Benchmade has made so far.

— @CAVALRYDAVE



3.38INCH
8.59CM
BLADE
LENGTH

GLASS
BREAKER





CONFIGURATIONS/MSRP

391BK	BLACK	\$200
391SBK	SERR BLACK	\$200

SOCP[®] Tactical Folder

391BK THOMPSON DESIGN

- + **MECHANISM** - AXIS[®] lock
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - D2 tool steel (60-62 HRC)
- + **HANDLE** - Black CF-Elite[®] with stainless steel liners
- + **BLADE LENGTH** - 4.47" (11.35cm)
- + **BLADE THICKNESS** - 0.121" (3.073mm)
- + **OPEN** - 10.13" (25.73cm)
- + **CLOSED** - 5.66" (14.38 cm)
- + **WEIGHT** - 4.10oz (116.23g)
- + **HANDLE THICKNESS** - 0.508" (12.9mm)
- + **EXTRA** - Carbide glass breaker



CONFIGURATIONS/MSRP

391T	RED	\$175
------	-----	-------

SOCP[®] Tactical Folder

391T THOMPSON DESIGN

- + **MECHANISM** - AXIS[®] lock
- + **BLADE STYLE** - Trainer
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black CF-Elite[®] with stainless steel liners
- + **BLADE LENGTH** - 4.04" (10.26cm)
- + **BLADE THICKNESS** - 0.121" (3.073mm)
- + **OPEN** - 9.70" (24.64cm)
- + **CLOSED** - 5.66" (14.38cm)
- + **WEIGHT** - 4.10oz (116.23g)
- + **HANDLE THICKNESS** - 0.508" (12.9mm)
- + **EXTRA** - Carbide glass breaker



CONFIGURATIONS/MSRP

417		\$225
-----	--	-------

Fact[®]

417

- + **MECHANISM** - AXIS[®] lock
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Skeletonized black anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.95" (10.03cm)
- + **BLADE THICKNESS** - 0.110" (2.794mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 4.77" (12.12cm)
- + **WEIGHT** - 3.24oz (91.85g)
- + **HANDLE THICKNESS** - 0.48" (12.19mm)



CONFIGURATIONS/MSRP

570-1		\$165
570SBK-1	SERR BLACK	\$175

Presidio[®] II

570-1

- + **MECHANISM** - AXIS[®] lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black molded CF-Elite[®]
- + **BLADE LENGTH** - 3.72" (9.45cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 4.97oz (140.90g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)



CONFIGURATIONS/MSRP

575-1		\$150
575BK-1	BLACK	\$160

Mini Presidio[®] II

575-1

- + **MECHANISM** - AXIS[®] lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black molded CF-Elite[®]
- + **BLADE LENGTH** - 3.20" (8.13cm)
- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 7.48" (19.0cm)
- + **CLOSED** - 4.34" (11.02cm)
- + **WEIGHT** - 3.19oz (90.43g)
- + **HANDLE THICKNESS** - 0.56" (14.22mm)





Shootout™ | EST. SHIP MONTH: FEBRUARY 5370FE

- + **MECHANISM** - Double-action out-the-front automatic. Spine fire release button
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - Flat Earth PVD CPM-CruWear super strong tool steel (63-65HRC)
- + **HANDLE** - Graphite black CF-Elite® w/ Carbide glass breaker
- + **BLADE LENGTH** - 3.51" (8.92cm)
- + **BLADE THICKNESS** - 0.100 (2.540mm)
- + **OPEN** - 8.22 (20.88cm)
- + **CLOSED** - 4.71 (11.97cm)
- + **WEIGHT** - 2.80oz (79.38g)
- + **HANDLE THICKNESS** - 0.51 (12.95mm)

CONFIGURATIONS/MSRP

5370FE	FLAT EARTH	\$300
--------	------------	-------



Redoubt™ | EST. SHIP MONTH: JANUARY 430BK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-D2 tool steel (60-62HRC)
- + **HANDLE** - Overlander Gray Grivory® w/ Forest Green Grip
- + **BLADE LENGTH** - 3.55" (9.02cm)
- + **BLADE THICKNESS** - TBD
- + **OPEN** - 8.29" (21.06cm)
- + **CLOSED** - 4.75" (12.07cm)
- + **WEIGHT** - TBD
- + **HANDLE THICKNESS** - TBD

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

430BK		BLACK	\$180
430SBK	SERR	BLACK	\$180



Immunity™ | EST. SHIP MONTH: JUNE 290BK-2

- + **MECHANISM** - Manual AXIS® lock with integrated safety
- + **BLADE STYLE** - Wharncliffe
- + **BLADE STEEL** - CPM-M4 super steel (62-64HRC)
- + **HANDLE** - Anodized 6061-T6 billet aluminum. 290BK: Charcoal Gray, 290BK-1: Burnt Bronze, 290BK-2: Woodland Green
- + **BLADE LENGTH** - 2.49" (6.32cm)
- + **BLADE THICKNESS** - 0.090" (2.286cm)
- + **OPEN** - 5.94" (15.09cm)
- + **CLOSED** - 3.46" (8.79cm)
- + **WEIGHT** - 2.29oz (64.92g)
- + **HANDLE THICKNESS** - 0.50" (mm)

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

290BK	BLACK	\$250
290BK-1	BLACK	\$250
290BK-2	BLACK	\$250



Auto Immunity™ | EST. SHIP MONTH: JUNE 2900BK-1

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Wharncliffe
- + **BLADE STEEL** - Colbalt Black Cerakote CPM-M4 super steel (62-64HRC)
- + **HANDLE** - Anodized 6061-T6 billet aluminum. 2900BK: Charcoal Gray, 2900BK-1: Burnt Bronze, 2900BK-2: Woodland Green
- + **BLADE LENGTH** - 2.49" (6.32cm)
- + **BLADE THICKNESS** - 0.090" (2.286cm)
- + **OPEN** - 5.94" (15.09cm)
- + **CLOSED** - 3.46" (8.79cm)
- + **WEIGHT** - 2.29oz (64.92g)
- + **HANDLE THICKNESS** - 0.50" (mm)

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

2900BK	BLACK	\$270
2900BK-1	BLACK	\$270
2900BK-2	BLACK	\$270



Partial Auto Immunity™ | EST. SHIP MONTH: JUNE 2950BK

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Wharncliffe
- + **BLADE STEEL** - Colbalt Black Cerakote CPM-M4 super steel (62-64HRC)
- + **HANDLE** - Anodized 6061-T6 billet aluminum. 2950BK: Charcoal Gray, 2950BK-1: Burnt Bronze, 2950BK-2: Woodland Green
- + **BLADE LENGTH** - 1.95" (4.95cm)
- + **BLADE THICKNESS** - 0.090" (2.286cm)
- + **OPEN** - 5.94" (15.09cm)
- + **CLOSED** - 3.46" (8.79cm)
- + **WEIGHT** - 2.29oz (64.92g)
- + **HANDLE THICKNESS** - 0.50" (mm)

IMAGE RENDERING | PRODUCT SPECS SUBJECT TO CHANGE

CONFIGURATIONS/MSRP

2950BK	BLACK	\$260
2950BK-1	BLACK	\$260
2950BK-2	BLACK	\$260





Mini Adamas®

273 SIBERT DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners.
273GY-1: Black, 273FE-2: Olive Drab
- + **BLADE LENGTH** - 3.25" (8.26cm)
- + **BLADE THICKNESS** - 0.140" (3.556mm)
- + **OPEN** - 7.62" (19.35cm)
- + **CLOSED** - 4.37" (11.10cm)
- + **WEIGHT** - 4.60oz (130.41g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)

CONFIGURATIONS/MSRP

273GY-1	FLAT EARTH	\$250
273FE-2	GRAY	\$250



Adamas®

275 SIBERT DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners.
275GY-1/275SGY-1: Black, 275FE-2/275SFE-2: Olive Drab
- + **SHEATH** - 275GY-1/275SGY-1: Black ballistic nylon
275FE-2/275SFE-2: Tan ballistic nylon
- + **BLADE LENGTH** - 3.78" (9.60cm)
- + **BLADE THICKNESS** - .140" (3.556mm)
- + **OPEN** - 8.89" (22.58cm)
- + **CLOSED** - 5.11" (12.98cm)
- + **WEIGHT** - 6.45oz (182.85g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)

CONFIGURATIONS/MSRP

275GY-1	GRAY	\$280
275SGY-1	SERR GRAY	\$280
275FE-2	FLAT EARTH	\$280
275SFE-2	SERR FLAT EARTH	\$280



Auto Adamas®

2750 SIBERT DESIGN

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners.
2750GY-3/2750SGY-3: Desert Tan, 2750FE-2/2750SFE-2: Olive Drab
- + **SHEATH** - 2750GY-3/2750SGY-3: Black ballistic nylon
2750FE-2/2750SFE-2: Tan ballistic nylon
- + **BLADE LENGTH** - 3.78" (9.60cm)
- + **BLADE THICKNESS** - 0.140" (3.556mm)
- + **OPEN** - 8.89" (22.58cm)
- + **CLOSED** - 5.11" (12.98cm)
- + **WEIGHT** - 5.81oz (164.71g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)
- + **SHEATH WEIGHT** - 1.5oz (42.52g)

CONFIGURATIONS/MSRP

2750GY-3	GRAY	\$360
2750SGY-3	SERR GRAY	\$360
2750FE-2	FLAT EARTH	\$360
2750SFE-2	SERR FLAT EARTH	\$360



Claymore | EST. SHIP MONTH: JANUARY

9070BK

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners. 9070BK: Black, 9070BK-1: Ranger Green
- + **BLADE LENGTH** - 3.64" (9.25cm)
- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 8.64" (21.95cm)
- + **CLOSED** - 5.02" (12.75cm)
- + **WEIGHT** - 3.87oz (109.71g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)

CONFIGURATIONS/MSRP

9070BK	BLACK	\$230
9070BK-1	BLACK	\$230



Claymore

9070SBK-1

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners. 9070SBK: Black, 9070SBK-1: Ranger Green
- + **BLADE LENGTH** - 3.64" (9.25cm)
- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 8.64" (21.95cm)
- + **CLOSED** - 5.02" (12.75cm)
- + **WEIGHT** - 3.87oz (109.71g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)

CONFIGURATIONS/MSRP

9070SBK	SERR	BLACK	\$230
9070SBK-1	SERR	BLACK	\$230



Auto Fact®

4170BK

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Gray anodized 6061-T6 aluminum w/ Carbon Fiber inlay
- + **BLADE LENGTH** - 3.95" (10.03cm)
- + **BLADE THICKNESS** - 0.110" (2.794mm)
- + **OPEN** - 8.74" (22.20cm)
- + **CLOSED** - 4.80" (12.19cm)
- + **WEIGHT** - 3.11oz (88.17g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)

CONFIGURATIONS/MSRP

4170BK	BLACK	\$400
--------	-------	-------





TACTICAL



CONFIGURATIONS/MSRP

5700SGY-1 | SERR | GRAY | \$300

Auto Presidio® II

5700SGY-1

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-M4 super steel (62-64 HRC)
- + **HANDLE** - Burnt Bronze anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.72" (9.45cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 6.32oz (179.17g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)
- + **SHEATH WEIGHT** - 1.20oz (34.02g)



EDC



TACTICAL



CONFIGURATIONS/MSRP

9400 | 9400BK | BLACK | \$270 | \$280

Auto Osborne

9400 | OSBORNE DESIGN

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Green anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.65oz (75.13g)
- + **HANDLE THICKNESS** - 0.43" (10.92mm)



TACTICAL



CONFIGURATIONS/MSRP

5700SBK | SERR | BLACK | \$290

Auto Presidio® II

5700SBK

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum
- + **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- + **BLADE LENGTH** - 3.72" (9.45cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 6.30oz (178.60g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)
- + **SHEATH WEIGHT** - 1.20oz (34.02g)



TACTICAL



RESCUE



CONFIGURATIONS/MSRP

9170SBK | SERR | BLACK | \$330

Auto Triage®

9170SBK

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Drop-point with automatic folding rescue hook
- + **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum with textured G10 inlays
- + **BLADE LENGTH** - 3.58" (9.09cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.31" (21.11cm)
- + **CLOSED** - 4.73" (12.01cm)
- + **WEIGHT** - 5.75oz (163.01g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)
- + **EXTRA** - Carbide glass breaker



TACTICAL



EDC



CONFIGURATIONS/MSRP

8551BK | BLACK | \$300

Mediator®

8551BK

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Black G10 with stainless steel liners
- + **BLADE LENGTH** - 3.30" (8.38cm)
- + **BLADE THICKNESS** - 0.115" (2.291mm)
- + **OPEN** - 7.75" (19.69cm)
- + **CLOSED** - 4.45" (11.30cm)
- + **WEIGHT** - 2.89oz (81.93g)
- + **HANDLE THICKNESS** - 0.52" (13.21mm)



TACTICAL



EDC



CONFIGURATIONS/MSRP

4300 | 4300BK | BLACK | \$260 | \$270

CLA

4300

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black contoured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.114" (2.896mm)
- + **OPEN** - 7.85" (19.94cm)
- + **CLOSED** - 4.45" (11.30cm)
- + **WEIGHT** - 3.47oz (98.37g)
- + **HANDLE THICKNESS** - 0.49" (12.45mm)





CONFIGURATIONS/MSRP

4300-1 | | \$260

CLA

4300-1

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- ✦ **HANDLE** - Green and black contoured and textured G10 with stainless steel liners
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)
- ✦ **BLADE THICKNESS** - 0.114" (2.896mm)
- ✦ **OPEN** - 7.85" (19.94cm)
- ✦ **CLOSED** - 4.45" (11.30cm)
- ✦ **WEIGHT** - 3.60oz (102.06g)
- ✦ **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

4400BK | | BLACK | \$210
4400SBK | SERR | BLACK | \$210

Casbah®

4400SBK

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Black textured Grivory® with stainless steel liners
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)
- ✦ **BLADE THICKNESS** - 0.114" (2.896mm)
- ✦ **OPEN** - 7.80" (19.81cm)
- ✦ **CLOSED** - 4.40" (11.18cm)
- ✦ **WEIGHT** - 3.43oz (97.24g)
- ✦ **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP

4400-1 | | \$200

Casbah®

4400-1

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Blue textured Grivory® with stainless steel liners
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)
- ✦ **BLADE THICKNESS** - 0.114" (2.896mm)
- ✦ **OPEN** - 7.80" (19.81cm)
- ✦ **CLOSED** - 4.40" (11.18cm)
- ✦ **WEIGHT** - 3.43oz (97.24g)
- ✦ **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP

9101SBK | | SERR | BLACK | \$275

Auto Stryker®

9101SBK

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Tanto
- ✦ **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **BLADE LENGTH** - 3.60" (9.14cm)
- ✦ **BLADE THICKNESS** - 0.124" (3.150mm)
- ✦ **OPEN** - 8.30" (21.08cm)
- ✦ **CLOSED** - 4.70" (11.94cm)
- ✦ **WEIGHT** - 4.20oz (119.07g)
- ✦ **HANDLE THICKNESS** - 0.50" (12.70mm)



CONFIGURATIONS/MSRP

9051SBK | | SERR | BLACK | \$275

AFO II

9051SBK

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- ✦ **BLADE LENGTH** - 3.59" (9.12cm)
- ✦ **BLADE THICKNESS** - 0.124" (3.150mm)
- ✦ **OPEN** - 8.64" (21.95cm)
- ✦ **CLOSED** - 5.06" (12.85cm)
- ✦ **WEIGHT** - 4.94oz (140.05g)
- ✦ **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

2551 | | \$225

Mini Reflex II

2551

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **BLADE LENGTH** - 3.17" (8.05cm)
- ✦ **BLADE THICKNESS** - 0.097" (2.464mm)
- ✦ **OPEN** - 7.34" (18.64cm)
- ✦ **CLOSED** - 4.17" (10.59cm)
- ✦ **WEIGHT** - 2.58oz (73.14g)
- ✦ **HANDLE THICKNESS** - 0.48" (12.19mm)





CONFIGURATIONS/MSRP
3551 : : \$225

Stimulus 3551

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 2.99" (7.59cm)
- + **BLADE THICKNESS** - 0.088" (2.235mm)
- + **OPEN** - 7.09" (18.00cm)
- + **CLOSED** - 4.10" (10.41cm)
- + **WEIGHT** - 2.71oz (76.83g)
- + **HANDLE THICKNESS** - 0.46" (11.68mm)



CONFIGURATIONS/MSRP
3350 : : \$440
3350BK : : BLACK : \$450

Mini Infidel[®] 3350

McHENRY & WILLIAMS DESIGN

- + **MECHANISM** - Double-action out-the-front automatic
- + **BLADE STYLE** - Double-edge dagger with fuller
- + **BLADE STEEL** - D2 tool steel (60-62 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum
- + **SHEATH** - Cordura[®] with snap retention and MALICE CLIP[®]
- + **BLADE LENGTH** - 3.10" (7.87cm)
- + **BLADE THICKNESS** - 0.104" (2.642mm)
- + **OPEN** - 7.10" (18.03cm)
- + **CLOSED** - 4.00" (10.16cm)
- + **WEIGHT** - 3.40oz (96.39g)
- + **HANDLE THICKNESS** - 0.54" (13.72mm)



CONFIGURATIONS/MSRP
3300 : : \$500
3300BK : : BLACK : \$510

Infidel[®] 3300

McHENRY & WILLIAMS DESIGN

- + **MECHANISM** - Double-action out-the-front automatic
- + **BLADE STYLE** - Double-edge dagger with fuller
- + **BLADE STEEL** - D2 tool steel (60-62 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum
- + **SHEATH** - Cordura[®] with snap retention and MALICE CLIP[®]
- + **BLADE LENGTH** - 3.91" (9.93cm)
- + **BLADE THICKNESS** - 0.124" (3.150mm)
- + **OPEN** - 8.91" (22.63cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 4.90oz (138.91g)
- + **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP
3400BK : : BLACK : \$500

Autocrat[®] 3400BK

- + **MECHANISM** - Double-action out-the-front automatic. Spine fire release button
- + **BLADE STYLE** - Double-edge dagger with fuller
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black G10 scales with black anodized 6061-T6 aluminum frame
- + **BLADE LENGTH** - 3.71" (9.42cm)
- + **BLADE THICKNESS** - 0.105" (2.667mm)
- + **OPEN** - 8.75" (22.23cm)
- + **CLOSED** - 5.04" (12.80cm)
- + **WEIGHT** - 3.93oz (111.41g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)





CONFIGURATIONS/MSRP

3400BK-1 | BLACK | \$470

Autocrat®

3400BK-1

- + **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- + **BLADE STYLE** - Double-edge dagger with fuller
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Olive Drab peel-ply G10 scales with black anodized 6061-T6 aluminum frame
- + **BLADE LENGTH** - 3.71" (9.42cm)
- + **BLADE THICKNESS** - 0.105" (2.667mm)
- + **OPEN** - 8.75" (22.23cm)
- + **CLOSED** - 5.04" (12.80cm)
- + **WEIGHT** - 3.93oz (111.41g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

4600DLC-1 | BLACK | \$400

Phaeton®

4600DLC-1

- + **MECHANISM** - Double-action out-the-front automatic
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Dark Earth anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.125" (3.175mm)
- + **OPEN** - 8.08" (20.52cm)
- + **CLOSED** - 4.63" (11.76cm)
- + **WEIGHT** - 3.01oz (85.33g)
- + **HANDLE THICKNESS** - 0.47" (11.94mm)



CONFIGURATIONS/MSRP

3400BK-2 | BLACK | \$470

Autocrat®

3400BK-2

- + **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- + **BLADE STYLE** - Double-edge dagger with fuller
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Coyote Brown peel-ply G10 scales with black anodized 6061-T6 aluminum frame
- + **BLADE LENGTH** - 3.71" (9.42cm)
- + **BLADE THICKNESS** - 0.105" (2.667mm)
- + **OPEN** - 8.75" (22.23cm)
- + **CLOSED** - 5.04" (12.80cm)
- + **WEIGHT** - 3.93oz (111.41g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

375FE-1 | FLAT EARTH | \$250

Fixed Adamas®

375FE-1 SIBERT DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear super strong tool steel (63-65 HRC)
- + **SHEATH** - Ranger Green PIM
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.170" (4.318mm)
- + **OPEN** - 9.17" (23.29cm)
- + **WEIGHT** - 5.66oz (160.46g)
- + **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP

4600DLC | BLACK | \$400

Phaeton®

4600DLC

- + **MECHANISM** - Double-action out-the-front automatic.
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.125" (3.175mm)
- + **OPEN** - 8.08" (20.52cm)
- + **CLOSED** - 4.63" (11.76cm)
- + **WEIGHT** - 3.01oz (85.33g)
- + **HANDLE THICKNESS** - 0.47" (11.94mm)



CONFIGURATIONS/MSRP

375BK-1 | BLACK | \$250

Fixed Adamas®

375BK-1 SIBERT DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear super strong tool steel (63-65 HRC)
- + **SHEATH** - Black PIM
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.170" (4.318mm)
- + **OPEN** - 9.17" (23.29cm)
- + **WEIGHT** - 5.66oz (160.46g)
- + **SHEATH WEIGHT** - 1.11oz (31.47g)





CONFIGURATIONS/MSRP

177BK | BLACK | \$110

Mini SOCP®

177BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.22" (5.64cm)
- + **BLADE THICKNESS** - 0.175" (4.445mm)
- + **OPEN** - 6.25" (15.88cm)
- + **WEIGHT** - 3.00oz (85.05g)
- + **EXTRA** - Included leather pad for comfort IWB carry



CONFIGURATIONS/MSRP

173BK | BLACK | \$110

Mini SOCP®

173BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.22" (5.64cm)
- + **BLADE THICKNESS** - 0.175" (4.445mm)
- + **OPEN** - 6.25" (15.88cm)
- + **WEIGHT** - 3.00oz (85.05g)
- + **EXTRA** - Included leather pad for comfort IWB carry



CONFIGURATIONS/MSRP

176BK | BLACK | \$115
176BKSN | BLACK | \$115

SOCP® Dagger

176BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip
- + **BLADE LENGTH** - 3.22" (8.18cm)
- + **BLADE THICKNESS** - 0.175" (4.445mm)
- + **OPEN** - 7.25" (18.42cm)
- + **WEIGHT** - 2.12oz (60.10g)
- + **HANDLE THICKNESS** - 0.18" (4.45mm)



CONFIGURATIONS/MSRP

176BK-COMBO | BLACK | \$155
176BKSN-COMBO | BLACK | \$155

SOCP® Dagger

176BK-COMBO THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip
- + **BLADE LENGTH** - 3.22" (8.18cm)
- + **BLADE THICKNESS** - 0.175" (4.445mm)
- + **OPEN** - 7.25" (18.42cm)
- + **WEIGHT** - 2.12oz (60.10g)
- + **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

178SBK | SERR | BLACK | \$125
178SBKSN | SERR | BLACK | \$125

SOCP® Spear-point

178SBK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip.
- + **BLADE LENGTH** - 3.22" (10.67cm)
- + **BLADE THICKNESS** - 0.175" (4.318mm)
- + **OPEN** - 7.25" (23.29cm)
- + **WEIGHT** - 2.04oz (160.46g)
- + **SHEATH WEIGHT** - 1.04oz (31.47g)



CONFIGURATIONS/MSRP

178SBK-COMBO | SERR | BLACK | \$155

SOCP® Spear-point

178SBK-COMBO THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip.
- + **BLADE LENGTH** - 3.22" (10.67cm)
- + **BLADE THICKNESS** - 0.175" (4.318mm)
- + **OPEN** - 7.25" (23.29cm)
- + **WEIGHT** - 2.04oz (160.46g)
- + **SHEATH WEIGHT** - 1.04oz (31.47g)





CONFIGURATIONS/MSRP

179GRY | GRAY | \$100

SOCP® Rescue Tool

179GRY THOMPSON DESIGN

- **MECHANISM** - Fixed blade
- **BLADE STYLE** - Rescue hook with carbide glass breaker and oxygen wrench
- **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- **HANDLE** - Gray coated single-piece tool with finger ring
- **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- **BLADE LENGTH** - 2.50" (6.35cm)
- **HOOK OPENING** - 0.375" (9.525mm)
- **OPEN** - 6.75" (17.15cm)
- **WEIGHT** - 1.88oz (53.30g)
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

175BK | BLACK | \$110

CBK

175BK

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Chisel-ground, double-edge dagger
- **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- **HANDLE** - Rubber-dipped
- **SHEATH** - Injection-molded multi-position carry
- **BLADE LENGTH** - 2.50" (6.35cm)
- **BLADE THICKNESS** - 0.125" (3.175mm)
- **OPEN** - 5.47" (13.89cm)
- **WEIGHT** - 2.32oz (65.77g)
- **HANDLE THICKNESS** - 0.25" (6.35mm)
- **SHEATH WEIGHT** - 1.70oz (48.19g)



CONFIGURATIONS/MSRP

176T | RED | \$75

SOCP® Trainer

176T THOMPSON DESIGN

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trainer
- **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- **HANDLE** - Red coated single-piece with finger ring
- **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- **BLADE LENGTH** - 2.78" (7.06cm)
- **BLADE THICKNESS** - 0.175" (4.445mm)
- **OPEN** - 6.81" (17.30cm)
- **WEIGHT** - 2.58oz (73.14g)
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

112SBK-BLK | SERR | BLACK | \$140

H20 Fixed

112SBK-BLK

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Opposing bevel with blunt tip and integrated rescue hook
- **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- **HANDLE** - Black textured Santoprene®
- **SHEATH** - Injection molded with thumb release
- **BLADE LENGTH** - 3.50" (8.89cm)
- **BLADE THICKNESS** - 0.124" (3.150mm)
- **OPEN** - 8.07" (20.50cm)
- **WEIGHT** - 3.20oz (90.72g)
- **HANDLE THICKNESS** - 0.54" (13.72mm)
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

125BK | BLACK | \$100

Azeria®

125BK

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Wharncliffe with angled profile
- **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- **HANDLE** - Black Grivory®
- **SHEATH** - Low-profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device
- **BLADE LENGTH** - 2.90" (7.37cm)
- **BLADE THICKNESS** - 0.114" (2.896mm)
- **OPEN** - 5.64" (14.33cm)
- **WEIGHT** - 2.37oz (67.19g)
- **HANDLE THICKNESS** - 0.55" (13.97mm)
- **SHEATH WEIGHT** - 1.81oz (51.31g)



CONFIGURATIONS/MSRP

140BK | BLACK | \$210

Nimravus®

140BK

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-point
- **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- **HANDLE** - Black anodized 6061-T6 billet aluminum
- **SHEATH** - Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®
- **BLADE LENGTH** - 4.50" (11.43cm)
- **BLADE THICKNESS** - 0.115" (2.921mm)
- **OPEN** - 9.45" (24.00cm)
- **WEIGHT** - 6.20oz (175.77g)
- **HANDLE THICKNESS** - 0.58" (14.73mm)
- **SHEATH WEIGHT** - 5.00oz (141.75g)





CONFIGURATIONS/MSRP

141SBKSN | SERR | BLACK | \$225

Nimravus® 141SBKSN

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Sand anodized 6061-T6 billet aluminum
- + **SHEATH** - Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®
- + **BLADE LENGTH** - 4.50" (11.43cm)
- + **BLADE THICKNESS** - 0.115" (2.921mm)
- + **OPEN** - 9.45" (24.00cm)
- + **WEIGHT** - 5.86oz (166.13g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)
- + **SHEATH WEIGHT** - 5.00oz (141.75g)



CONFIGURATIONS/MSRP

8BLKW MED | BLACK | \$55

8 Med Hook 8BLKW MED

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Coated skeletonized
- + **SHEATH** - Black nylon with MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 6.50" (16.51cm)
- + **WEIGHT** - 1.86oz (52.73g)
- + **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP

7 BLKW | BLACK | \$50

7 Hook 7 BLKW

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - BDZ1 stainless steel (58-60 HRC)
- + **HANDLE** - Single piece dip coated handle
- + **SHEATH** - Nylon MOLLE® compatible with included MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 4.30" (10.92cm)
- + **WEIGHT** - 1.50oz (42.52g)
- + **SHEATH WEIGHT** - 0.95oz (26.93g)



1101 Pen 1101-2

- + **MECHANISM:** O-Ring Pressure Fit Cap
- + **INK CARTRIDGE:** Fisher Space Pen
- + **MATERIAL:** Aluminum with carbide tip
- + **OPEN LENGTH:** 5.33" (13.54cm)
- + **CLOSED LENGTH:** 5.10" (12.95cm)
- + **HANDLE DIAMETER:** 0.50" (12.70mm)
- + **WEIGHT:** 1.30oz. (36.85g)

CONFIGURATIONS/MSRP

1101-2 | \$175



1120 Longhand 1120-1

- + **MECHANISM:** AXIS® Styled Bolt Action
- + **INK CARTRIDGE:** Fisher Space Pen
- + **MATERIAL:** 1120 Brushed 303 Stainless Steel, 1120-1: Black 6061-T6 Aircraft Aluminum
- + **OPEN LENGTH:** 4.62" (11.73cm)
- + **HANDLE DIAMETER:** 0.454" (11.5316mm)
- + **WEIGHT:** 1120: 1.90oz (53.86g), 1120-1: 0.90oz (25.51g)

CONFIGURATIONS/MSRP

1120 | \$180
1120-1 | \$160



1121 Shorthand 1121

- + **MECHANISM:** AXIS® Styled Bolt Action
- + **INK CARTRIDGE:** Fisher Space Pen
- + **MATERIAL:** 1121: Brushed 303 Stainless Steel, 1121-1: Black 6061-T6 Aircraft Aluminum
- + **OPEN LENGTH:** 3.49" (8.86cm)
- + **HANDLE DIAMETER:** 0.454" (11.5316mm)
- + **WEIGHT:** 1121: 1.60oz (45.36g), 1121-1: 0.71oz (20.13g)

CONFIGURATIONS/MSRP

1121 | \$170
1121-1 | \$150



CONFIGURATIONS/MSRP

8 BLKW | BLACK | \$55

8 Hook 8 BLKW

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Coated skeletonized
- + **SHEATH** - Black nylon with MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 6.50" (16.51cm)
- + **WEIGHT** - 1.43oz (40.54g)
- + **SHEATH WEIGHT** - 0.88oz (24.95g)




DESIGNER COLLABORATIONS

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



MEL PARDUE

The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.



BILL MCHENRY & JASON WILLIAMS Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



WARREN OSBORNE

Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



SEIICHI NAKAMURA

Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



SHANE SIBERT

Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



GREG THOMPSON

Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC.

SHARPENERS



20° Guided Hone Tool

20° Guided Hone Tool with a controlled 20 degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

50080 (Single)

+ PRICE - \$25.00

50081 (12 Pack)

+ PRICE - \$300.00



14° Guided Hone Tool

14° Guided Hone Tool designed specifically for SelectEdge™ with a controlled 14 degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

50082 (Single)

+ PRICE - \$25.00

50083 (12 Pack)

+ PRICE - \$300.00



Guided Field Sharpener

100604F

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

+ PRICE - \$40.00



Edge Maintenance Tool

50030

In collaboration with Work Sharp, the Edge Maintenance Tool features a ceramic rod and leather strop to keep your edge sharp anywhere you have your knife.

+ PRICE - \$50.00



SHEATHS

Model Specific

For optional model-specific sheaths, please visit their respective pages in the catalog.

BUSHCRAFTER - 988271F

+ **PRICE** - \$30.00

CBK - 988085F

+ **PRICE** - \$25.00

FIXED ADAMAS - 987592F (Black) ; 987800F (Sand)

+ **PRICE** - \$45.00

NIMRAVUS - 983468F (Black) ; 983469F (Coyote)

+ **PRICE** - \$50.00



Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

984818F - Black

+ **PRICE** - \$25.00



Cordura® Folder Pouch Snap Retention (MOLLE® Compatible)

Sheaths come standard with MALICE CLIP® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

100778F - Black

+ **PRICE** - \$30.00

Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

981086F - Soft Sheath, small

(1.625" W x 5" D), black

981087F - Soft Sheath, large

(2" W x 5.25" D), black

981717F - Soft Sheath, 4"

Bali-Song® Series, black

+ **PRICE** - \$10.00



7-Hook (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

+ **984166F** - Black

+ **984205F** - Foliage Green

+ **984204F** - Coyote

+ **PRICE** - \$12.00



8-Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

985398F - Black

985570F - Foliage Green

985569F - Coyote

+ **PRICE** - \$15.00



Tek-Lok™

Multiple position options, with compatible sheath.

981609F - Tek-Lok™, large size

+ **PRICE** - \$15.00



MALICE CLIPS®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt-loop-style carry. Clips securely closed with a snap-lock.

983550F - Small (8" size)

+ **PRICE** - \$3.00

983551F - Large (11" size)

+ **PRICE** - \$3.50

ACCESSORIES

Benchmade Ferro Rod

50023

+ **STYLE** - Ferro Rod

+ **MATERIAL** - Blue anodized 6061-T6 aluminum tinder capsule

+ **STRIKER** - 5/16" by 3.10" ferrocerium rod

+ **EXTRA** - Included quickLIGHT™ waterproof tinder

+ **ORIGIN** - Made in the USA by Exotac

+ **PRICE** - \$45.00



BlueLube® Lubricant

983900F

+ **PRICE** - \$12.50

BlueLube® Cleanser

983901F

+ **PRICE** - \$15.00

Clean, lubricate, and protect your Benchmade.



Blue Box Tool Kit

981084F

T6, T8, and T10 Torx bits with a bit holder/extension, all in a molded plastic case that doubles as the handle.

+ **PRICE** - \$20.00



Knife Roll

50019

+ **STYLE** - Knife Roll

+ **COLOR** - Gray with black accents

+ **MATERIAL** - 1680 nylon and urethane coating construction

+ **CAPACITY** - Holds up to eleven knives and two pens

+ **EXTRA** - Two integrated loop panels for morale patches

+ **PRICE** - \$60.00



Bottle Opener

1000000

+ **STYLE** - Bottle opener

+ **COLOR** - Gray Steel

+ **MATERIAL** - Stainless steel with wordmark cutout

+ **PRICE** - \$15.00



Pint Glass

988053F

+ **STYLE** - Pint glass

+ **COLOR** - Clear with blue Benchmade butterfly logo

+ **MATERIAL** - Glass

+ **PRICE** - \$10.00



Coffee Mug

989133F

+ **STYLE** - Coffee mug

+ **COLOR** - Matte Black with Gloss Black logo, handle, rim

+ **MATERIAL** - Ceramic

+ **PRICE** - \$12.00







125BK PG70



175BK PG71



112SBK-BLK PG71



140BK PG71



141SBKSN PG72



7 BLKW PG72



8 BLKW PG72



8BLKW MED PG73



1101-2 PG73



1120 PG73



1121 PG73



WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original purchaser that their genuine Benchmade knife purchased from Benchmade or one of its authorized sellers will be free from defects in materials and workmanship from the date of purchase for as long as said purchaser owns the knife that was purchased. This warranty applies only to knives that were purchased from Benchmade or an authorized Benchmade seller with proof of purchase, unless otherwise prohibited by law. Benchmade knives are legitimately sold only by authorized sellers who are required to follow Benchmade's policies, procedures, and quality control standards. Benchmade reserves the right to reject warranty claims from purchasers for knives purchased from unauthorized sellers, including unauthorized Internet sites. Benchmade will repair or replace a defective knife that is covered by this warranty at Benchmade's option.

WHAT IS COVERED?

This warranty covers replacement parts and labor.

WHAT IS NOT COVERED:

This warranty does not cover defects due to normal wear and tear, re-sharpening of the blade, damage due to neglect, misuse, lack of normal or necessary maintenance, alteration or disassembly of the knife by any third party, or negligence.

Do not use your knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void this warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THIS WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS. Blade replacements outside of warranty may also be purchased. This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. Any implied warranties that may be applicable to Benchmade products, including implied warranties of merchantability or fitness for a particular purpose, are limited in duration to the duration of this warranty. Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Under no circumstances shall Benchmade be liable for any special, incidental, or consequential damages based upon breach of this warranty, breach of contract or strict liability. Some States do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State.

State to State.

Please review the warranty information and proper knife care instructions provided with each knife.

WARRANTY EXCLUSIONS:

Knives purchased on the Internet through unauthorized websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are excluded from coverage under this warranty.

Any Benchmade knife that is modified from its original factory condition will void the warranty. Benchmade is not responsible for parts or treatments added to or removed from the knife or for knives that are otherwise modified in any way, as these may cause the knife to function differently (and potentially less safely) than originally designed and intended.

TO SUBMIT A WARRANTY CLAIM:

The knife must be shipped by owner to the address provided below, postage prepaid and insured freight (optional), together with the Benchmade Warranty Service Form (available at www.benchmade.com/warranty-service or by calling 1-833-557-2526).

Benchmade Knife Company, Inc.

Attn: Product Services

300 Beaver Creek Rd.

Oregon City, OR 97045

Any automatic knife (button activated spring-opening) returned for warranty service from outside of Oregon must also include either a signed copy of the Auto Knife Opening Acknowledgment ("AKOA") Form, or your web account username if you have already signed and accepted the AKOA. Otherwise, the knife must be returned through the authorized Benchmade seller from which the knife was originally purchased. No exceptions will be made.

Automatic knives will be returned in compliance with Federal law.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

The Benchmade AKOA form can be found at: www.benchmade.com/media/forms/ako_acknowledgment.pdf

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help protect your knife freedoms. Join AKTI today!

877.752.8770 or www.akti.org

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: 87; Adams; Aileron; Aller; Altitude; Anthem; Arcane; Autocrat; AXIS; Azertia; Bailout; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT; (wordmark logo); Blue-Labs; Boose; Bugout; Butterfly (wordmark logo); Cashah; Cascahoh; Coalition; Custom Knife; Builder (wordmark logo); Dualist; Emissary; Fact; Follow-Up; Freek; Genuine AXIS Mechanics (logo); Griptilian; Grizzly Ridge; Impel; Inidel; Mediator; Morpho; Nimravus; Om; Option; Outlast; Pacifist; Pagan; Phaeton; Pika; Precipice; Presidio; Presidio Ultra; Proper; Rift; Rolling Lock; Saibu; Sequel; Stryker; The Edge of Perfection; Triage; Turret; Valliant; Vector. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the patents found at <https://www.benchmade.com/patents>





INTRODUCING THE SHOOTOUT™

USA

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526

CUSTOMER
SERVICE FAX:
503.496.1896

EMAIL:
info@benchmade.com

WEB:
dealer.benchmade.com

**LAW
ENFORCEMENT**

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526
(ASK FOR LE SALES)

EMAIL:
lesales@benchmade.com

WEB:
benchmade.com

**FEDERAL
GOVERNMENT**

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526
(ASK FOR FED/GOV SALES)

FED/GOV FAX:
503.496.1896

EMAIL:
military@benchmade.com

WEB:
benchmade.com

GSA CONTRACT:
GS-07F-0537T

CAGE CODE:
041N2

INTERNATIONAL

CUSTOMER
SERVICE/SALES

TELEPHONE:
1.833.557.2526
(ASK FOR INTERNATIONAL SALES)

EMAIL:
international@benchmade.com

WEB:
benchmade.com



2022 BENCHMADE KNIFE CO, INC

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045