



**2025 COLLECTION**



## 2025 COLLECTION

# NOTES FROM THE FIELD



## TABLE OF CONTENTS

<b>02</b>	TECHNICAL FEATURES
<b>08</b>	BLADE STEEL
<b>12</b>	BLACK CLASS
<b>50</b>	BLUE CLASS
<b>84</b>	WATER
<b>96</b>	HUNT
<b>110</b>	CUTLERY
<b>120</b>	GOLD CLASS
<b>122</b>	ACCESSORIES
<b>126</b>	S1 + S2 OVERVIEW
<b>128</b>	INDEX

What a collection! This entire portfolio serves as a representation of the hard work, determination, and passion of our team in Oregon City, OR. We hope you feel the dedication to our craft through each of the new families and exciting upgrades available for 2025.

As we prepare for what's ahead, our commitment to top-tier quality, performance, and service stands stronger than ever. On behalf of Benchmade, we appreciate your support in pushing us to continually exceed expectations and set the bar for excellence.

Sincerely,  
*JON DEASIS - PRESIDENT & CEO*



#### EDC

Not obtrusive or uncomfortable in slacks or shorts, just convenient and well fitted to your general needs.



#### OUTDOOR

From the woods to backpacking or car camping, overlanding or off roading, these versatile cutting tools can be used for many tasks.



#### SURVIVAL

Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.



#### WATER

Water environments can be unpredictable. These knives were designed to withstand hard use and cut with precision. You'll never leave land without one.



#### HUNT

Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



#### TACTICAL

Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations when every second matters.



#### RESCUE

Built for critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



#### CUTLERY

These knives seamlessly transition from camp to the tailgate to the backyard and the kitchen.

## HOW YOU CHOOSE YOUR KNIFE

## DEPENDS ON HOW YOU LIVE YOUR LIFE

## Metal Matters

# BLADE STYLES



### Clip-Point

Blade contains a sharp beak, typically forward of the midpoint, as if the spine has been "clipped off."



### Trailing Point

The spine curves upward to create an elevated point that's typically higher than the handle.

### Tanto

This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.

### Wharncliffe

Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.



### Opposing Bevel

Design features a non-uniform blade geometry that creates an offset pry-tip, while maintaining a consistent chisel grind on the cutting edge.

MANUAL OPENING		ASSISTED OPENING		AUTOMATIC OPENING		FIXED BLADE		BALI-SONG
"Manuals" must be opened 100%, from the closed position to the open position by the user.		"Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.		"Autos" have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.		These knives do not fold and almost always come with a sheath to protect the edge.		"Bali" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.
<b>BK</b> Black coating, no serrations	<b>DLC</b> Diamond-Like-Carbon coating	<b>FE</b> Flat Earth coating	<b>GY</b> Gray coating, no serrations	<b>SBK</b> Serrations and black coating	<b>OR</b> Orange Coating	<b>S</b> Serrations, no coating	<b>NONE</b> No coating, no serrations	
<b>SFE</b> Serrations and Flat Earth coating	<b>SGY</b> Serrations and gray coating	<b>SL</b> Crushed Silver Coating						

### Drop-Point

Drops off the spine to the top. Tip height is typically above the center line on the blade.



### Spear-Point

Must be symmetrical considering the blade profile. \*Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.

### Reverse Tanto

Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.



### Straight Back

This shape features a curved cutting edge with a flat spine creating a keen tip for precision cutting.



### Sheepsfoot

The spine of the blade "rolls" into the tip earlier. This blade has a completely straight edge.



# HANDLE MATERIALS

**Carbon Fiber**  
A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin that is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.



**Grivory®**  
An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.



## 6AL-4V Titanium

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.



## 6061-T6 Aluminum

A nonferrous metal originally developed as a premium aircraft grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color-anodized which creates a hard protective surface finish.



# THE BEST MATERIALS

**BK**  
Black



**ORG**  
Orange



**WHT**  
White



**SN**  
Sand



**OD**  
Olive Drab



**BLU**  
Blue



\*-1, -2, etc. typically indicate handle material variations

## G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.



## Richlite

Used as a lightweight construction material for decades, Richlite is a durable, multi-layer fibrous paper composite that can be dyed in a wide range of colors.



## Stabilized Wood

A composite material of layered sheets of natural, dyed wood backfilled with resin. Stabilized wood is much more resistant to environmental hardships than natural wood.



## Santoprene®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.





# BUILT TO AVOID CORROSION

Corrosion resistance is measured by the resistance of a blade to oxidization and chemical attack. This is an important consideration when you're going to be in wet or humid environments and need a blade that can stand up to the elements.



# BUILT FOR STRENGTH

Blade strength is the maximum stress withstood before a blade breaks or fails. These are among some of the strongest steels in the industry that can stand up to the demands of hard use applications.



# BUILT FOR EDGE RETENTION

Edge retention is how long a blade can maintain its sharpened edge. When performing cutting tasks over and over, you need an edge that stays sharp. These steels are among some of the best for edge retention.



# BUILT FOR TOUGHNESS

Blade toughness is the resistance of a blade to fractures and chipping. This is an important consideration for activities such as batoning or other uses that may involve force on the blade to perform cutting tasks. These steels have exceptional toughness.



**N680** / HRC: 57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel.



**M390** / HRC: 58-61

A super-performance blade steel with exceptional cutting ability, corrosion resistance and wear resistance.



**CPM-S45VN** / HRC: 60-62

The higher levels of Chromium along with the introduction of Nitrogen in S45VN allow for improved corrosion resistance over CPM-S30V and CPM-S90V, while balancing the excellent performance found in both of those steels.



**154CM** / HRC: 58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.

## BUILT TO AVOID CORROSION



**CPM-M4** / HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with excellent strength, wear resistance and toughness.



**CPM-CRUWEAR** / HRC: 63-65

An air-hardenable non-stainless tool steel that has improved toughness and wear resistance over D2 steel. CPM-CruWear has vanadium to form extremely hard vanadium carbides for edge retention along with tungsten and molybdenum to increase the working hardness without reducing the toughness.



**CPM-MAGNACUT** / HRC: 60-62

A new approach to stainless tool steel that eliminates chromium carbides from the microstructure. The result: A combination of properties with similar toughness and edge retention to non-stainless steels like CPM-CruWear and CPM-4V, with the addition of excellent corrosion resistance and strength. (60-62 HRC)



**CPM-154** / HRC: 58-61

This powder-metal version of conventional 154CM steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength.

## BUILT FOR STRENGTH



**CPM-S90V** / HRC: 59-61

A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2.



**CPM-20CV** / HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in CPM-20CV.



**CPM-S30V** / HRC: 58-60

As a blade material CPM-S30V provides a good balance of all performance properties characteristics and offers excellent corrosion resistance with superb edge retention qualities.



**D2** / HRC: 60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys.

## BUILT FOR EDGE RETENTION



**CPM-3V** / HRC: 60-62

A powder-metal tool steel, its high carbon and vanadium paired with low chromium make it exceptionally tough while still being able to maintain a good cutting edge.



**DAMASTEEL** / HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness.



**CPM-D2** / HRC: 60-62

This powder-metal version of conventional D2 steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength. A great choice for the customer who loves D2 but wants an upgrade in performance.



**440C** / HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry.

## BUILT FOR TOUGHNESS



**GEAR  
THAT GOES  
ANYWHERE**



# BLACK CLASS



YOUR BEST  
CHANCE AT  
SURVIVAL

## Bailout®

537GY BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Tactical Gray CPM-3V tool steel (60-62 HRC)
- » **HANDLE** - Black Grivory® with stainless steel liners
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.12" (20.62cm)
- » **CLOSED** - 4.72" (11.99cm)
- » **WEIGHT** - 2.05oz (58.12g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537GY : GRAY : \$200

## Bailout®

537FE-02 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Flat Earth CPM-M4 high speed steel (62-64 HRC)
- » **HANDLE** - Crater Blue anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **CLOSED** - 4.69" (11.91cm)
- » **WEIGHT** - 2.70oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537FE-02 : FLAT EARTH : \$300

## Bailout®

537GY-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Tungsten Gray CPM-M4 high speed steel (62-64 HRC)
- » **HANDLE** - Woodland Green anodized 6061-T6 aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.09" (19.89cm)
- » **CLOSED** - 4.69" (20.55cm)
- » **WEIGHT** - 2.70oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537GY-1 : GRAY : \$300

## Bailout®

537GY-03 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Tungsten Gray CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **CLOSED** - 4.69" (11.91cm)
- » **WEIGHT** - 2.70oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537GY-03 : GRAY : \$300

## Bailout®

537SGY-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Tungsten Gray CPM-M4 high speed steel (62-64 HRC)
- » **HANDLE** - Woodland Green anodized 6061-T6 aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **CLOSED** - 4.69" (11.91cm)
- » **WEIGHT** - 2.70oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP


537SGY-1 : SERR : GRAY : \$300

## Bailout®

537SGY-03 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Tungsten Gray CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **CLOSED** - 4.69" (11.91cm)
- » **WEIGHT** - 2.70oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537SGY-03 : SERR : GRAY : \$300

## Bailout®

537BK-06 BENCHMADE DESIGN



- » MECHANISM - AXIS® lock
- » BLADE STYLE - Tanto
- » BLADE STEEL - CPM-S30V stainless steel (58-60HRC)
- » HANDLE - Ranger green Grivory®
- » BLADE LENGTH - 3.38" (8.59cm)
- » BLADE THICKNESS - 0.090" (2.29mm)
- » OPEN - 8.12" (20.62cm)
- » CLOSED - 4.72" (11.99cm)
- » WEIGHT - 2.05oz (58.12g)
- » HANDLE THICKNESS - 0.41" (10.41mm)

EST SHIP DATE: FEB

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



## Bailout®

537BK-07 BENCHMADE DESIGN



- » MECHANISM - AXIS® lock
- » BLADE STYLE - Tanto
- » BLADE STEEL - Battlewash CPM-Magnacut stainless steel (60-62 HRC)
- » HANDLE - Burnt Copper - 6061-T6 Aluminum
- » BLADE LENGTH - 3.38" (8.59cm)
- » BLADE THICKNESS - 0.09" (2.29mm)
- » OPEN - 8.12" (20.62cm)
- » CLOSED - 4.72" (11.99cm)
- » WEIGHT - 2.7oz (76.54g)
- » HANDLE THICKNESS - 0.41" (10.41mm)

EST SHIP DATE: JULY

AVAILABLE TO ORDER SPRING 2025

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



## Bailout®

537-09 BENCHMADE DESIGN




- » MECHANISM - AXIS® lock
- » BLADE STYLE - Tanto
- » BLADE STEEL - CPM-S90V stainless steel (59-61HRC)
- » HANDLE - Carbon Fiber
- » BLADE LENGTH - 3.38" (8.59cm)
- » BLADE THICKNESS - 0.09" (2.29mm)
- » OPEN - 8.12" (20.62cm)
- » CLOSED - 4.72" (11.99cm)
- » WEIGHT - TBD
- » HANDLE THICKNESS - TBD

EST SHIP DATE: OCT

AVAILABLE TO ORDER SPRING 2025

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



## Bailout®

537BK-10 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61HRC)
- » **HANDLE** - Carbon Fiber
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.12" (20.62cm)
- » **CLOSED** - 4.72" (11.99cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - TBD

EST SHIP DATE: OCT

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

537BK-10 : BLACK : \$400

## Redoubt®

430BK-02 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Black Grivory®
- » **BLADE LENGTH** - 3.55" (9.02cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.29" (21.06cm)
- » **CLOSED** - 4.75" (12.07cm)
- » **WEIGHT** - 3.70oz (104.89g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



### CONFIGURATIONS/MSRP

430BK-02 : SERR : BLACK : \$200  
430SBK-02 : BLACK : BLACK : \$200

## Redoubt®

431BK-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Ranger Green / Forest Green Grivory®
- » **BLADE LENGTH** - 3.53" (8.97cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.27" (21.01cm)
- » **CLOSED** - 4.75" (12.07cm)
- » **WEIGHT** - 3.70oz (104.89g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



### CONFIGURATIONS/MSRP

431BK-1 : BLACK : \$200  
431SBK-1 : BLACK : BLACK : \$200

## Presidio® II

570-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black textured CF-Elite®
- » **BLADE LENGTH** - 3.72" (9.45cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.72" (22.15cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 4.97oz (140.90g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)



### CONFIGURATIONS/MSRP

570-1 : : : \$200

## Mini Presidio® II

575-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black textured CF-Elite®
- » **BLADE LENGTH** - 3.20" (8.13cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.48" (19.0cm)
- » **CLOSED** - 4.34" (11.02cm)
- » **WEIGHT** - 3.19oz (90.43g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



### CONFIGURATIONS/MSRP

575-1 : : : \$180

## Triage®

916SBK BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Opposing bevel with folding safety hook
- » **BLADE STEEL** - N680 stainless steel (57-59 HRC)
- » **HANDLE** - Textured Black G10 with stainless steel liners
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.25" (20.96cm)
- » **CLOSED** - 4.85" (12.32cm)
- » **WEIGHT** - 5.24oz (148.55g)
- » **HANDLE THICKNESS** - 0.45" (11.43mm)



### CONFIGURATIONS/MSRP

916SBK : SERR : BLACK : \$280



## GET IT DONE

There's nothing the Redoubt® can't handle. From the garage to the job site, the Redoubt® is an always-reliable tool built tough to handle every chore you throw at it and light enough for an in-hand comfort until your job is complete. Now available with plain-edge or serrated blades in two colorways, fill your hand with a tool that always gets it done.

**REDOUBT®**  
**AN EDC WORKHORSE**

THE 430BK-02  
REDOUBT®

**ADAMAS®**  
**BUILT TOUGH**

**SHOOTOUT®**  
**RAPID RELIABILITY**

## Tactical Triage®

917SBK BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point with folding safety hook
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Black contoured G10 with stainless steel liners
- » **BLADE LENGTH** - 3.48" (8.84cm)
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.33" (21.16cm)
- » **CLOSED** - 4.85" (12.32cm)
- » **WEIGHT** - 5.28oz (149.69g)
- » **HANDLE THICKNESS** - 0.55" (13.97mm)



### CONFIGURATIONS/MSRP

917SBK : SERR : BLACK : \$300

## Adamas®

275SGY-1 SIBERT DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65HRC)
- » **HANDLE** - Black or OD G10
- » **BLADE LENGTH** - 3.82" (9.70cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 8.93" (22.68cm)
- » **CLOSED** - 5.20" (13.21cm)
- » **WEIGHT** - 6.54oz (185.41g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)



### CONFIGURATIONS/MSRP

275GY-1	SERR	GRAY	\$325
275SGY-1	SERR	GRAY	\$325
275FE-2	FLAT EARTH	FLAT EARTH	\$325
275SFE-2	SERR	FLAT EARTH	\$325

## Mini Adamas®

273FE-2 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65HRC)
- » **HANDLE** - Olive Drab G10
- » **BLADE LENGTH** - 3.25" (8.26cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 7.62" (19.35cm)
- » **CLOSED** - 4.37" (11.1cm)
- » **WEIGHT** - 4.6oz (130.41g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)



### CONFIGURATIONS/MSRP


273FE-2	GRAY	\$290
273GY-1	GRAY	\$290

## Mini Adamas®

273-03 SIBERT DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62HRC)
- » **HANDLE** - Marbled carbon fiber
- » **BLADE LENGTH** - 3.25" (8.26cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 7.62" (19.35cm)
- » **CLOSED** - 4.37" (11.10cm)
- » **WEIGHT** - 4.60oz (130.41g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)



### CONFIGURATIONS/MSRP

273-03 : : : \$375

## Immunity

290BK BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Crater blue anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 2.49" (6.32cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 5.94" (15.09cm)
- » **CLOSED** - 3.46" (8.79mm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



### CONFIGURATIONS/MSRP

290BK : BLACK : \$325

## Immunity

290BK-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Flat Dark Earth anodized, 6061-T6 billet aluminum
- » **BLADE LENGTH** - 2.49" (6.32cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 5.94" (15.09cm)
- » **CLOSED** - 3.46" (8.79mm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



### CONFIGURATIONS/MSRP


290BK-1 : BLACK : \$325

## Immunity

290BK-2 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Woodland green anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 2.49" (6.32cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 5.94" (15.09cm)
- » **CLOSED** - 3.46" (8.79mm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



### CONFIGURATIONS/MSRP

290BK-2 : BLACK : \$300

## Mini Bedlam™

865SBK BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Black G10
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **CLOSED** - 5.2" (13.21cm)
- » **WEIGHT** - 4.91oz (139.2g)
- » **HANDLE THICKNESS** - 0.587" (14.91mm)

### EST SHIP DATE: MAR

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

865SBK : SERR : BLACK : \$350

## Mini Bedlam™

865-02 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Marbled Carbon Fiber
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **CLOSED** - 5.2" (13.21cm)
- » **WEIGHT** - 4.67oz (132.39g)
- » **HANDLE THICKNESS** - 0.114" (2.9mm)



### CONFIGURATIONS/MSRP

865-02 : : : \$450

## Mini Bedlam™

865BK-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Coyote/Black/OD Layered G10
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **CLOSED** - 5.2" (13.21cm)
- » **WEIGHT** - 4.81oz (136.36g)
- » **HANDLE THICKNESS** - 0.587" (14.91mm)

### EST SHIP DATE: MAR

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

865BK-01 : BLACK : \$350

## Auto Immunity®

2900BK BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® lock with integrated safety
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Crater blue anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 2.49" (6.32cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 5.94" (15.09cm)
- » **CLOSED** - 3.46" (8.79mm)
- » **WEIGHT** - 2.37oz (67.19g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



### CONFIGURATIONS/MSRP

2900BK : BLACK : \$325

## Auto Immunity®

2900BK-2 BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® lock with integrated safety
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - CPM-M4 high speed steel (62-64HRC)
- » **HANDLE** - Woodland Green anodized, 6061-T6 billet aluminum
- » **BLADE LENGTH** - 2.49" (6.32cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 5.94" (15.09cm)
- » **CLOSED** - 3.46" (8.79mm)
- » **WEIGHT** - 2.37oz (67.19g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



### CONFIGURATIONS/MSRP

2900BK-2 : BLACK : \$325

## Auto Presidio® II

5700SGY-1 BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® lock with integrated safety
- » **BLADE STYLE** - Drop-point
- » **5700SGY-1 BLADE STEEL** - CPM-M4 high speed steel (62-64 HRC)
- » **5700SBK BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **5700SGY-1 HANDLE** - Dark Earth anodized 6061-T6 aluminum
- » **5700SBK HANDLE** - Black anodized 6061-T6 aluminum
- » **BLADE LENGTH** - 3.72" (9.45cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 8.72" (22.15cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 6.32oz (179.17g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)
- » **SHEATH WEIGHT** - 1.20oz (34.02g)



### CONFIGURATIONS/MSRP

5700SGY-1 : SERR : GRAY : \$375  
5700SBK : SERR : BLACK : \$350

## Auto Adamas®

2750GY-3 SIBERT DESIGN



- » **MECHANISM** - Auto AXIS® lock with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65HRC)
- » **HANDLE** - Desert Tan or OD G10
- » **BLADE LENGTH** - 3.8" (9.65cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 8.9" (22.61cm)
- » **CLOSED** - 5.11" (12.98cm)
- » **WEIGHT** - 6.17oz (174.92g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



### CONFIGURATIONS/MSRP

2750GY-3 : SERR : GRAY : \$400  
2750SGY-3 : SERR : GRAY : \$400  
2750FE-2 : SERR : FLAT EARTH : \$400  
2750SFE-2 : SERR : FLAT EARTH : \$400

## Mini Auto Adamas®

2730-03 BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-Cru-Wear® tool steel (63-65HRC)
- » **HANDLE** - Marbled carbon fiber
- » **BLADE LENGTH** - 3.25" (8.26cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 7.62" (19.35cm)
- » **CLOSED** - 4.37" (11.10cm)
- » **WEIGHT** - 4.60oz (130.41g)
- » **HANDLE THICKNESS** - 0.63" (16.00mm)



### CONFIGURATIONS/MSRP

2730-03 : FLAT EARTH : \$450  
2730FE-2 : FLAT EARTH : \$330  
2730GY : GRY : \$330

## Auto Fact®

4170BK BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® with integrated safety
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61HRC)
- » **HANDLE** - Grey/Black 6061-T6 Aluminum/Carbon Fiber
- » **BLADE LENGTH** - 3.95" (10.03cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.74" (22.2cm)
- » **CLOSED** - 4.8" (12.19cm)
- » **WEIGHT** - 3.11oz (88.17g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



### CONFIGURATIONS/MSRP

4170BK : BLACK : \$430

## Auto Triage®

9170SBK BENCHMADE DESIGN



- » **MECHANISM** - Auto AXIS® lock with integrated safety
- » **BLADE STYLE** - Drop-point with automatic folding rescue hook
- » **BLADE STEEL** - N680 stainless steel (57-59 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum with textured G10 inlays
- » **BLADE LENGTH** - 3.58" (9.09cm)
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.31" (21.11cm)
- » **CLOSED** - 4.73" (12.01cm)
- » **WEIGHT** - 5.75oz (163.01g)
- » **HANDLE THICKNESS** - 0.58" (14.73mm)



### CONFIGURATIONS/MSRP


9170SBK : SERR : BLACK : \$375

**CLA**

4300 BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black contoured G10 with stainless steel liners
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.85" (19.94cm)
- » **CLOSED** - 4.45" (11.30cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)

**CONFIGURATIONS/MSRP**

4300 :: :: \$270

**CLA**

4300BK-02 BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - Battlewash DLC CPM-MagnaCut stainless steel (60-62HRC)
- » **HANDLE** - OD Green G10
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.85" (19.94cm)
- » **CLOSED** - 4.45" (11.30cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)

**CONFIGURATIONS/MSRP**

4300BK-02 :: :: BLACK :: \$400

**CLA**

4300BK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black contoured G10 with stainless steel liners
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.85" (19.94cm)
- » **CLOSED** - 4.45" (11.30cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)

**CONFIGURATIONS/MSRP**

4300BK :: :: BLACK :: \$280

**Casbah®**

4400BK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black textured Grivory® with stainless steel liners
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.80" (19.81cm)
- » **CLOSED** - 4.40" (11.18cm)
- » **WEIGHT** - 3.43oz (97.24g)
- » **HANDLE THICKNESS** - 0.59" (14.99mm)

**CONFIGURATIONS/MSRP**4400BK :: :: BLACK :: \$230  
4400SBK :: :: SERR :: BLACK :: \$230**CLA**

4300-1 BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Green And Black Textured G10
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.85" (19.94cm)
- » **CLOSED** - 4.45" (11.30cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)

**CONFIGURATIONS/MSRP**

4300-1 :: :: \$270

**Mediator®**

8551BK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Black G10 with stainless steel liners
- » **BLADE LENGTH** - 3.30" (8.38cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.75" (19.69cm)
- » **CLOSED** - 4.45" (11.30cm)
- » **WEIGHT** - 2.89oz (81.93g)
- » **HANDLE THICKNESS** - 0.52" (13.21mm)

**CONFIGURATIONS/MSRP**

8551BK :: :: BLACK :: \$320

## Auto Osborne

9400 OSBORNE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Osborne Green anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP


9400 :: :: :: \$300

## Auto Osborne

9400BK OSBORNE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Osborne Green anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP

9400BK :: :: BLACK :: \$310

## Auto Osborne

9400BK-03 OSBORNE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - Battlewash DLC CPM-Magnacut stainless steel (60-62 HRC)
- » **HANDLE** - Burnt Copper 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP

9400BK-03 :: :: BLACK :: \$340



# THE AUTO OSBORNE

Inspired by overland adventure and stylish daily carry, the 9400BK-03 Auto Osborne is our nod to the rugged folks who enjoy dusty, gritty, challenging trek across natural terrain. Reimagined with fast-deploying push-button automatic action and an integrated spine safety, this latest variant of the 9400 Auto Osborne features a wear and corrosion resistant CPM-MagnaCut reverse tanto blade with DLC Battlewash finish. Clad in lightweight Burnt Copper anodized 6061-T6 aluminum handle scales to tackle the outdoors, the 9400BK-03 Auto Osborne combines rapid response and timeless knife design for hardcore exploration.

→ Burnt Copper  
6061-T6  
Aluminum handle

→ Push-button auto  
with integrated  
safety

→ Wear-and corrosion-  
resistant CPM-  
MagnaCut steel

→ Legendary jack-  
of-all-trades  
performance



FAST ENOUGH  
TO KEEP UP  
WITH YOU

## Claymore

9070BK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- » **HANDLE** - Textured Grivory® with stainless steel liners
- » **BLADE LENGTH** - 3.60" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 8.60" (21.84cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 3.50oz (99.22g)
- » **HANDLE THICKNESS** - 0.60" (15.24mm)



### CONFIGURATIONS/MSRP

9070BK	BLACK	\$260
9070SBK	SERR	\$260

## Claymore

9070SBK-1 BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- » **HANDLE** - Ranger green textured Grivory® with stainless steel liners
- » **BLADE LENGTH** - 3.60" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 8.60" (21.84cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 3.50oz (99.22g)
- » **HANDLE THICKNESS** - 0.60" (15.24mm)



### CONFIGURATIONS/MSRP

9070BK-1	BLACK	\$260
9070SBK-1	SERR	\$260

## Claymore

9071BK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Black Grivory®
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.60" (21.84cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 3.5oz (99.22g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



### CONFIGURATIONS/MSRP

9071BK	BLACK	\$260
9071BK-1	BLACK	\$260
9071SBK	SERR	\$260
9071SBK-1	SERR	\$260

## Mini Claymore

9570BK-1 BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Ranger Green Grivory®
- » **BLADE LENGTH** - 3" (7.62cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 7.18" (18.24cm)
- » **CLOSED** - 4.18" (10.62mm)
- » **WEIGHT** - 3.5oz (99.22g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



### CONFIGURATIONS/MSRP


9570BK	BLACK	\$230
9570BK-1	BLACK	\$230

## AFO II

9051SBK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- » **BLADE LENGTH** - 3.59" (9.12cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.53" (21.67cm)
- » **CLOSED** - 4.95" (12.57cm)
- » **WEIGHT** - 5.80oz (164.43g)
- » **HANDLE THICKNESS** - 0.60" (15.24mm)



### CONFIGURATIONS/MSRP

9051SBK	SERR	BLACK	\$300
---------	------	-------	-------

## Auto Stryker®

9101SBK BENCHMADE DESIGN



- » **MECHANISM** - Push-button automatic with integrated safety
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.58" (9.09cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.31" (21.11cm)
- » **CLOSED** - 4.70" (11.94cm)
- » **WEIGHT** - 5.75oz (163.01g)
- » **HANDLE THICKNESS** - 0.58" (14.73mm)



CONFIGURATIONS/MSRP

9101SBK : SERR : BLACK : \$300

## Shootout®

5370FE BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Flat Earth CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Black textured CF-Elite®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **CLOSED** - 4.71" (11.96cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370 : FLAT EARTH : \$325

## Shootout®

5370FE-01 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Flat Earth CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Crater Blue Grivory®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **CLOSED** - 4.71" (11.96cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370FE-01 : FLAT EARTH : \$350

## Shootout®

5370FE-02 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - Flat Earth CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Cool Gray Grivory®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **CLOSED** - 4.71" (11.96cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370FE-02 : FLAT EARTH : \$350

## Shootout®

5371BK-01 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Ranger Green Grivory®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **CLOSED** - 4.71" (11.96cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5371BK-01 : BLACK : \$325

## Shootout®

5371FE BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - Flat Earth CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Black Textured CF-Elite®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **CLOSED** - 4.71" (11.96cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5371FE : FLAT EARTH : \$325

# THE SHOOTOUT®

The 5370FE Shootout® double-action out-the-front automatic is the perfect off-hand backup. The molded CF-Elite® handle features a detailed grip texture that provides fast indexing and greater control in high-pressure scenarios. At the same time, the Flat Earth PVD coated CPM-CruWear® blade offers high strength and durability for all cutting tasks. A carbide glass breaker and a reversible pocket clip round out this versatile tool. Made in the USA and fully loaded with our latest tech, the 5370FE Shootout® packs a punch.

Double-action out-the-front automatic. Spine fire release button

Flat Earth PVD blade finish

CPM-CruWear super strong tool steel (63-65HRC)

Reversible tip-down deep-carry pocket clip

WORK READY,  
AUTOMATIC  
ACTION



## Claymore OTF

3370GY BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - Smoke Gray PVD CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Black Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **CLOSED** - 5.01" (12.73cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370GY :: GRAY :: \$400

## Claymore OTF

3370SGY BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - Smoke Gray PVD CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Black Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **CLOSED** - 5.01" (12.73cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370SGY :: SERR :: GRAY :: \$400

## Claymore OTF

3370GY-1 BENCHMADE DESIGN



- **MECHANISM** - Double-action out-the-front automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - Smoke Gray PVD CPM-D2 tool steel (60-62HRC)
- **HANDLE** - Ranger Green Grivory®
- **BLADE LENGTH** - 3.89" (9.88cm)
- **BLADE THICKNESS** - 0.116" (2.95mm)
- **OPEN** - 8.9" (22.61cm)
- **CLOSED** - 5.01" (12.73cm)
- **WEIGHT** - 2.97oz (84.2g)
- **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370GY-1 :: BLACK :: \$400

## Claymore OTF

3370SGY-1 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - Smoke Gray PVD CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Ranger Green Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **CLOSED** - 5.01" (12.73cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



### CONFIGURATIONS/MSRP

3370SGY-1 : SERR : GRAY : \$400

## Phaeton®

4600DLC BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic.
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.112" (2.84mm)
- » **OPEN** - 8.08" (20.52cm)
- » **CLOSED** - 4.63" (11.76cm)
- » **WEIGHT** - 3.01oz (85.33g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)



### CONFIGURATIONS/MSRP

4600DLC : BLACK : \$425

## Mini Claymore OTF

3375GY-1 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - Smoke Gray PVD CPM-D2 tool steel (60-62HRC)
- » **HANDLE** - Ranger Green®
- » **BLADE LENGTH** - 3.02" (7.67cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 7.14" (18.14cm)
- » **CLOSED** - 4.12" (10.46cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



### CONFIGURATIONS/MSRP

3375GY-1 : 3375GY : GRAY : GRAY : \$350

## Infidel®

3300BK MCHENRY & WILLIAMS DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Double-edge dagger with fuller
- » **BLADE STEEL** - D2 tool steel (60-62 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- » **BLADE LENGTH** - 3.91" (9.93cm)
- » **BLADE THICKNESS** - 0.118" (3.00mm)
- » **OPEN** - 8.91" (22.63cm)
- » **CLOSED** - 5.00" (12.70cm)
- » **WEIGHT** - 4.90oz (138.91g)
- » **HANDLE THICKNESS** - 0.59" (14.99mm)



### CONFIGURATIONS/MSRP

3300BK : BLACK : \$550

## Phaeton®

4600DLC-1 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Dark Earth anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.112" (2.84mm)
- » **OPEN** - 8.08" (20.52cm)
- » **CLOSED** - 4.63" (11.76cm)
- » **WEIGHT** - 3.01oz (85.33g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)



### CONFIGURATIONS/MSRP

4600DLC-1 : BLACK : \$425

## Mini Infidel®

3350BK MCHENRY & WILLIAMS DESIGN



- » **MECHANISM** - Double-action out-the-front automatic
- » **BLADE STYLE** - Double-edge dagger with fuller
- » **BLADE STEEL** - D2 tool steel (60-62 HRC)
- » **HANDLE** - Black anodized 6061-T6 billet aluminum
- » **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- » **BLADE LENGTH** - 3.10" (7.87cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 7.10" (18.03cm)
- » **CLOSED** - 4.00" (10.16cm)
- » **WEIGHT** - 3.40oz (96.39g)
- » **HANDLE THICKNESS** - 0.54" (13.72mm)




### CONFIGURATIONS/MSRP

3350BK : BLACK : \$500

## Autocrat®

3400BK BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button
- » **BLADE STYLE** - Double-edge dagger with fuller
- » **BLADE STEEL** - DLC CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black G10 scales with Black anodized 6061-T6 aluminum frame
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **CLOSED** - 5.04" (12.80cm)
- » **WEIGHT** - 3.93oz (111.41g)
- » **HANDLE THICKNESS** - 0.60" (15.24mm)



### CONFIGURATIONS/MSRP

3400BK :: BLACK :: \$525

## Autocrat®

3400BK-1 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Double-edge dagger with fuller
- » **BLADE STEEL** - DLC CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - OD textured G10 scales with Black anodized 6061-T6 aluminum frame
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **CLOSED** - 5.04" (12.80cm)
- » **WEIGHT** - 3.93oz (111.41g)



### CONFIGURATIONS/MSRP

3400BK-1 :: BLACK :: \$500

## Autocrat®

3400BK-2 BENCHMADE DESIGN



- » **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- » **BLADE STYLE** - Double-edge dagger with fuller
- » **BLADE STEEL** - DLC CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Coyote Brown textured G10 scales with black anodized 6061-T6 aluminum frame
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **CLOSED** - 5.04" (12.80cm)
- » **WEIGHT** - 3.93oz (111.41g)
- » **HANDLE THICKNESS** - 0.60" (15.24mm)



### CONFIGURATIONS/MSRP

3400BK-2 :: BLACK :: \$500

## Fixed Adamas®

375FE-1 SIBERT DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65 HRC)
- » **SHEATH** - Ranger Green PIM
- » **BLADE LENGTH** - 4.20" (10.67cm)
- » **BLADE THICKNESS** - 0.17" (4.32mm)
- » **OPEN** - 9.17" (23.29cm)
- » **WEIGHT** - 5.66oz (160.46g)
- » **SHEATH WEIGHT** - 1.11oz (31.47g)
- » **SHEATH** - Ranger Green Injection molded



### CONFIGURATIONS/MSRP

375FE-1 :: FLAT EARTH :: \$275

## Fixed Adamas®

375BK-1 SIBERT DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65 HRC)
- » **SHEATH** - Black PIM
- » **BLADE LENGTH** - 4.20" (10.67cm)
- » **BLADE THICKNESS** - 0.17" (4.32mm)
- » **OPEN** - 9.17" (23.29cm)
- » **WEIGHT** - 5.66oz (160.46g)
- » **SHEATH WEIGHT** - 1.11oz (31.47g)



### CONFIGURATIONS/MSRP

375BK-1 :: BLACK :: \$275

## H2O Fixed

112SBK-BLK BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Opposing bevel with blunt tip and integrated rescue hook
- » **BLADE STEEL** - N680 stainless steel (57-59 HRC)
- » **HANDLE** - Black textured Santoprene®
- » **SHEATH** - Injection molded with thumb release
- » **BLADE LENGTH** - 3.50" (8.89cm)
- » **BLADE THICKNESS** - 0.12" (3.15mm)
- » **OPEN** - 8.07" (20.50cm)
- » **WEIGHT** - 3.20oz (90.72g)
- » **HANDLE THICKNESS** - 0.54" (13.72mm)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP  
112SBK-BLK :: SERR :: BLACK :: \$170

## Mini SOCP®

177BK THOMPSON DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-point
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 2.22" (5.64cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.25" (15.88cm)
- » **WEIGHT** - 3.00oz (85.05g)
- » **HANDLE THICKNESS** - 0.18" (4.57mm)
- » **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP  
177BK :: BLACK :: \$120

## Mini SOCP®

173BK THOMPSON DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-edge dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 2.22" (5.64cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.25" (15.88cm)
- » **WEIGHT** - 3.00oz (85.05g)
- » **HANDLE THICKNESS** - 0.18" (4.57mm)
- » **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

173BK :: BLACK :: \$120

## SOCP® Dagger

176BK THOMPSON DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-edge dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.10g)
- » **HANDLE THICKNESS** - 0.18" (4.57mm)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK :: BLACK :: \$130  
176BKN :: BLACK :: \$130

## SOCP® Combo

176BK-COMBO THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Double-edge dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.10g)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK-COMBO :: BLACK :: \$180  
176BKN-COMBO :: BLACK :: \$190



## SOCP®

(Special Operations  
Combatives Program)

"I get the gratification  
of working with the best  
in the world. I have to  
give them the tools, the  
tactics, the procedures. I  
want them to go home to  
their families."

THERE IS NO  
RESET BUTTON  
WHEN IT MATTERS  
MOST

- Greg Thompson  
SOCP® Founder



Scan to watch the video

THE 177BK MINI  
SOCP® SPEAR-POINT



SOCP® FOUNDER

GREG THOMPSON



## SOCP® Dagger

176BKSН THOMPSON DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-edge dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.10g)
- » **HANDLE THICKNESS** - 0.18" (4.45mm)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



### CONFIGURATIONS/MSRP

176BKSН : BLACK : \$130

## SOCP® Trainer

176T THOMPSON DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trainer
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Red coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 2.78" (7.06cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.81" (17.30cm)
- » **WEIGHT** - 2.58oz (73.14g)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



### CONFIGURATIONS/MSRP

176T : RED : \$80

## SOCP® Combo

176BKSН-COMBO THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Double-edge dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black coated single-piece with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.10g)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



### CONFIGURATIONS/MSRP

176BKSН-COMBO : COMBO : BLACK : \$190

## SOCP® Rescue Tool

179GRY THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Rescue hook with carbide glass punch and oxygen wrench
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Gray coated single-piece tool with finger ring
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 2.50" (6.35cm)
- » **BLADE THICKNESS** - 0.120" (3.05mm)
- » **HOOK OPENING** - 0.38" (9.53mm)
- » **OPEN** - 6.75" (17.15cm)
- » **WEIGHT** - 1.88oz (53.30g)
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



### CONFIGURATIONS/MSRP

179GRY : GRAY : \$110

## Fixed SOCP®

185BK THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-3V tool steel (60-62HRC)
- » **HANDLE** - Black Peel Ply G10
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.734" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

185BK : BLACK : \$400  
185SBK : SERR : BLACK : \$400

## Fixed SOCP®

185SBK THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-3V tool steel (60-62HRC)
- » **HANDLE** - Black Peel Ply G10
- » **SHEATH** - MOLLE® compatible, injection molded in black with lanyard hole and clip
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.734" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

185SBK : SERR : BLACK : \$400

## Fixed SOCP® Trainer

185T THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Black Peel Ply G10
- » **BLADE LENGTH** - 6.855" (17.41cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.48" (29.16cm)
- » **WEIGHT** - 6.58oz (186.54g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

185T : RED : \$250

## Fixed SOCP®

185BK-1 THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-3V tool steel (60-62HRC)
- » **HANDLE** - Tan Peel Ply G10
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.734" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

185BK-1 : BLACK : \$400

## Fixed SOCP®

185SBK-1 THOMPSON DESIGN



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-3V tool steel (60-62HRC)
- » **HANDLE** - Tan Peel Ply G10
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.734" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

185SBK-1 : SERR : BLACK : \$400

## 7 Hook

7 BLKW BENCHMADE DESIGN



- » **MECHANISM** - Rescue hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - High carbon stainless steel (58-60 HRC)
- » **HANDLE** - Single piece dip coated handle
- » **SHEATH** - Nylon MOLLE® compatible with included MALICE CLIP®
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **OPEN** - 4.30" (10.92cm)
- » **WEIGHT** - 1.50oz (42.52g)
- » **SHEATH WEIGHT** - 0.95oz (26.93g)



### CONFIGURATIONS/MSRP

7 BLKW : BLACK : \$70

## 8 Hook

8 BLKW BENCHMADE DESIGN



- » **MECHANISM** - Rescue hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Coated skeletonized
- » **SHEATH** - Black nylon with MALICE CLIP®
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **OPEN** - 6.50" (16.51cm)
- » **WEIGHT** - 1.43oz (40.54g)
- » **SHEATH WEIGHT** - 0.88oz (24.95g)



### CONFIGURATIONS/MSRP

8 BLKW : BLACK : \$80

## 8 Med Hook

8 BLKWMED BENCHMADE DESIGN



- » **MECHANISM** - Rescue hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- » **HANDLE** - Coated skeletonized
- » **SHEATH** - Black nylon with MALICE CLIP®
- » **HOOK OPENING** - 0.50" (12.70mm)
- » **OPEN** - 6.50" (16.51cm)
- » **WEIGHT** - 1.86oz (52.73g)
- » **SHEATH WEIGHT** - 0.88oz (24.95g)



### CONFIGURATIONS/MSRP

8 BLKWMED : BLACK : \$80




## Bugout®

535 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Blue Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.80oz (51.03g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535 :: :: :: \$180

## Bugout®

535-3 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Carbon fiber
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 2.02oz (57.27g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

535-3 :: :: :: \$330

## Bugout®

535GRY-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Ranger Green Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.80oz (51.03g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535GRY-1 :: :: :: GRAY :: :: :: \$190

## Bugout®

535BK-4 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - M390 stainless steel (58-61 HRC)
- » **HANDLE** - Gray anodized 6061-T6 aluminum w/ milled pattern
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 2.50oz (70.87g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

535BK-4 :: :: :: BLACK :: :: :: \$300

## Bugout®

535BK-2 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Black CF-Elite®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.80oz (51.03g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535BK-2 :: :: :: BLACK :: :: :: \$190

## Bugout®

535FE-05 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Crater Blue Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535FE-05 :: :: :: FE :: :: :: \$200

## Bugout®

535BK-07 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - Battlewash DLC M390 stainless steel (58-61 HRC)
- » **HANDLE** - Burnt Brass 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 2.5oz (70.07g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535BK-07 : BLACK : \$320

## Bugout®

535TN-11 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Deep Olive Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP


535TN-11 : DESERT VERDE : \$190

## Bugout®

535BK-08 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Storm Gray Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

00000 : BLACK : \$200

## Bugout®

535-12 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Tan Grivory®
- » **BLADE LENGTH** - 3.25" (8.22cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 1.5oz (42.52g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535-12 : SILVER : \$190

## Bugout®

535-09 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Ash Gray Aluminum w/Redstone Richlite Onlay
- » **BLADE LENGTH** - 3.24" (8.22cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535-09 : SILVER : \$400

**EST SHIP DATE: MAR**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



BLUE CLASS

## Bugout®

535SL-13 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Crater Blue anodized 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.22" (10.72cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



### CONFIGURATIONS/MSRP

535SL-13 : SILVER : \$320

**EST SHIP DATE: APR**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

## Mini Bugout®

533 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Orange Grivory®
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - 1.5oz (42.52g)
- » **HANDLE THICKNESS** - 0.412" (10.46mm)



### CONFIGURATIONS/MSRP

533 : : : \$170

## Mini Bugout®

533BK-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - White Grivory®
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - 1.5oz (42.52g)
- » **HANDLE THICKNESS** - 0.412" (10.46mm)



### CONFIGURATIONS/MSRP

533BK-1 : : : BLACK : : \$180

## Mini Bugout®

533BK-2 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black CF-Elite®
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - 1.5oz (42.52g)
- » **HANDLE THICKNESS** - 0.412" (10.46mm)



### CONFIGURATIONS/MSRP

533BK-2 : : : BLACK : : \$180

## Mini Bugout®

533-3 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Carbon Fiber
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - 1.62oz (45.93g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

533-3 : : : \$320

## Mini Bugout®

533-08 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Daybreak Grivory®
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - 1.51oz (42.81g)
- » **HANDLE THICKNESS** - 0.412" (10.46mm)



### CONFIGURATIONS/MSRP

533-08 : : : \$180

## Mini Bugout®

533SL-10 BENCHMADE DESIGN



## Mini Bugout®

533SL-10 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Woodland Green Anodized 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.82" (7.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.49" (16.48cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.426" (10.82mm)



### CONFIGURATIONS/MSRP

533SL-10 : : : SILVER : : \$310



# THE ONE AND ONLY

Whether wearing dust from the desert or covered in an earthy tone that reflects the landscape where we play, this new knife is built for life on the road. Donning Daybreak Yellow Grivory® handle scales paired with Bordeaux anodized thumb stud and barrel spacers and a CPM-S30V steel blade with a satin finish, the 533-08 Mini Bugout® is a perfect companion for any adventure.

→ Daybreak  
Yellow Grivory®  
handle scales

→ CPM-S30V  
stainless steel  
(58-60 HRC)

→ AXIS® Lock  
mechanism

THE 533-08  
MINI BUGOUT®

## BUILT FOR THE OFF-ROAD



## Narrows™

748



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - M390 stainless steel (58-61 HRC)
- » **HANDLE** - Gray 6Al-4V Titanium
- » **BLADE LENGTH** - 3.43" (8.71cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 8.02" (20.37m)
- » **CLOSED** - 4.58" (11.63cm)
- » **WEIGHT** - 2.41oz (68.32g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



### CONFIGURATIONS/MSRP

748 :: BLACK :: \$580

## Narrows™

748BK-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - DLC M390 Stainless Steel (58-61 HRC)
- » **HANDLE** - Black DLC 6Al-4V Titanium
- » **BLADE LENGTH** - 3.43" (8.71cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 8.02" (20.37cm)
- » **CLOSED** - 4.58" (11.63cm)
- » **WEIGHT** - 2.43oz (68.89g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



### CONFIGURATIONS/MSRP

748BK-01 :: BLACK :: \$600

## Mini Narrows™

743 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-20CV stainless steel (59-61 HRC)
- » **HANDLE** - Gray 6Al-4V Titanium
- » **BLADE LENGTH** - 2.98" (7.57cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 6.95" (17.65cm)
- » **CLOSED** - 3.97" (10.08cm)
- » **WEIGHT** - 1.98oz (56.13g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



### CONFIGURATIONS/MSRP

743 :: BLACK :: \$560

## Mini Narrows™

743BK-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - DLC CPM-20CV Stainless Steel (59-61 HRC)
- » **HANDLE** - Black DLC 6Al-4V Titanium
- » **BLADE LENGTH** - 2.98" (7.57cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 6.95" (17.65cm)
- » **CLOSED** - 3.97" (10.08cm)
- » **WEIGHT** - 1.98oz (56.13g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



### CONFIGURATIONS/MSRP


743BK-01 :: BLACK :: \$580

## Osborne

940 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Green anodized 6061-T6 billet aluminum
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.90oz (82.21g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

940 :: GREEN :: \$240

## Osborne

940-1 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Carbon fiber
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.44oz (69.17g)
- » **HANDLE THICKNESS** - 0.44" (11.18mm)



### CONFIGURATIONS/MSRP

940-1 :: CARBON :: \$350



# THE MINI OSBORNE

Overland adventure requires fine-tuned preparedness to stay ready for the next challenge. The 945BK-03 Mini Osborne is our nod to the rugged folks who enjoy dusty, gritty, challenging treks across natural terrain. The new compact Mini Osborne variant features a wear and corrosion resistant CPM-MagnaCut reverse tanto blade with a DLC Battlewash finish and Burnt Copper Anodized 6061-T6 aluminum handle scales dotted with mean black oxide hardware. Lightweight, versatile, and timeless, the 945BK-03 Mini Osborne is easily pocketable and an effective backup for the truck, the camper, and your day pack.

Featuring  
a wear-and  
corrosion-  
resistant CPM-  
MagnaCut

DLC Battlewash  
blade finish

Burnt Copper  
6061-T6  
Aluminum handle

Classic reverse  
 tanto blade  
shape


KICK UP THE  
DUST WITH THIS  
ESSENTIAL EDC

## Osborne

940BK-03 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - Battlewashed DLC CPM-Magnacut stainless steel (60-62 HRC)
- » **HANDLE** - Burnt Copper 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 3.4" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.9oz (82.21g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

940BK-03 :: BLACK :: \$300

## Osborne

940-04 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC)
- » **HANDLE** - Blue Denim Micarta
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 3.4" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.9oz (82.21g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

940-04 :: :: :: TBD




## Mini Osborne

945 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Green Anodized, 6061-T6 Billet Aluminum
- » **BLADE LENGTH** - 2.92" (7.42cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 6.76" (17.17cm)
- » **CLOSED** - 3.84" (9.75cm)
- » **WEIGHT** - 2oz (56.7g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



### CONFIGURATIONS/MSRP

945 :: :: :: \$230

## Osborne

940-2 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black milled G10
- » **BLADE LENGTH** - 3.40" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **CLOSED** - 4.47" (11.35cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.44" (11.18mm)



### CONFIGURATIONS/MSRP

940-2 :: \$230

## Mini Osborne

945BK-1 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Black G10 w/ Blue G10 layer
- » **BLADE LENGTH** - 2.92" (7.42cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 6.76" (17.17cm)
- » **CLOSED** - 3.84" (9.75cm)
- » **WEIGHT** - 2.19oz (62.09g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



### CONFIGURATIONS/MSRP

945BK-1 :: BLACK :: \$230

## Mini Osborne

945-2 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Carbon Fiber
- » **BLADE LENGTH** - 2.92" (7.42cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 6.76" (17.17cm)
- » **CLOSED** - 3.84" (9.75cm)
- » **WEIGHT** - 1.89 oz / 53.58g
- » **HANDLE THICKNESS** - 0.425" (10.8mm)



### CONFIGURATIONS/MSRP


945-2 :: :: \$340

## Mini Osborne

945BK-03 OSBORNE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Reverse tanto
- » **BLADE STEEL** - Battlewashed DLC CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Burnt Copper 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.92" (7.42cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 6.76" (17.17cm)
- » **CLOSED** - 3.84" (9.75cm)
- » **WEIGHT** - 2.00oz (56.7g)
- » **HANDLE THICKNESS** - 0.425" (10.8mm)



### CONFIGURATIONS/MSRP


945BK-03 :: BLACK :: \$290

## Mini Osborne

945-04 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC)
- » **HANDLE** - Blue Denim Micarta
- » **BLADE LENGTH** - 2.92" (7.42cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 6.76" (17.17cm)
- » **CLOSED** - 3.84" (9.75cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



### EST SHIP DATE: AUG

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

945-04 :: :: TBD

## Griptilian®

550-S30V PARDUE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Sheepsfoot
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Black Grivory®
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 8.07" (20.50cm)
- » **CLOSED** - 4.62" (11.73cm)
- » **WEIGHT** - 3.79oz (107.44g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)



### CONFIGURATIONS/MSRP

550-S30V : : \$160

## Mini Griptilian®

556SBK-S30V PARDUE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Black Grivory®
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.100" (2.54mm)
- » **OPEN** - 6.78" (17.22cm)
- » **CLOSED** - 3.87" (9.83cm)
- » **WEIGHT** - 2.81oz (79.66g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



### CONFIGURATIONS/MSRP

556SBK-S30V : SERR : BLACK : \$160  
556-S30V : : : \$150

## Griptilian®

551-S30V PARDUE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Black Grivory®
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 8.07" (20.50cm)
- » **CLOSED** - 4.62" (11.73cm)
- » **WEIGHT** - 3.88oz (110.0g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)



### CONFIGURATIONS/MSRP

551-S30V : SERR : BLACK : \$160  
551SBK-S30V : : : \$170

## Barrage®

580 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black Valox®
- » **BLADE LENGTH** - 3.66" (9.30cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **CLOSED** - 4.79" (12.17cm)
- » **WEIGHT** - 4.31oz (122.19g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



### CONFIGURATIONS/MSRP

580 : : : \$200

## Mini Griptilian®

555-S30V PARDUE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Sheepsfoot
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Textured Black Grivory® with stainless steel liners
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.100" (2.54mm)
- » **OPEN** - 6.78" (17.22cm)
- » **CLOSED** - 3.87" (9.83cm)
- » **WEIGHT** - 2.68oz (75.98g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



### CONFIGURATIONS/MSRP

555-S30V : : \$150

## Barrage®

581-03 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Blue Canyon Richlite
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **CLOSED** - 4.79" (12.17cm)
- » **WEIGHT** - 2oz (56.7g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



### CONFIGURATIONS/MSRP

581-03 : : : \$320

## Barrage®

581BK-04 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Redstone Richlite
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **CLOSED** - 4.79" (12.17cm)
- » **WEIGHT** - 3.76oz (106.59g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



### CONFIGURATIONS/MSRP

581BK-04 : BLACK : \$340



EST SHIP DATE: MAR

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

## Barrage®

583SBK OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black Valox®
- » **BLADE LENGTH** - 3.66" (9.30cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **CLOSED** - 4.79" (12.17cm)
- » **WEIGHT** - 4.51oz (127.86g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



### CONFIGURATIONS/MSRP

583SBK : SERR : BLACK : \$220

## Mini Barrage®

585 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- » **HANDLE** - Black Valox®
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.100" (2.54mm)
- » **OPEN** - 6.91" (17.55cm)
- » **CLOSED** - 4.00" (10.16cm)
- » **WEIGHT** - 3.40oz (96.39g)
- » **HANDLE THICKNESS** - 0.57" (14.48mm)



### CONFIGURATIONS/MSRP

585 : : : \$190

## Mini Barrage®

585-03 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Blue Canyon Richlite
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.100" (2.54mm)
- » **OPEN** - 6.91" (17.55cm)
- » **CLOSED** - 4.00" (10.16cm)
- » **WEIGHT** - 3.76oz (106.59g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



### CONFIGURATIONS/MSRP

585-03 : : : \$300

## Freek®

560BK-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-M4 tool steel (62-64 HRC)
- » **HANDLE** - Black and Gray textured G10 with red base layer
- » **BLADE LENGTH** - 3.60" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 8.46" (21.49cm)
- » **CLOSED** - 4.86" (12.34cm)
- » **WEIGHT** - 4.30oz (121.90g)
- » **HANDLE THICKNESS** - 0.62" (15.75mm)



### CONFIGURATIONS/MSRP

560BK-1 : BLACK : \$280

## Mini Freek®

565BK-02 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-M4 tool steel (62-64 HRC)
- » **HANDLE** - Black, gray, and red G10
- » **BLADE LENGTH** - 3.00" (7.62cm)
- » **BLADE THICKNESS** - 0.104" (2.642mm)
- » **OPEN** - 7.045" (17.91cm)
- » **CLOSED** - 4.05" (10.29cm)
- » **WEIGHT** - 2.85oz (80.80g)
- » **HANDLE THICKNESS** - 0.545" (13.84mm)



### CONFIGURATIONS/MSRP

565BK-02 : BLACK : \$270

## Mini Freek®

565-1 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Carbon fiber Layered G10
- » **BLADE LENGTH** - 3.60" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 8.46" (21.49cm)
- » **CLOSED** - 4.86" (12.34cm)
- » **WEIGHT** - 4.12oz (116.80gg)
- » **HANDLE THICKNESS** - 0.62" (15.75mm)



### CONFIGURATIONS/MSRP

565-1 : BLACK : \$340



# THE PSK™

For the outdoor enthusiast who prefers to carry a hard-core workhorse folder for camping tasks and survival experiences, the 593BK-01 PSK™ is your Personal Survival Kit in one tough and rugged lightweight bushcrafting tool. Built sturdy with full liners and outfitted with a textured carbon fiber bolster and black G10 handle housing a strong, corrosion resistant CPM-MagnaCut blade. If you like to carry an auto outdoors but are restricted by your region, the 593BK-01 PSK™ is the perfect alternative for efficient and ambidextrous one-hand deployment.

→ Corrosion  
resistant CPM-  
MagnaCut

→ Black Cerakote®  
finish

→ Rapid and reliable  
AXIS® Assist  
actuation with  
integrated spine  
safety

→ Striking choil at  
the base of the  
blade for fire  
starting with a  
ferro rod


YOUR BEST  
CHANCE AT  
SURVIVAL

**PSK™**

593BK BENCHMADE DESIGN



- » **MECHANISM** - AXIS® Assist
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Gray G10 bolster / OD green G10
- » **BLADE LENGTH** - 3.4" (8.75cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.4" (21.33cm)
- » **CLOSED** - 4.95" (12.58cm)
- » **WEIGHT** - 5.33oz (151.05g)
- » **HANDLE THICKNESS** - 0.62" (15.66mm)

**CONFIGURATIONS/MSRP**

593BK : : BLACK : : \$400

**PSK™**

593BK-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® Assist
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Carbon Fiber bolster / black G10
- » **BLADE LENGTH** - 3.4" (8.75cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.4" (21.33cm)
- » **CLOSED** - 4.95" (12.58cm)
- » **WEIGHT** - 5.22oz (148.07g)
- » **HANDLE THICKNESS** - 0.62" (15.66mm)

**CONFIGURATIONS/MSRP**

593BK-01 : : BLACK : : \$450

**PSK™**

593GY-02 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® Assist
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - Elmax Stainless Powder steel (59-61HRC)
- » **HANDLE** - Tempest Gray / Storm Gray Grivory®
- » **BLADE LENGTH** - 3.4" (8.75cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.4" (21.33cm)
- » **CLOSED** - 4.95" (12.58cm)
- » **WEIGHT** - 5.22oz (148.07g)
- » **HANDLE THICKNESS** - 0.62" (15.66mm)

**CONFIGURATIONS/MSRP**

593GY-02 : : GRAY : : TBD

**EST SHIP DATE: SEP**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

**Vector®**

495 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® assist flipper with integrated safety
- » **BLADE STYLE** - Spear-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Contoured and textured Black G10
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.42" (21.39cm)
- » **CLOSED** - 4.82" (12.24cm)
- » **WEIGHT** - 4.11oz (116.52g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)

**CONFIGURATIONS/MSRP**

495 : : : : \$325

**491**

491 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® LOCK Flipper
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - CPM-20CV stainless steel (59-61 HRC)
- » **HANDLE** - Crater Blue 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.79"
- » **BLADE THICKNESS** - 0.9"
- » **OPEN** - 6.81"
- » **CLOSED** - 4.05"
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.502"

**CONFIGURATIONS/MSRP**

491 : : : : TBD

**491GY-01**

491GY-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® LOCK Flipper
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - CPM-20CV stainless steel (59-61 HRC)
- » **HANDLE** - Phoenix Red 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.79"
- » **BLADE THICKNESS** - 0.9"
- » **OPEN** - 6.81"
- » **CLOSED** - 4.05"
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.502"

**CONFIGURATIONS/MSRP**

491GY-01 : : GRAY : : TBD

## Seven | Ten™

710FE-24 MCHENRY / WILLIAMS DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Recurve Drop Point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61HRC)
- » **HANDLE** - Gray 6061-T6 Aluminum
- » **BLADE LENGTH** - 4.00" (10.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.95" (22.73cm)
- » **CLOSED** - 4.98" (12.65cm)
- » **WEIGHT** - 4.85oz (137.5g)
- » **HANDLE THICKNESS** - 0.507" (12.88mm)



### CONFIGURATIONS/MSRP

710FE-24 :: FLAT EARTH :: \$450

## Seven | Ten™


710-25 MCHENRY / WILLIAMS DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Recurve Drop Point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61HRC)
- » **HANDLE** - Black 6061-T6 Aluminum
- » **BLADE LENGTH** - 4.00" (10.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.95" (22.73cm)
- » **CLOSED** - 4.98" (12.65cm)
- » **WEIGHT** - 4.85oz (137.5g)
- » **HANDLE THICKNESS** - 0.507" (12.88mm)

### EST SHIP DATE: AUG

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

710-25 :: :: \$450

## 315

315 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Slip Joint
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge®
- » **HANDLE** - Ash Gray/Crater Blue - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.56" (6.5cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.26" (15.9cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.432" (10.97mm)

### EST SHIP DATE: OCT

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

315 :: :: TBD

## 315BK-01

315BK-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Slip Joint
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge®
- » **HANDLE** - Ash Gray/Burnt Brass - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.56" (6.5cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.26" (15.9cm)
- » **CLOSED** - 3.7" (9.4cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.432" (10.97mm)

### EST SHIP DATE: OCT

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

315BK-01 :: BLACK :: TBD

## Laro™

82 BENCHMADE DESIGN



- » **MECHANISM** - Bali-song
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge®
- » **HANDLE** - Gray Billet 6Al-4V Titanium
- » **BLADE LENGTH** - 3.60" (9.14cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 8.24" (20.9cm)
- » **CLOSED** - 4.82" (12.20cm)
- » **WEIGHT** - 4.38oz (124.17)
- » **HANDLE THICKNESS** - 0.46" (11.68mm)
- » **SHEATH WEIGHT** - 0.74oz (20.98g)



### CONFIGURATIONS/MSRP

82 :: :: \$650

## Necron™

99 BENCHMADE DESIGN



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC) featuring SelectEdge®
- » **HANDLE** - Jade G10 with user adjustable & removable tungsten weights and handle extensions
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.68" (24.59cm)
- » **CLOSED** - 5.08" (12.9cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz / 20.13g



### CONFIGURATIONS/MSRP

99 : : : \$500

## Necron™

99BK-1 BENCHMADE DESIGN



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC) featuring SelectEdge®
- » **HANDLE** - Ruby Red G10 with user adjustable & removable tungsten weights and handle extensions
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.68" (24.59cm)
- » **CLOSED** - 5.08" (12.9cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz / 20.13g



### CONFIGURATIONS/MSRP

99BK-1 : : BLACK : \$550

## Necron™

99T



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - 440C stainless steel (58-60HRC)
- » **HANDLE** - Blue G10 with user adjustable & removable tungsten weights and handle extensions
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.68" (24.59cm)
- » **CLOSED** - 5.08" (12.9cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz / 20.13g



### CONFIGURATIONS/MSRP

99T : : : \$400

## Bushcrafter

163BK SIBERT DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear tool steel (63-65 HRC)
- » **HANDLE** - Carbon Fiber with Red G10 Base layer
- » **BLADE LENGTH** - 4.3837" (11.135cm)
- » **BLADE THICKNESS** - 0.164 (4.166mm)
- » **OPEN** - 9.0417" (22.966cm)
- » **WEIGHT** - 7.18oz (203.55g)
- » **HANDLE THICKNESS** - 0.948" (24.079cm)
- » **SHEATH** - Black injection molded sheath with push-button release. User-configurable for scout or dangle carry configuration with or without a ferro rod
- » **SHEATH WEIGHT** - 3.32oz (94.35g)



### CONFIGURATIONS/MSRP

163BK : : BLACK : \$500

## Bushcrafter

163-1 SIBERT DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - OD G10 with Red Base Layer
- » **BLADE LENGTH** - 4.3837" (11.135cm)
- » **BLADE THICKNESS** - 0.164 (4.166mm)
- » **OPEN** - 9.0417" (22.966cm)
- » **WEIGHT** - 7.68oz (217.72g)
- » **HANDLE THICKNESS** - 0.948" (24.079cm)
- » **SHEATH** - Dark brown leather belt carry with snap retention strap and ferro rod loop
- » **SHEATH WEIGHT** - 2.26oz (64.07g)



### CONFIGURATIONS/MSRP

163-1 : : : \$400



# MASTER YOUR CRAFT

Channel your inner-survivalist with the sleek modern bushcraft fixed-blade reimagined as a premium variant to our original 162 designed by Shane Sibert. Built for the trail — or straying off of it — the new 163 and 165 has been elevated with new blade geometry, premium finishes, and handle ergonomics. From fire prep batoning and feather sticking to shelter building and food prep around camp, the Bushcrafter begs you to be outside.

→ Two color options are available in both the full size and mini variants

→ Comes with a belt-carry leather sheath with ferro rod attachment

→ Made from durable all-weather materials

→ Redesigned with updated blade geometry and handle ergonomics

THRIVE IN THE WILD

## Mini Bushcrafter

165BK SIBERT DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear tool steel (63-65 HRC)
- » **HANDLE** - Carbon Fiber with Red G10 Base layer
- » **BLADE LENGTH** - 3.3823" (8.591cm)
- » **BLADE THICKNESS** - 0.164" (4.1656mm)
- » **OPEN** - 7.58" (19.253cm)
- » **WEIGHT** - 60.8oz (172.36g)
- » **HANDLE THICKNESS** - 0.925" (23.495mm)
- » **SHEATH** - Black injection molded sheath with push-button release. User-configurable for scout or dangle carry configuration with or without a ferro rod
- » **SHEATH WEIGHT** - 3.06oz (86.83g)



### CONFIGURATIONS/MSRP

165BK : : BLACK : \$480

## Mini Bushcrafter

165-1 SIBERT DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - OD G10 with Red Base Layer
- » **BLADE LENGTH** - 3.3823" (8.591cm)
- » **BLADE THICKNESS** - 0.164" (4.1656mm)
- » **OPEN** - 7.58" (19.253cm)
- » **WEIGHT** - 6.45g (182.85g)
- » **HANDLE THICKNESS** - 0.925" (23.495mm)
- » **SHEATH** - Dark brown leather belt carry with snap retention strap and ferro rod loop
- » **SHEATH WEIGHT** - 2.49oz (70.59g)



### CONFIGURATIONS/MSRP

165-1 : : : \$380

## ANONIMUS™

539GY



- » **MECHANISM** - Fixed blade
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65HRC)
- » **SHEATH** - Boltaron® sheath with ferro rod loop
- » **HANDLE** - OD Green G10
- » **BLADE LENGTH** - 5.00" (12.70cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 9.83" (24.97cm)
- » **WEIGHT** - 5.94oz (168.40g)
- » **HANDLE THICKNESS** - 0.68" (17.27mm)
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



### CONFIGURATIONS/MSRP

539GY :: GRAY :: \$310

## Dacian™

203 BENCHMADE DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Spear Point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Blue Denim Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05cm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



### CONFIGURATIONS/MSRP

203 :: :: :: \$300

## Dacian™

203BK-02 BENCHMADE DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Spear Point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Black Canvas Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05cm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



### CONFIGURATIONS/MSRP

203BK-02 :: BLACK :: TBD



## Dacian™

203BT-01 BENCHMADE DESIGN



- » **MECHANISM** - Fixed
- » **BLADE STYLE** - Spear Point
- » **BLADE STEEL** - CPM-MagnaCut stainless steel (60-62 HRC)
- » **HANDLE** - Brown Canvas Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05cm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



### CONFIGURATIONS/MSRP

203BT-01 :: BLUE :: \$320

## Fixed Bugout®

536 BENCHMADE DESIGN



- » **MECHANISM** - AXIS Lock
- » **BLADE STYLE** - Drop Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Crater Blue - Grivory®
- » **BLADE LENGTH** - 2.99" (7.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.95" (17.65cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.41" (10.41mm)
- » **SHEATH WEIGHT** - TBD



### CONFIGURATIONS/MSRP

536 :: :: :: TBD





## THE DACIAN™

For the daily carry fan who prefers an all-purpose fixed-blade knife to a folder, the 203 Dacian™ is designed to be your perfectly sized companion for general-purpose utility, outdoor recreation, or EDC. Featuring a blend of a super tough, corrosion resistant CPM-MagnaCut blade steel with a spear point profile and high grind for maximum sliceability. The durable Denim Micarta handle is constructed with deep finger grooves for extreme comfort in multiple grip positions, the 203 Dacian™ includes a Russet Brown molded sheath with a high retention clip for easy access from the belt, pocket, or waistband.



**YOUR ESSENTIAL RANCH HAND**

6AM

BAIT  
- SHRIMP


LOCATION  
- WILF ROCK

LINE ←  
- 30 LBS

CATCH OF THE DAY  
- 22 LBS

WILDLIFE SEEN  
- WHALES, DOLPHINS

- RISING EARLY, THE BOAT'S WAKE CUTTING  
THROUGH THE WATER, THE BENCHMADE  
WATER COLLECTION STANDS READY FOR  
ACTION. WHETHER YOU'RE DEEP-SEA  
FISHING, NAVIGATING A RIVER, OR CASTING  
ON A LAKE, THIS COLLECTION PROVIDES  
THE TOOLS YOU NEED TO STAY PREPARED  
AND PURSUE YOUR ADVENTURE WITH  
CONFIDENCE.



## Fishcrafter™ 7"

18010 BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Santoprene®
- » **BLADE LENGTH** - 7.00" (17.78cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 11.89" (30.20cm)
- » **WEIGHT** - 2.84oz (80.51g)
- » **HANDLE THICKNESS** - 0.09" (2.29mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 2.32oz / 65.89g



CONFIGURATIONS/MSRP

18010 :: :: :: \$240

## Fishcrafter™ 9"

18020 BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Santoprene®
- » **BLADE LENGTH** - 9.05" (22.99cm)
- » **BLADE THICKNESS** - 0.090" (2.29mm)
- » **OPEN** - 13.94" (35.41cm)
- » **WEIGHT** - 3.70oz (104.90g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 2.55oz / 72.29g



CONFIGURATIONS/MSRP

18020 :: :: :: \$260

# THE FISHCRAFTER™ 9"

When processing the day's catch, we believe in fishing more and sharpening less. Fashioned with a larger 9" trailing point CPM-MagnaCut steel blade with SelectEdge® tech, the Fishcrafter™ excels at cutting medium to large fish where that extra length makes a smooth cut for a clean fillet. Featuring a long, straighter edge for stability in the cut and upswept tip for aiding in deboning, the 9" Fishcrafter™ knife's durable Santoprene® handle has a finger guard with jimping to prevent slipping during push-cuts.

→ CPM-MagnaCut steel with SelectEdge®

→ White logo lasermark prevents corrosion

→ Santoprene handle provides solid grip

→ 7" and 9" blade options

THE MIGHTY  
FISHCRAFTER™

## Undercurrent™

18040S BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Sheepsfoot
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Santoprene®
- » **BLADE LENGTH** - 4.32" (10.98cm)
- » **BLADE THICKNESS** - 0.120" (3.05mm)
- » **OPEN** - 9.44" (23.97cm)
- » **WEIGHT** - 5.38oz (152.52g)
- » **HANDLE THICKNESS** - 0.846" (21.49mm)
- » **SHEATH** - Sonar Gray injection molded with thumb release
- » **SHEATH WEIGHT** - 1.6oz (45.36g)



### CONFIGURATIONS/MSRP

18040S : SERR : \$250

## Intersect™

18050 BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Santoprene®
- » **BLADE LENGTH** - 2.68" (6.81cm)
- » **BLADE THICKNESS** - 0.120" (3.05mm)
- » **OPEN** - 6.55" (16.64cm)
- » **WEIGHT** - 2.36oz (66.91g)
- » **HANDLE THICKNESS** - 0.0625" (15.88mm)
- » **SHEATH** - Sonar Gray injection molded with reversible pocket clip and Hypalon retention strap
- » **SHEATH WEIGHT** - 1.54oz (43.66g)



### CONFIGURATIONS/MSRP

18050 : : \$200

## Intersect™

18050S BENCHMADE DESIGN



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Santoprene®
- » **BLADE LENGTH** - 2.68" (6.81cm)
- » **BLADE THICKNESS** - 0.120" (3.05mm)
- » **OPEN** - 6.55" (16.64cm)
- » **WEIGHT** - 2.36oz (66.9g)
- » **SHEATH** - Sonar Gray injection molded with reversible pocket clip and Hypalon retention strap
- » **SHEATH WEIGHT** - 1.54oz (43.66g)



### CONFIGURATIONS/MSRP

18050S : SERR : \$200



# THE INTERSECT™

A fisherman's minimalist, tough-as-nails cutting tool, the Intersect™ is a versatile fixed blade built for convenient and quick access when seconds matter. An EDC for the adventurist, the Intersect™ dons a 2.75" drop-point blade forged of CPM-MagnaCut steel. This compact knife is ideal for finer tasks like cutting tangled line. The Intersect™ features a Santoprene handle and spine jimping for a secure grip and pinch cuts when wet. Purposefully designed with a quick mount sheath that attaches to pockets, belts, backpacks, waders, and beyond.

→ CPM-MagnaCut steel

BEST FOR  
GENERAL  
CUTTING TASKS

→ White logo lasermark prevents corrosion

→ Santoprene handle provides solid grip

→ Long spine jimping for increased blade control



# THE MINI ADIRA™

The mini variant of our waterman's favorite folder, the versatile Mini Adira™ is a heavy-use EDC built for tasks in wet environments. Featuring a 3.21" drop-point blade made of CPM-MagnaCut stainless steel, this pocket-ready fisherman's folder uses an AXIS® Lock mechanism with stainless steel springs for corrosion resistance, plus high-vis colored details and a useful orange lanyard for easy access. From prepping bait on a hook to slicing lines for a new rig, the Mini Adira™'s got your back on and off the water.

→ Paracord lanyard + bead

→ White logo lasermark prevents corrosion

→ Grivory® handle with texture for a lightweight feel

→ Higher corrosion resistant 17-7PH omega spring

BEST FOR HARD USE,  
BAIT PREP, EDC AND  
GENERAL CUTTING  
TASKS



## Adira™

18060 BENCHMADE DESIGN



- » MECHANISM - AXIS® lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - CPM-MagnaCut (60-62HRC)
- » HANDLE - Depth Blue Grivory®
- » BLADE LENGTH - 3.88" (9.86cm)
- » BLADE THICKNESS - 0.114" (2.90mm)
- » OPEN - 9.00" (22.86cm)
- » CLOSED - 5.12" (13.00cm)
- » WEIGHT - 4.23oz (119.92g)
- » HANDLE THICKNESS - 0.67" (16.84mm)



### CONFIGURATIONS/MSRP


18060 : : : \$250

## Adira™

18060S BENCHMADE DESIGN



- » MECHANISM - AXIS® lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - CPM-MagnaCut (60-62HRC)
- » HANDLE - Depth Blue Grivory®
- » BLADE LENGTH - 3.88" (9.86cm)
- » BLADE THICKNESS - 0.114" (2.90mm)
- » OPEN - 9.00" (22.86cm)
- » CLOSED - 5.12" (13.00cm)
- » WEIGHT - 4.23oz (119.92g)
- » HANDLE THICKNESS - 0.67" (16.84mm)



### CONFIGURATIONS/MSRP


18060S : SERR : : \$250

## Adira™

18060BT-01 BENCHMADE DESIGN



- » MECHANISM - AXIS® lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - CPM-MagnaCut (60-62HRC)
- » HANDLE - Tempest Gray Grivory®
- » BLADE LENGTH - 3.88" (9.86cm)
- » BLADE THICKNESS - 0.114" (2.90mm)
- » OPEN - 9.00" (22.86cm)
- » CLOSED - 5.12" (13.00cm)
- » WEIGHT - 4.23oz (119.92g)
- » HANDLE THICKNESS - 0.663" (16.84mm)



### CONFIGURATIONS/MSRP

18060BT-01 : BLUE : \$260

**EST SHIP DATE: MAY**  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



# DARK WATER

The newest additions to the Adira™ and Mini Adira™ now feature a Tempest Gray Grivory® handle and a Blue Titanium blade finish, evoking the deep, mysterious allure of the water. This new palette captures the cool, enigmatic essence of the depths, making each tool as striking and capable as the waters it's designed to navigate.

## Adira™


18060SBT-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Tempest Gray Grivory®
- » **BLADE LENGTH** - 3.88" (9.86cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 9.00" (22.86cm)
- » **CLOSED** - 5.12" (13.00cm)
- » **WEIGHT** - 4.23oz (119.92g)
- » **HANDLE THICKNESS** - 0.663" (16.84mm)

**EST SHIP DATE: MAY**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



**CONFIGURATIONS/MSRP**

18060SBT-01 : SERR : BLUE : \$260

## Mini Adira™

18065 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.25" (10.80cm)
- » **WEIGHT** - 3.09oz (87.60g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)

**EST SHIP DATE: MAY**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



**CONFIGURATIONS/MSRP**

18065 : SERR : BLUE : \$230

## Mini Adira™


18065S BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Depth Blue Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.25" (10.80cm)
- » **WEIGHT** - 3.09oz (87.60g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)

**EST SHIP DATE: MAY**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



**CONFIGURATIONS/MSRP**

18065S : SERR : BLUE : \$230

## Mini Adira™


18065BT-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Tempest Gray Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.25" (10.80cm)
- » **WEIGHT** - 3.09oz (87.60g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)

**EST SHIP DATE: MAY**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

18065BT-01 :: BLUE :: \$240

## Mini Adira™


18065SBT-01 BENCHMADE DESIGN



- » **MECHANISM** - AXIS® lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-MagnaCut (60-62HRC)
- » **HANDLE** - Tempest Gray Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.90mm)
- » **OPEN** - 7.46" (18.95cm)
- » **CLOSED** - 4.25" (10.80cm)
- » **WEIGHT** - 3.09oz (87.60g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)

**EST SHIP DATE: MAY**

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



### CONFIGURATIONS/MSRP

18065SBT-01 :: SERR :: BLUE :: \$240



# THE WATER COLLECTION

Crafted to withstand the salt of the sea, the chilling temperatures of a winter run, and everything in between, your Benchmade is your lifelong companion for every adventure.

Inspired by the tough conditions of the Pacific Northwest, its rugged resilience will give you the confidence you need when your greatest catch is on the line.

INTO THE WILD  
BELOW




LOCATION  
- MAUPIN, OREGON

→ MAN'S BEST FRIEND

SAFETY GEAR ←  
- PRO UPLAND VEST

- AS THE SUN RISES, THE FIELDS STIR WITH EAGER DOGS  
AND HUNTERS ON THE LOOKOUT FOR THE SUDDEN BURST  
OF PHEASANT WINGS. WITH BENCHMADE HUNT KNIVES BY  
YOUR SIDE, YOU'RE READY FOR EVERY MOMENT OF THE  
ADVENTURE. IT'S A BLEND OF ANTICIPATION AND CALM  
THAT MAKES EACH HUNT TRULY UNFORGETTABLE.



↑ GAME DAY  
READY

# HUNT

## Raghorn®

15600OR



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® tool steel (63-65 HRC)
- » **HANDLE** - Carbon Fiber
- » **BLADE LENGTH** - 4.65" | 11.81cm
- » **BLADE THICKNESS** - 0.11" | 2.29mm
- » **OPEN** - 8.90" | 22.61cm
- » **WEIGHT** - 3.56oz | 47.34g
- » **HANDLE THICKNESS** - 0.64" | 8.89mm
- » **SHEATH WEIGHT** - 1.60oz | 21.55g
- » **SHEATH** - Orange/Black Boltaron®



### CONFIGURATIONS/MSRP

15600OR :: ORANGE :: \$420

## Raghorn®

15600-01



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - OD Green G10
- » **BLADE LENGTH** - 4.65" | 11.81cm
- » **BLADE THICKNESS** - 0.11" | 2.29mm
- » **OPEN** - 8.90" | 22.61cm
- » **WEIGHT** - 3.56oz | 47.34g
- » **HANDLE THICKNESS** - 0.64" | 8.89mm
- » **SHEATH WEIGHT** - 1.60oz | 21.55g
- » **SHEATH** - Orange Boltaron®



### CONFIGURATIONS/MSRP

15600-01 :: :: \$300

## Steep Country

15006-01



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-S30V stainless steel (59-60HRC)
- » **HANDLE** - Dark Olive Santoprene
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 6.42" (16.31cm)
- » **WEIGHT** - 3.00oz (85.04g)
- » **HANDLE THICKNESS** - 0.58" (14.73mm)
- » **SHEATH WEIGHT** - 1.2oz / 34.02g



### CONFIGURATIONS/MSRP

15006-01 :: :: \$180

## Saddle Mountain Skinner

15002-1



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - Richlite w/ Orange G10 Base Layer
- » **BLADE LENGTH** - 4.20" | 10.67cm
- » **BLADE THICKNESS** - 0.12" | 3.048mm
- » **OPEN** - 8.70" | 22.10cm
- » **WEIGHT** - 4.30oz | 121.90g
- » **HANDLE THICKNESS** - 0.66" | 16.76mm
- » **SHEATH WEIGHT** - 1.38oz | 39.12g
- » **SHEATH** - Orange Boltaron®



### CONFIGURATIONS/MSRP

15002-1 :: :: \$280  
15002 :: :: \$220

## Hidden Canyon Hunter

15017



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60HRC)
- » **HANDLE** - Stabilized Wood
- » **BLADE LENGTH** - 2.79" | 7.09cm
- » **BLADE THICKNESS** - 0.12" | 3.048mm
- » **OPEN** - 6.42" | 16.31cm
- » **WEIGHT** - 2.81oz | 79.66g
- » **HANDLE THICKNESS** - 0.55" | 13.97mm
- » **SHEATH WEIGHT** - 2.01oz | 57.1g
- » **SHEATH** - Brown Leather



### CONFIGURATIONS/MSRP

15017 :: :: \$200  
15017-1 :: :: \$260

## Altitude®

15201OR



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S45VN stainless steel (60-62 HRC)
- » **HANDLE** - Carbon Fiber
- » **BLADE LENGTH** - 3.08" | 7.82cm
- » **BLADE THICKNESS** - 0.09" | 2.29mm
- » **OPEN** - 7.38" | 18.75cm
- » **WEIGHT** - 1.95oz | 55.28g
- » **HANDLE THICKNESS** - 0.35" | 8.89mm
- » **SHEATH WEIGHT** - 0.86oz | 24.38g
- » **SHEATH** - Orange/Black Boltaron®



### CONFIGURATIONS/MSRP

15201OR :: :: \$300  
ORANGE :: :: \$300

## Flyway®

15700



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Straight Back
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Orange G10
- » **BLADE LENGTH** - 2.70" | 6.86cm
- » **BLADE THICKNESS** - 0.09" | 2.28mm
- » **OPEN** - 6.96" | 17.68cm
- » **WEIGHT** - 2.10oz | 59.53g
- » **HANDLE LENGTH** - 4.26" | 10.82mm
- » **HANDLE THICKNESS** - 0.61" | 15.49mm
- » **SHEATH WEIGHT** - 0.70oz | 19.84g
- » **SHEATH** - Orange/Black Boltaron®



### CONFIGURATIONS/MSRP

15700 :: :: :: \$200

## Flyway®

15700-01



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Straight Back
- » **BLADE STEEL** - CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - OD Green G10 w/ Anodized Hardware
- » **BLADE LENGTH** - 2.70" | 6.86cm
- » **BLADE THICKNESS** - 0.09" | 2.28mm
- » **OPEN** - 6.96" | 17.68cm
- » **WEIGHT** - 2.10oz | 59.53g
- » **HANDLE LENGTH** - 4.26" | 10.82mm
- » **HANDLE THICKNESS** - 0.61" | 15.49mm
- » **SHEATH WEIGHT** - 0.70oz | 19.84g
- » **SHEATH** - Orange Boltaron®



### CONFIGURATIONS/MSRP

15700-01 :: :: :: \$260

## Meatcrafter® 6"

15500-3



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point
- » **BLADE STEEL** - CPM-S45VN stainless steel (60-62- HRC)
- » **HANDLE** - OD Green G10
- » **BLADE LENGTH** - 6.09" | 15.47cm
- » **BLADE THICKNESS** - 0.09" | 2.29mm
- » **OPEN** - 11.08" | 28.14cm
- » **WEIGHT** - 5.13oz | 145.43g
- » **HANDLE THICKNESS** - 0.67" | 17.02mm
- » **SHEATH WEIGHT** - 1.77oz | 50.18g
- » **SHEATH** - Orange/Black Boltaron®



### CONFIGURATIONS/MSRP

15500-3 :: :: :: \$350

## Meatcrafter® 6"

15500-04



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Dark Olive Santoprene®
- » **BLADE LENGTH** - 6.09" | 15.47cm
- » **BLADE THICKNESS** - 0.09" | 2.29mm
- » **OPEN** - 11.08" | 28.14cm
- » **WEIGHT** - 3.24oz | 91.85g
- » **HANDLE THICKNESS** - 0.67" | 17.02mm
- » **SHEATH WEIGHT** - 1.77oz | 50.18g
- » **SHEATH** - Orange/Gray Boltaron®



### CONFIGURATIONS/MSRP

15500-04 :: :: :: \$200

## Meatcrafter® 4"

15505



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Dark Olive Santoprene®
- » **BLADE LENGTH** - 4.01" | 10.19cm
- » **BLADE THICKNESS** - 0.09" | 2.29mm
- » **OPEN** - 8.86" | 22.50cm
- » **WEIGHT** - 2.71oz | 76.82g
- » **HANDLE THICKNESS** - 0.67" | 17.02mm
- » **SHEATH** - Orange/Gray Boltaron®



### CONFIGURATIONS/MSRP

15505 :: :: :: \$180



# FIELD READY

Get the right Benchmade hunting knives to meet your needs in the field. From field processing game animals and upland birds to outdoor tasks and camp chores, Benchmade's tough and reliable hunting knives are purpose-built for optimum performance season after season.



## Crooked River

15080-2



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Stabilized wood w/ Anodized Aluminum Bolsters
- » **BLADE LENGTH** - 4.00" | 10.16cm
- » **BLADE THICKNESS** - 0.12" | 3.15mm
- » **OPEN** - 9.30" | 23.62cm
- » **CLOSED** - 5.33" | 13.54cm
- » **WEIGHT** - 5.41oz | 93.27g
- » **HANDLE THICKNESS** - 0.60" | 15.24mm



CONFIGURATIONS/MSRP

15080-2 :: :: :: \$320

## Mini Crooked River

15085BK-04



HUNT



SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - Battlewash DLC CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge®
- » **HANDLE** - Black Canvas Micarta w/ Burnt Copper Anodized Aluminum Bolsters
- » **BLADE LENGTH** - 3.40" | 8.64cm
- » **BLADE THICKNESS** - 0.11" | 2.642mm
- » **OPEN** - 7.89" | 20.04cm
- » **CLOSED** - 4.50" | 11.43cm
- » **WEIGHT** - 3.20oz | 90.72g
- » **HANDLE THICKNESS** - 0.52" | 13.21mm

EST SHIP DATE: JULY

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



CONFIGURATIONS/MSRP

15085BK-04 :: :: BLACK :: TBD

## Mini Crooked River

15085-2



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Stabilized Wood w/ Anodized Aluminum Bolsters
- » **BLADE LENGTH** - 3.40" | 8.64cm
- » **BLADE THICKNESS** - 0.11" | 2.642mm
- » **OPEN** - 7.89" | 20.04cm
- » **CLOSED** - 4.50" | 11.43cm
- » **WEIGHT** - 3.20oz | 90.72g
- » **HANDLE THICKNESS** - 0.52" | 13.21mm



CONFIGURATIONS/MSRP

15085-2 :: :: :: \$300

## Grizzly Creek

15062



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Stabilized Wood
- » **BLADE LENGTH** - 3.49" | 8.86cm
- » **BLADE THICKNESS** - 0.12" | 3.150mm
- » **OPEN** - 7.81" | 19.84cm
- » **CLOSED** - 4.33" | 11cm
- » **WEIGHT** - 4.18oz | 118.50g
- » **HANDLE THICKNESS** - 0.60" | 15.24mm



CONFIGURATIONS/MSRP

15062 :: :: :: \$275

## Crooked River

15080BK-04



HUNT



SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - Battlewashed DLC CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge®
- » **HANDLE** - Black Canvas Micarta w/ Burnt Copper Anodized Aluminum Bolsters
- » **BLADE LENGTH** - 4.00" | 10.16cm
- » **BLADE THICKNESS** - 0.12" | 3.15mm
- » **OPEN** - 9.30" | 23.62cm
- » **CLOSED** - 5.33" | 13.54cm
- » **WEIGHT** - 5.41oz | 93.27g
- » **HANDLE THICKNESS** - 0.60" | 15.24mm



CONFIGURATIONS/MSRP

15080BK-04 :: :: :: TBD

## North Fork

15032



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-S30V stainless steel (58-60 HRC)
- » **HANDLE** - Stabilized Wood
- » **BLADE LENGTH** - 2.97" | 7.54cm
- » **BLADE THICKNESS** - 0.114" | 2.90mm
- » **OPEN** - 6.87" | 17.45cm
- » **CLOSED** - 3.90" | 9.91cm
- » **WEIGHT** - 3.82oz (108.3g)
- » **HANDLE THICKNESS** - 0.53" | 13.46mm



CONFIGURATIONS/MSRP

15032 :: :: :: \$230

EST SHIP DATE: JULY

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



HUNT

## Taggedout®

15535



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Orange Grivory®
- » **BLADE LENGTH** - 3.50" | 8.89cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 8.13" | 20.65cm
- » **CLOSED** - 4.63" | 11.76cm
- » **WEIGHT** - 2.10oz | 59.53g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



### CONFIGURATIONS/MSRP

15535 :: \$200

## Taggedout®

15536



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-S45VN stainless steel (60-62 HRC)
- » **HANDLE** - OD Green G10 with orange anodized backspacer
- » **BLADE LENGTH** - 3.50" | 8.89cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 8.13" | 20.65cm
- » **CLOSED** - 4.63" | 11.76cm
- » **WEIGHT** - 2.89oz | 81.90g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



### CONFIGURATIONS/MSRP

15536 :: \$300

## Taggedout®

15535OR-01



HUNT

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC)
- » **HANDLE** - Carbon Fiber with orange anodized backspacer
- » **BLADE LENGTH** - 3.50" | 8.89cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 8.13" | 20.65cm
- » **CLOSED** - 4.63" | 11.76cm
- » **WEIGHT** - 2.44oz | 69.17g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



### CONFIGURATIONS/MSRP

15535OR-01 :: ORANGE :: \$375

## Taggedout®

15536GN-01




HUNT



SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Tan Grivory®
- » **BLADE LENGTH** - 3.04" | 7.72cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 7.12" | 18.08cm
- » **CLOSED** - 4.1" | 10.41cm
- » **WEIGHT** - 2.10oz | 59.53g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



### CONFIGURATIONS/MSRP

15536GN-01 :: GREEN :: TBD

### EST SHIP DATE: SEP

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

## Taggedout®

15536TN-02




HUNT



SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 stainless steel (58-61 HRC)
- » **HANDLE** - Deep olive Grivory®
- » **BLADE LENGTH** - 3.04" | 7.72cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 7.12" | 18.08cm
- » **CLOSED** - 4.1" | 10.41cm
- » **WEIGHT** - 2.10oz | 59.53g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



### CONFIGURATIONS/MSRP

15536TN-02 :: TAN :: TBD

### EST SHIP DATE: SEP

AVAILABLE TO ORDER SPRING 2025  
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

## Mini Taggedout®

15533



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - 154CM stainless steel (58-61HRC)
- » **HANDLE** - Orange Grivory®
- » **BLADE LENGTH** - 3.04" | 7.72cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 7.12" | 18.08cm
- » **CLOSED** - 4.1" | 10.41cm
- » **WEIGHT** - 1.68oz | 47.63g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



CONFIGURATIONS/MSRP

15533 :: \$190

## Mini Taggedout®

15534



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-S45VN (60-62 HRC) stainless steel
- » **HANDLE** - OD Green G10 with orange anodized backspacer
- » **BLADE LENGTH** - 3.04" | 7.72cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 7.12" | 18.08cm
- » **CLOSED** - 4.1" | 10.41cm
- » **WEIGHT** - 2.33oz | 66.05g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



CONFIGURATIONS/MSRP

15534 :: \$290

## Mini Taggedout®

15533OR-01



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-point featuring SelectEdge®
- » **BLADE STEEL** - CPM-Magnacut stainless steel (60-62 HRC) featuring SelectEdge
- » **HANDLE** - Carbon Fiber with orange anodized backspacer
- » **BLADE LENGTH** - 3.04" | 7.72cm
- » **BLADE THICKNESS** - 0.09" | 2.286cm
- » **OPEN** - 7.12" | 18.08cm
- » **CLOSED** - 4.1" | 10.41cm
- » **WEIGHT** - 2.33oz | 66.05g
- » **HANDLE THICKNESS** - 0.49" | 12.446mm



CONFIGURATIONS/MSRP

15533OR-01 :: ORANGE :: \$365



# THE MINI TAGGEDOUT®

Whether you're packing out your harvest or packing your everyday carry essentials, the new ultralight 15533OR-01 Mini Taggedout® shaves even more ounces off your kit than its full-size counterpart while retaining all its premium features. Wielding a super tough, corrosion resistant CPM-MagnaCut stainless steel blade with SelectEdge® tech and a hi-vis orange Cerakote® finish, the 15533OR-01 keeps its featherweight figure thanks to the carbon fiber handle scales. With a thumb hole, black oxide hardware, and a mini deep carry pocket clip paired with an orange anodized backspacer, the 15533OR-01 performs just as nimblly as an EDC off-site.

→ CPM-MagnaCut (60-62 HRC) super stainless steel

→ Carbon Fiber handle

→ Featuring SelectEdge® technology

→ Clip-point blade style

A HUNTER'S EDC





**LOCATION**

- ARIZONA DESERT, JUST  
OUTSIDE OF FLAGSTAFF

- UNDER THE ARIZONA SKY, THE 3 PIECE SET IS READY FOR CAMPFIRE COOKING. THIS SET IS PERFECT FOR EVERY STEP OF MEAL PREP, FROM SLICING FRESH INGREDIENTS TO SERVING UP YOUR FINISHED DISH. IT'S THE ULTIMATE TOOL FOR TURNING OUTDOOR MEALS INTO MEMORABLE EXPERIENCES.



## Station Knife

4010BK-01




### CONFIGURATIONS/MSRP

4010BK-01 : BLACK : \$425

## Station Knife

4010-02



### CONFIGURATIONS/MSRP

4010-02 : : : \$340



## 3 Piece Set

4000BK-01



**MECHANISM** - Fixed blade

**BLADE STYLE** - Drop-point featuring SelectEdge®

**BLADE STEEL** - CPM-154 wear resistant stainless steel (58-61HRC)

**HANDLE** - OD Green G10 with Black G10 bolster

**EXTRA** - Gold Pivot Ring

### CONFIGURATIONS/MSRP

4000BK-01 : BLACK : \$1,100



### Paring Knife

**BLADE LENGTH** - 4.30" (10.92cm)

**BLADE THICKNESS** - 0.090" | 2.29mm

**OPEN** - 8.78" | 22.30cm

**WEIGHT** - 3.52oz | 99.79g

**HANDLE THICKNESS** - 0.58" | 14.83mm

### Utility Knife

**BLADE LENGTH** - 6.16" (15.65cm)

**BLADE THICKNESS** - 0.114" | 2.896mm

**OPEN** - 10.63" | 27.00cm

**WEIGHT** - 4.72oz | 133.81g

**HANDLE THICKNESS** - 0.61" | 15.44mm

### Chef Knife

**BLADE LENGTH** - 8.04" (20.42cm)

**BLADE THICKNESS** - 0.114" | 2.896mm

**OPEN** - 13.02" | 33.07cm

**WEIGHT** - 7.37oz | 208.94g

**HANDLE THICKNESS** - 0.61" | 15.44mm

## 3 Piece Set

4000-02



**MECHANISM** - Fixed blade

**BLADE STYLE** - Drop-point featuring SelectEdge®


**BLADE STEEL** - CPM-154 wear resistant stainless steel (58-61HRC)

**HANDLE** - Maple Valley Richlite with Black G10 bolster

**EXTRA** - Gold Pivot Ring

### CONFIGURATIONS/MSRP

4000-02 : : : \$900



## Meatcrafter®

4050BK-01



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Wear Resistant stainless steel (58-61 HRc)
- » **HANDLE** - OD Green G10 with Black G10 Bolster
- » **BLADE LENGTH** - 6.14" | 15.6cm
- » **BLADE THICKNESS** - 0.090" | 2.29mm
- » **OPEN** - 11.13" | 28.27 cm
- » **WEIGHT** - 5.13oz | 145.43g
- » **HANDLE THICKNESS** - 0.584" | 14.83mm
- » **EXTRA** - Gold Pivot Ring

**EST SHIP DATE: APR**



### CONFIGURATIONS/MSRP

4050BK-01 :: BLACK :: \$375

## Meatcrafter®

4050-02



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Wear Resistant stainless steel (58-61 HRc)
- » **HANDLE** - Maple Valley Richlite with Black G10 Bolster
- » **BLADE LENGTH** - 6.14" | 15.6cm
- » **BLADE THICKNESS** - 0.090" | 2.29mm
- » **OPEN** - 11.13" | 28.27 cm
- » **WEIGHT** - 5.13oz | 145.43g
- » **HANDLE THICKNESS** - 0.584" | 14.83mm
- » **EXTRA** - Gold Pivot Ring

**EST SHIP DATE: APR**



### CONFIGURATIONS/MSRP

4050-02 :: SERR :: \$315



## Table Knife Set

4001



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stonewash
- » **HANDLE** - Black G10
- » **BLADE LENGTH** - 5.13" | 13.03cm
- » **BLADE THICKNESS** - 0.09" | 2.29mm
- » **OPEN** - 9.2" | 23.37cm
- » **WEIGHT** - 3.19oz | 90.43g
- » **HANDLE THICKNESS** - 0.59" | 14.99mm



### CONFIGURATIONS/MSRP

4001 :: SERR :: \$600



# GOLD CLASS

BEST IN CLASS  
→

In the waning moments of an Arctic sunset, a vivid purple haze is all that remains as the sky fades to black. Inspired by this mysterious spectacle, we crafted a unique unlimited limited EDC for the hardcore collector, the Gold Class 585BK-251 UNLTD/LTD Mini Barrage®. Designed with fast-deploying Axis Lock Assist for boosted actuation, the 585BK-251 UNLTD/LTD Mini Barrage® features premium Purple Haze FatCarbon handle scales, Abyss PVD-coated hardware, and a Black DLC Battlewash finished CPM-S90V stainless steel drop-point



## 2025 Gold Class Mini Barrage®

585BK-251 OSBORNE DESIGN



- » **MECHANISM** - AXIS® Assist with integrated safety
- » **BLADE STYLE** - Drop-point
- » **BLADE STEEL** - Battlewashed DLC CPM-S90V stainless steel (59-61 HRC)
- » **HANDLE** - FatCarbon® Purple Haze
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.100" (2.540mm)
- » **OPEN** - 6.91" (17.55cm)
- » **CLOSED** - 4.00" (10.16cm)
- » **WEIGHT** - 3.76oz (106.59g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



### CONFIGURATIONS/MSRP

585BK-251 : BLACK : \$500

EST SHIP DATE: JAN

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

# SHARPENERS



## 14° Guided Hone Tool

14° Guided Hone Tool designed specifically for SelectEdge™ with a controlled 14 degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

**50082 (Single)**

+ PRICE - \$30.00

**50083 (12 Pack)**

+ PRICE - \$360.00



## 20° Guided Hone Tool

20° Guided Hone Tool with a controlled 20 degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

**50080 (Single)**

+ PRICE - \$30.00

**50081 (12 Pack)**

+ PRICE - \$360.00



## Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

**100604F**

+ PRICE - \$50.00

# SHEATHS

## Blue Class

### Model Specific

- 104747F** - 163 Leather  
+ PRICE - \$40.00
- 104562F** - 163 PIM  
+ PRICE - \$40.00
- 104764F** - 165 PIM  
+ PRICE - \$35.00
- 104765F** - 165 Leather  
+ PRICE - \$35.00
- 105551F** - 203 Dacian Grivory (Russet Brown)  
+ PRICE - \$30.00
- 105291F** - 203 Dacian Grivory (Crater Blue)  
+ PRICE - \$30.00
- 105479F** - 203 Dacian Grivory (Black Grivory)  
+ PRICE - \$30.00
- 102658F** - Necron 99 (Black Nylon)  
+ PRICE - \$30.00
- 104997F** - Laro 82 (Black Boltaron)  
+ PRICE - \$25.00

## Hunt

### Model Specific

- 102637F** - 15017-1 Hidden Canyon  
+ PRICE - \$40.00
- 103195F** - 15017 Hidden Canyon  
+ PRICE - \$35.00
- 102638F** - 15002 Saddle Mt. (Black Boltaron®)  
+ PRICE - \$40.00
- 103193F** - 15002 Saddle Mt. (Brown leather)  
+ PRICE - \$35.00
- 105387F** - 15006 Steep Country  
+ PRICE - \$40.00
- 105045F - 15505** - Meatcrafter 4" (Boltaron Orng/Gry)  
+ PRICE - \$40.00
- 105235F - 15500-04** - Meatcrafter 6" (Boltaron Orng/Gry)  
+ PRICE - \$40.00

## Black Class

### Model Specific

- 987592F** - 375BK-1 Fixed Adamas® (Black)
- 102803F** - 375FE-1 Fixed Adamas® (Ranger green)  
+ PRICE - \$50.00
- 101622F** - 173BK Mini SOCP®  
+ PRICE - \$25.00
- 987495F** - 176BK SOCP® (Black)  
+ PRICE - \$25.00
- 987496F** - 176BK SOCP® (Sand)  
+ PRICE - \$25.00
- 102119F** - KIT SOCP® Leather Tab  
+ PRICE - \$10.00

## Water

### Model Specific

- 104950** - Fishcrafter 7"  
+ PRICE - \$25.00
- 104976** - Fishcrafter 9"  
+ PRICE - \$25.00
- 105002** - Undercurrent  
+ PRICE - \$25.00
- 104773** - Intersect  
+ PRICE - \$25.00



## Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- 981086F** - Soft Sheath, small (1.625" W x 5" D), black
- 981087F** - Soft Sheath, large (2" W x 5.25" D), black
- 981717F** - Soft Sheath, 4" Bali-Song® Series, black  
+ PRICE - \$15.00



## 7-Hook (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- 984166F** - Black
- 984205F** - Foliage Green
- 984204F** - Coyote
- + PRICE - \$15.00

## 8-Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- 985398F** - Black
- 985570F** - Foliage Green
- 985569F** - Coyote
- + PRICE - \$18.00



## Tek-Lok™

Multiple position options, with compatible sheath.

- 981609F** - Tek-Lok™, large size  
+ PRICE - \$20.00



## Soft Sheath with MALICE Clip

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- 984818F** - Black  
+ PRICE - \$30.00



# ACCESSORIES



## Lanyards

103488F - Lanyard, Bead, Blue  
103489F - Lanyard, Bead, Rose Gold  
104331F - Lanyard, Bead, DLC  
104984F - Lanyard, Nylon Bead, Black

+ PRICE - \$20



## Malice Clips®

Add MALICE® Clips to Fight Light

102789F - Short Blk (3" size)  
102790F - Short Snd (3" size)  
103226F - Long Blk (5" size)  
+ PRICE - \$4.00



## Benchmade Ferro Rod

50023 - BLUE  
50024 - GRAY  
  
+ STYLE - Ferro Rod  
+ MATERIAL - Blue anodized 6061-T6 aluminum tinder capsule  
+ STRIKER - 5/16" by 3.10" ferrocerium rod  
+ EXTRA - QuickLIGHT™ waterproof tinder  
+ ORIGIN - Made in the USA by Exotac  
  
+ PRICE - \$50.00



## Multi-Bit Driver

50141 - Hanging  
+ PRICE - \$75.00  
104688F - Replacement bit  
+ PRICE - \$30.00



## BlueLube® Lubricant

983900F

+ PRICE - \$15.00

## BlueLube® Cleanser

983901F

+ PRICE - \$20.00

Clean, lubricate, and protect your Benchmade.



## Cutlery Knife Roll

50019

+ STYLE - Knife Roll  
+ COLOR - Gray with black accents  
+ MATERIAL - 1680 nylon and urethane coating construction  
+ CAPACITY - Holds up to eleven knives and two pens  
+ EXTRA - Two integrated loop panels for morale patches  
+ PRICE - \$75.00



## DESIGNER COLLABORATIONS

Benchmade's collaborations with custom designers has created the most innovative and functional designs in the industry. These skilled artisans and craftsmen poured their passion into these designs and agonized over every detail. By collaborating with a selection of world-class custom designers, we were able to tap into innovative locking mechanisms, modern materials, and custom blending and finishing techniques.



### MEL PARDUE

The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.



### SHANE SIBERT

Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



### McHenry & Williams

#### BILL MCHENRY & JASON WILLIAMS

Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



### WARREN OSBORNE

Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



# NEW TO SEASON 1 '25

**SEASON 1** products are available to order Fall 2024, and will launch to consumers January - June 2025.

*JAN.  
LAUNCH*



585BK-251

*FEB.  
LAUNCH*



537BK-06



565PL-2501

*MARCH  
LAUNCH*



581BK-04



585BK-04



581-03



535-09



865SBK



865BK-01



865-02

*APRIL  
LAUNCH*



4050BK-01



4050-02



535SL-13



533SL-10

*MAY  
LAUNCH*




18050S



18060S



18065S



18060BT-01



18060SBT-01



18065BT-01



18065SBT-01

# NEW TO SEASON 2 '25

**SEASON 2** products are available to order Spring 2025 and will launch to consumers July - December 2025. Product specifications are subject to change.

*JULY  
LAUNCH*



537BK-07



537SBK-07



15080BK-04



15085BK-04



203BK-02

*AUG.  
LAUNCH*



710-25



940-04



945-04



491



491GY-01

*SEPT.  
LAUNCH*



536



536GY-01



593GY-02



15536GN-01



15536TN-02

*OCT.  
LAUNCH*



537-09



537BK-10



315



315BK-01





**YOURS, FOR LIFE.**

## **USA DEALERS**

CUSTOMER  
SERVICE/SALES

TELEPHONE:  
Local: 503.354.1406  
Toll Free: 855.569.4738

CUSTOMER  
SERVICE FAX:  
503.496.1896

EMAIL:  
[salesteam@benchmade.com](mailto:salesteam@benchmade.com)

WEB:  
[dealer.benchmade.com](http://dealer.benchmade.com)

## **CONSUMER CUSTOMER SERVICE**

CUSTOMER  
SERVICE/SALES

TELEPHONE:  
Toll Free: 1.833.557.2526  
International: 1-503-655-6004

EMAIL:  
[info@benchmade.com](mailto:info@benchmade.com)

WEB:  
[benchmade.com](http://benchmade.com)

## **LAW ENFORCEMENT**

CUSTOMER  
SERVICE/SALES

TELEPHONE:  
855.569.4738  
(ASK FOR LE SALES)

EMAIL:  
[lesales@benchmade.com](mailto:lesales@benchmade.com)

WEB:  
[benchmade.com](http://benchmade.com)

## **FEDERAL GOVERNMENT**

CUSTOMER  
SERVICE/SALES

TELEPHONE:  
855.569.4738  
(ASK FOR FED/GOV SALES)

FED/GOV FAX:  
503.496.1896

EMAIL:  
[military@benchmade.com](mailto:military@benchmade.com)

WEB:  
[benchmade.com](http://benchmade.com)

CAGE CODE:  
041N2

## **INTERNATIONAL**

CUSTOMER  
SERVICE/SALES

TELEPHONE:  
1.503.354.1406  
(ASK FOR INTERNATIONAL SALES)

EMAIL:  
[international@benchmade.com](mailto:international@benchmade.com)

WEB:  
[benchmade.com](http://benchmade.com)



**2025 BENCHMADE KNIFE CO., INC**

300 BEAVERCREEK ROAD  
OREGON CITY, OR 97045