



2026 COLLECTION

A full-page background image showing three tactical operators in a desert environment at sunset. The operators are in a ready stance, holding rifles. The sky is a mix of orange, red, and purple, with some clouds. The ground is sandy and dusty, with some sparse desert vegetation. The overall mood is serious and professional.

A MESSAGE FROM OUR PRESIDENT

THE 2026 COLLECTION

As we turn the page to 2026, I want to take a moment to express my appreciation for your continued partnership, your belief in our mission, and your role in carrying the Benchmade story forward.

This year brings exciting momentum. From standout additions to our Black Class and a new evolution of the Bugout® platform, we're delivering products that meet the highest standards of performance, innovation, and purpose. These aren't just new knives—they represent the next step in our commitment to those who rely on Benchmade every day.

Whether you're a long-standing dealer, a new customer, or someone discovering us for the first time, we're grateful to have you with us. Here's to what's next.

Sincerely,

—JON DEASIS

President & CEO
Benchmade Knife Company

TABLE OF CONTENTS

05	TECHNICAL FEATURES	94	HUNT
11	BLADE STEEL	108	CUTLERY
15	BLACK CLASS	122	ACCESSORIES
51	BLUE CLASS	126	PRODUCT INDEX
82	WATER		

NEW TO SEASON 1 '26

Season 1 products are available to order Fall 2025, and will launch to consumers January - June 2026.

JAN.
LAUNCH



177GY 177SN 177GN

FEB.
LAUNCH



535TN-2601 533TN-2601 5371FE-2601

MARCH
LAUNCH



18030 4005BK-01 4005-02 4025BK-01 4025-02 4045BK-01 4045-02 4070BK-01 4070-02

APRIL
LAUNCH

MAY
LAUNCH

JUNE
LAUNCH



543BK

NEW TO SEASON 2 '26

Season 2 products will be available to order Spring 2026, and launch July - October 2026. Product details are an overview; specifications and pricing are subject to change.

JULY
LAUNCH



535FE-2602 940FE-2601 537FE-2601

AUG.
LAUNCH



15090 15090-01 15650 15650-01 15650-KIT 15650-01-KIT 11OR 491BK-02

SEPT.
LAUNCH

OCT.
LAUNCH



174GY 174SN 174BK 393 393SSN-01



EDC

Not obtrusive or uncomfortable in slacks or shorts, just convenient and well fitted to your general needs.



OUTDOOR

From the woods to backpacking or car camping, overlanding or off roading, these versatile cutting tools can be used for many tasks.



SURVIVAL

Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.



WATER

Water environments can be unpredictable. These knives were designed to withstand hard use and cut with precision. You'll never leave land without one.



HUNT

Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



TACTICAL

Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations when every second matters.



RESCUE

Built for critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



CUTLERY

These knives seamlessly transition from camp to the tailgate to the backyard and the kitchen.

HOW YOU CHOOSE YOUR KNIFE

DEPENDS ON HOW YOU LIVE YOUR LIFE

BLADE STYLES



MANUAL OPENING

"Manuals" must be opened 100%, from the closed position to the open position by the user.

ASSISTED OPENING

"Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

AUTOMATIC OPENING

"Autos" have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.

FIXED BLADE

These knives do not fold and almost always come with a sheath to protect the edge.

BALI- SONG

"Bali" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

BK

Black coating, no serrations

SFE

Serrations and flat earth coating

DLC

Diamond-like-carbon coating

SGY

Serrations and gray coating

FE

Flat earth coating

GY

Gray coating, no serrations

SL

Crushed silver coating

OR

Orange coating

S

Serrations, no coating

SBK

Serrations and black coating

Trailing Point

The spine curves upward to create an elevated point that's typically higher than the handle.

Tanto

This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.

Wharncliffe

Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.

Opposing Bevel

Design features a non-uniform blade geometry that creates an offset pry-tip, while maintaining a consistent chisel grind on the cutting edge.

Drop-Point

Drops off the spine to the top. Tip height is typically above the center line on the blade.

Reverse Tanto

Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.

Spear-Point

Must be symmetrical considering the blade profile. *Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.

Scimitar

A slightly curved blade that broadens toward the tip.

Sheepsfoot

The spine of the blade "rolls" into the tip earlier. This blade has a completely straight edge



HANDLE MATERIALS

*Innovation you can hold.
Performance you can trust.*

- BK
Black
- ORG
Orange
- WHT
White
- SN
Sand
- OD
Olive drab
- BLU
Blue

*-1, -2, etc. typically indicate handle material variations

Carbon Fiber

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin that is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

Grivory®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

6AL-4V Titanium

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.

6061-T6 Aluminum

A nonferrous metal originally developed as a premium aircraft grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color-anodized which creates a hard protective surface finish.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

Richlite

Used as a lightweight construction material for decades, Richlite is a durable, multi-layer fibrous paper composite that can be dyed in a wide range of colors.

Stabilized Wood

A composite material of layered sheets of natural, dyed wood backfilled with resin. Stabilized wood is much more resistant to environmental hardships than natural wood.

Santoprene®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.



BLADE STEEL

Where Elite Steels Become Legendary Blades

Corrosion Resistance

Corrosion resistance is measured by the resistance of a blade to oxidization and chemical attack. This is an important consideration when you're going to be in wet or humid environments and need a blade that can stand up to the elements.

Blade Toughness

Blade strength is the maximum stress withstood before a blade breaks or fails. These are among some of the strongest steels in the industry that can stand up to the demands of hard use applications.

Edge Retention


Edge retention is how long a blade can maintain its sharpened edge. When performing cutting tasks over and over, you need an edge that stays sharp. These steels are among some of the best for edge retention.

Blade Strength

Blade toughness is the resistance of a blade to fractures and chipping. This is an important consideration for activities such as batoning or other uses that may involve force on the blade to perform cutting tasks. These steels have exceptional toughness


S30V / HRC:58-60

Developed by Crucible in collaboration with acclaimed knifemaker Chris Reeve. S30V is regarded as a well-rounded, all-purpose blade steel. A first-of-its knife steel designed specifically for use in knife blades, S30V has a very even balance of edge retention, corrosion resistance, and durability for a variety of applications.




154CM / HRC:58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.




DAMASTEEL® / HRC:58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness.




CPM-D2 / HRC:60-62

This powder-metal version of conventional D2 steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength. A great choice for the customer who loves D2 but wants an upgrade in performance.




M4 / HRC:62-64

A powder-metal, nonstainless, special purpose high-speed steel with excellent strength, wear resistance and toughness.




N680 / HRC:57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel.




D2 / HRC:60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys.




440C / HRC:58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry.




CPM-154 / HRC:58-61

This powder-metal version of conventional 154CM steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength.




CruWear® / HRC:63-65

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel. Also known as Z-Wear®, which is a CPM-CruWear® clone material.




20CV / HRC:59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in 20CV.




ELMAX / HRC:59-61

Elmax excels in holding a razor-sharp edge through rigorous use—whether you're slicing, carving, or cutting under pressure.




M390 / HRC:58-61

A super-performance blade steel with exceptional cutting ability, corrosion resistance and wear resistance.



S45VN / HRC:60-62

The higher levels of chromium along with the introduction of nitrogen in S45VN allow for improved corrosion resistance over CPM-S30V and CPM-S90V, while balancing the excellent performance found in both of those steels.





STAY READY



→ ALWAYS
PREPARED

BLACK CLASS

STAY READY

NO SPACE FOR FAILURE - BLACK CLASS
DELIVERS.

Bailout®

537GY-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Woodland Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537GY-1 ⌵ ⌵ GRAY ⌵ \$350

Bailout®

537GY-03 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537GY-03 ⌵ ⌵ GRAY ⌵ \$350

Bailout®

537SGY-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Woodland Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537SGY-1 ⌵ ⌵ GRAY ⌵ \$350

Bailout®

537SGY-03 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537SGY-03 ⌵ SERR ⌵ GRAY ⌵ \$350

Bailout®

537FE-02 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Crater Blue - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537FE-02 ⌵ ⌵ FLAT EARTH ⌵ \$350

Bailout®

537BK-06 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.12" (20.62cm)
- » **WEIGHT** - 2.05oz (58.12g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537BK-06 ⌵ ⌵ BLACK ⌵ \$200



Bailout®

537BK-07 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper - 6061-T6 Anodized Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.12" (20.62cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537BK-07	BLACK	\$350
537SBK-07	SERR BLACK	\$350

Bailout®

537-09 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.12" (20.62cm)
- » **WEIGHT** - 2.181oz (61.83g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537-09		\$400
--------	--	-------

Bailout®

537FE-2601 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Taiga Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.38" (8.59cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.09" (20.55cm)
- » **WEIGHT** - 2.7oz (76.54g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

537FE-2601	FLAT EARTH	\$300
------------	------------	-------

EST SHIP DATE: JUL
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



THE BAILOUT®

537GY-1

For those looking for something a little more robust, the 537GY-1 Bailout® takes lightweight strength one step further. Outfitted with woodland green anodized aluminum handles, and a CPM-M4 blade, this Bailout® can hang with the best of them despite its slim profile.

- M4 High-speed Steel (62-64HRC) blade steel
- Woodland Green 6061-T6 Aluminum handle material
- Tungsten Gray Cerakote® blade finish
- AXIS® lock mechanism

WHEN YOU'RE GOING THE DISTANCE, YOU NEED A KNIFE THAT WILL DO THE SAME.

Featured on page 17

Redoubt®

430BK-02 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.55" (9.02cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.29" (21.06cm)
- » **WEIGHT** - 3.72oz (105.46g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP

430BK-02 | | BLACK | \$200

Mini Presidio® II

575-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Graphite Black - CF-Elite®
- » **BLADE LENGTH** - 3.2" (8.13cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.48" (19.0cm)
- » **WEIGHT** - 3.19oz (90.43g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



CONFIGURATIONS/MSRP

575-1 | | \$225

Redoubt®

431SBK-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger Green/Forest Green - Grivory®
- » **BLADE LENGTH** - 3.53" (8.97cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.27" (21.01cm)
- » **WEIGHT** - 3.7oz (104.89g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP

431SBK-1 | SERR | BLACK | \$200

Triage®

916SBK BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Opposing Bevel
- » **BLADE STEEL** - N680 Stainless Steel (57-59 HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.25" (20.96cm)
- » **WEIGHT** - 5.24oz (148.55g)
- » **HANDLE THICKNESS** - 0.45" (11.43mm)



CONFIGURATIONS/MSRP

916SBK | SERR | BLACK | \$325

Presidio® II

570-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Graphite Black - CF-Elite®
- » **BLADE LENGTH** - 3.72" (9.45cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.72" (22.15cm)
- » **WEIGHT** - 4.97oz (140.9g)
- » **HANDLE THICKNESS** - 0.63" (16.0mm)



CONFIGURATIONS/MSRP

570-1 | | \$250

Tactical Triage®

917SBK BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.48" (8.84cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.33" (21.16cm)
- » **WEIGHT** - 5.28oz (149.69g)
- » **HANDLE THICKNESS** - 0.55" (13.97mm)



CONFIGURATIONS/MSRP

917SBK | | BLACK | \$325



Adamas®
275SGY-1 SIBERT



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.82'' (9.7cm)
- » **BLADE THICKNESS** - 0.14'' (3.56mm)
- » **OPEN** - 8.93'' (22.68cm)
- » **WEIGHT** - 6.54oz (185.41g)
- » **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP			
275SGY-1	SERR	GRAY	\$325
275GY-1		GRAY	\$325
275FE-2		FLAT EARTH	\$325
275SFE-2	SERR	FLAT EARTH	\$325

Mini Adamas®
273FE-2 SIBERT



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Olive Drab - G10
- » **BLADE LENGTH** - 3.25'' (8.26cm)
- » **BLADE THICKNESS** - 0.14'' (3.56mm)
- » **OPEN** - 7.62'' (19.35cm)
- » **WEIGHT** - 4.6oz (130.41g)
- » **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP			
273FE-2		FLAT EARTH	\$275
273GY-1		GRAY	\$275

Mini Adamas®
273-03 SIBERT



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Black - Marbled Carbon Fiber
- » **BLADE LENGTH** - 3.25'' (8.26cm)
- » **BLADE THICKNESS** - 0.14'' (3.56mm)
- » **OPEN** - 7.62'' (19.35cm)
- » **WEIGHT** - 4.6oz (130.41g)
- » **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP			
273-03			\$375

Full Immunity™
290BK BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- » **HANDLE** - Crater Blue - Aluminum
- » **BLADE LENGTH** - 2.49'' (6.32cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 5.94'' (15.09cm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP			
290BK		BLACK	\$325

Full Immunity™
290BK-1 BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- » **HANDLE** - Burnt Bronze - Aluminum
- » **BLADE LENGTH** - 2.49'' (6.32cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 5.94'' (15.09cm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP			
290BK-1		BLACK	\$325

Full Immunity™
290BK-2 BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Wharncliffe
- » **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- » **HANDLE** - Woodland Green - Aluminum
- » **BLADE LENGTH** - 2.49'' (6.32cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 5.94'' (15.09cm)
- » **WEIGHT** - 2.29oz (64.92g)
- » **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP			
290BK-2		BLACK	\$325

Mini Bedlam

865SBK BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **WEIGHT** - 4.91oz (139.2g)
- » **HANDLE THICKNESS** - 0.587" (14.91mm)



CONFIGURATIONS/MSRP

865SBK	SERR	BLACK	\$350
--------	------	-------	-------

Auto Presidio® II

5700SBK BENCHMADE



- » **MECHANISM** - Auto AXIS® Lock with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 6061-T6 Anodized Aluminum
- » **BLADE LENGTH** - 3.72" (9.45cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.72" (22.15cm)
- » **WEIGHT** - 6.3oz (178.6g)
- » **HANDLE THICKNESS** - 0.63" (16.0mm)



CONFIGURATIONS/MSRP

5700SBK	SERR	BLACK	\$400
---------	------	-------	-------

Mini Bedlam

865BK-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black/Coyote/OD - G10
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **WEIGHT** - 4.81oz (136.36g)
- » **HANDLE THICKNESS** - 0.587" (14.91mm)



CONFIGURATIONS/MSRP

865BK-01		BLACK	\$350
----------	--	-------	-------

Auto Adamas®

2750GY-3 SIBERT



- » **MECHANISM** - Auto AXIS® Lock with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Desert Tan - G10
- » **BLADE LENGTH** - 3.8" (9.65cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 6.17oz (174.92g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP

2750GY-3		GRAY	\$425
2750SGY-3	SERR	GRAY	\$425
2750FE-2		FLAT EARTH	\$425
2750SFE-2	SERR	FLAT EARTH	\$425

Mini Bedlam

865-02 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - Marbled Carbon Fiber
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.63" (21.92cm)
- » **WEIGHT** - 4.67oz (132.39g)
- » **HANDLE THICKNESS** - 0.587" (14.91mm)



CONFIGURATIONS/MSRP

865-02			\$450
--------	--	--	-------

Mini Auto Adamas®

2730-03 SIBERT



- » **MECHANISM** - Auto AXIS® Lock with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Black - Marbled Carbon Fiber
- » **BLADE LENGTH** - 3.25" (8.26cm)
- » **BLADE THICKNESS** - 0.14" (3.56mm)
- » **OPEN** - 7.62" (19.35cm)
- » **WEIGHT** - 4.65oz (131.83g)
- » **HANDLE THICKNESS** - 0.632" (16.05mm)



CONFIGURATIONS/MSRP

2730-03			\$500
2730FE-2		FLAT EARTH	\$375
2730GY-1		GRAY	\$375
2730GY		GRAY	\$375



Auto Fact®

4170BK BENCHMADE



- » **MECHANISM** - Auto AXIS® Lock with Safety
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Gray/Black - 6061-T6 Aluminum/Carbon Fiber
- » **BLADE LENGTH** - 3.95" (10.03cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.74" (22.2cm)
- » **WEIGHT** - 3.11oz (88.17g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

4170BK ⋮ ⋮ BLACK ⋮ \$500

CLA

4300-1 BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Green and Black - Textured G10
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.85" (19.94cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

4300-1 ⋮ ⋮ ⋮ \$300

Auto Triage®

9170SBK BENCHMADE



- » **MECHANISM** - Auto AXIS® Lock with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - N680 Stainless Steel (57-59 HRC)
- » **HANDLE** - Black - G10/Aluminum
- » **BLADE LENGTH** - 3.58" (9.09cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.31" (21.11cm)
- » **WEIGHT** - 5.75oz (163.01g)
- » **HANDLE THICKNESS** - 0.58" (14.73mm)



CONFIGURATIONS/MSRP

9170SBK ⋮ SERR ⋮ BLACK ⋮ \$475

CLA

4300BK-02 BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.85" (19.94cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

4300BK-02 ⋮ ⋮ BLACK ⋮ \$400

CLA

4300BK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.85" (19.94cm)
- » **WEIGHT** - 3.47oz (98.37g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

4300BK ⋮ ⋮ BLACK ⋮ \$300

Casbah®

4400BK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.8" (19.81cm)
- » **WEIGHT** - 3.43oz (97.24g)
- » **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP

4400BK ⋮ ⋮ BLACK ⋮ \$250





THE AUTO OSBORNE

9400BK-03 Auto Osborne

Inspired by overland adventure and stylish daily carry, the 9400BK-03 Auto Osborne is our nod to the rugged folks who enjoy dusty, gritty, challenging treks across natural terrain. Reimagined with fast deploying push-button automatic action and an integrated spine safety, this latest variant of the 9400 Auto Osborne features a wear and corrosion resistant MagnaCut® reverse tanto blade with DLC Battlewash finish. Clad in lightweight Burnt Copper anodized 6061-T6 aluminum handle scales to tackle the outdoors, the 9400BK-03 Auto Osborne combines rapid response and timeless knife design for hardcore exploration.

- MagnaCut® Stainless Steel (60-62 HRC)
- Burnt Copper 6061-T6 Aluminum handle
- DLC Battlewash blade steel
- Push Button Auto With Integrated Safety

Featured on page 30

FAST ENOUGH
TO KEEP UP
WITH YOU

Auto Osborne

9400BK-03 BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP

9400BK-03 :: BLACK :: \$350

Auto Osborne

9400 OSBORNE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP

9400 :: BLACK :: \$350

Auto Osborne

9400BK OSBORNE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP

9400BK :: BLACK :: \$350

Mediator®

8551BK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.3" (8.38cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.75" (19.69cm)
- » **WEIGHT** - 2.89oz (81.93g)
- » **HANDLE THICKNESS** - 0.52" (13.21mm)



CONFIGURATIONS/MSRP

8551BK	:	:	BLACK	:	\$350
--------	---	---	-------	---	-------

Claymore

9071BK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.6" (21.84cm)
- » **WEIGHT** - 3.5oz (99.22g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

9071BK	:	:	BLACK	:	\$250
9071BK-1	:	:	BLACK	:	\$250
9071SBK	:	SERR	BLACK	:	\$250
9071SBK-1	:	SERR	BLACK	:	\$250

Claymore

9070BK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.6" (21.84cm)
- » **WEIGHT** - 3.5oz (99.22g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

9070BK	:	:	BLACK	:	\$250
9070SBK	:	SERR	BLACK	:	\$250

Mini Claymore

9570BK-1 BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger green - Grivory®
- » **BLADE LENGTH** - 3" (7.62cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 7.18" (18.24cm)
- » **WEIGHT** - 2.56oz (72.57g)
- » **HANDLE THICKNESS** - 0.56" (14.22mm)



CONFIGURATIONS/MSRP

9570BK-1	:	:	BLACK	:	\$225
9570BK	:	:	BLACK	:	\$225

Claymore

9070SBK-1 BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.6" (21.84cm)
- » **WEIGHT** - 3.5oz (99.22g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

9070SBK-1	:	SERR	BLACK	:	\$250
9070BK-1	:	:	BLACK	:	\$250

AFO II

9051SBK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.59" (9.12cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.53" (21.67cm)
- » **WEIGHT** - 5.8oz (164.43g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

9051SBK	:	SERR	:	BLACK	:	\$350
---------	---	------	---	-------	---	-------



Auto Stryker®

9101SBK BENCHMADE



- » **MECHANISM** - Push Button Auto with Safety
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 8.3" (21.08cm)
- » **WEIGHT** - 4.2oz (119.07g)
- » **HANDLE THICKNESS** - 0.5" (12.7mm)



CONFIGURATIONS/MSRP

9101SBK SERR BLACK \$350

Shootout®

5370FE-02 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Cool Gray - Grivory®
- » **BLADE LENGTH** - 3.513" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.222" (20.88cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370FE-02 FLAT EARTH \$350

Shootout®

5370FE BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Black - CF-Elite®
- » **BLADE LENGTH** - 3.51" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.22" (20.88cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370FE FLAT EARTH \$350

Shootout®

5371BK-01 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.494" (8.87cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.194" (20.81cm)
- » **WEIGHT** - 2.75oz (77.96g)
- » **HANDLE THICKNESS** - 0.515" (13.08mm)



CONFIGURATIONS/MSRP

5371BK-01 BLACK \$350

Shootout®

5370FE-01 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Tanto
- » **BLADE STEEL** - CPM-W Tool Steel (63-65HRC)
- » **HANDLE** - Crater Blue - Grivory®
- » **BLADE LENGTH** - 3.513" (8.92cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.222" (20.88cm)
- » **WEIGHT** - 2.8oz (79.38g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

5370FE-01 FLAT EARTH \$350

Shootout®

5371FE BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Black - CF-Elite®
- » **BLADE LENGTH** - 3.494" (8.87cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.194" (20.81cm)
- » **WEIGHT** - 2.75oz (77.96g)
- » **HANDLE THICKNESS** - 0.515" (13.08mm)



CONFIGURATIONS/MSRP

5371FE FLAT EARTH \$350





THE SHOOTOUT®

The 5370FE Shootout® double-action out-the-front automatic is the perfect off-hand backup. The molded CF-Elite® handle features a detailed grip texture that provides fast indexing and greater control in high-pressure scenarios. At the same time, the Flat Earth PVD coated CPM-CruWear® blade offers high strength and durability for all cutting tasks. A carbide glass breaker and a reversible pocket clip round out this versatile tool. Fully loaded with our latest tech, the 5370FE Shootout® packs a punch.

WORK READY,
AUTOMATIC
ACTION

Double-action
out-the-front
automatic. Spine
fire release
button

Flat Earth PVD
blade finish

CPM-CruWear®
super strong
tool steel (63-
65HRC)

Reversible tip-
down deep-carry
pocket clip

Featured on page 33

Shootout®

5371FE-2601 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - Z-Wear® Tool Steel (63-65HRC)
- » **HANDLE** - Taiga Green - Grivory®
- » **BLADE LENGTH** - 3.49" (8.86cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.19" (20.8cm)
- » **WEIGHT** - 2.75oz (77.96g)
- » **HANDLE THICKNESS** - 0.515" (13.08mm)



CONFIGURATIONS/MSRP

5371FE-2601 | FLAT EARTH | \$350

EST SHIP DATE: FEB

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Claymore OTF

3370GY BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370GY | GRAY | \$400

Claymore OTF

3370SGY BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370SGY | SERR | GRAY | \$400

Claymore OTF

3370GY-1 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370GY-1 ⋮ ⋮ GRAY ⋮ \$400

Claymore OTF

3370SGY-1 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.89" (9.88cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 2.97oz (84.2g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3370SGY-1 ⋮ SERR ⋮ GRAY ⋮ \$400

Mini Claymore OTF

3375GY-1 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.02" (7.67cm)
- » **BLADE THICKNESS** - 0.116" (2.95mm)
- » **OPEN** - 7.14" (18.14cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.521" (13.23mm)



CONFIGURATIONS/MSRP

3375GY-1 ⋮ ⋮ GRAY ⋮ \$375
3375GY ⋮ GRAY ⋮ \$375

Phaeton®

4600DLC BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Aluminum
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.125" (3.18mm)
- » **OPEN** - 8.08" (20.52cm)
- » **WEIGHT** - 3.01oz (85.33g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)



CONFIGURATIONS/MSRP

4600DLC ⋮ ⋮ BLACK ⋮ \$450

Phaeton®

4600DLC-1 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Earth - Aluminum
- » **BLADE LENGTH** - 3.45" (8.76cm)
- » **BLADE THICKNESS** - 0.125" (3.18mm)
- » **OPEN** - 8.08" (20.52cm)
- » **WEIGHT** - 3.01oz (85.33g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)



CONFIGURATIONS/MSRP

4600DLC-1 ⋮ ⋮ \$450

Infidel®

3300BK MCHENRY & WILLIAMS



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.91" (9.93cm)
- » **BLADE THICKNESS** - 0.118" (3.0mm)
- » **OPEN** - 8.91" (22.63cm)
- » **WEIGHT** - 4.9oz (138.91g)
- » **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP

3300BK ⋮ ⋮ BLACK ⋮ \$550



Mini Infidel®

3350BK MCHENRY & WILLIAMS



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - D2 Tool Steel (60-62HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.1" (7.87cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 7.1" (18.03cm)
- » **WEIGHT** - 3.4oz (96.39g)
- » **HANDLE THICKNESS** - 0.54" (13.72mm)



CONFIGURATIONS/MSRP

3350BK BLACK \$525

Autocrat®

3400BK-2 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Coyote Brown - G10
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **WEIGHT** - 3.93oz (111.41g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

3400BK-2 BLACK \$500

Autocrat®

3400BK BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **WEIGHT** - 3.93oz (111.41g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

3400BK BLACK \$500

Fixed Adamas®

375FE-1 SIBERT



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Steel type with optional paracord wrap
- » **BLADE LENGTH** - 4.2" (10.67cm)
- » **BLADE THICKNESS** - 0.17" (4.32mm)
- » **OPEN** - 9.17" (23.29cm)
- » **WEIGHT** - 5.66oz (160.46g)
- » **HANDLE THICKNESS** - 0.17" (4.32mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP

375FE-1 FLAT EARTH \$275

Autocrat®

3400BK-1 BENCHMADE



- » **MECHANISM** - Double-Action Out-The-Front Automatic
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Olive Drab - G10
- » **BLADE LENGTH** - 3.71" (9.42cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.75" (22.23cm)
- » **WEIGHT** - 3.93oz (111.41g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

3400BK-1 BLACK \$500

Fixed Adamas®

375BK-1 SIBERT



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - Steel type with optional paracord wrap
- » **BLADE LENGTH** - 4.2" (10.67cm)
- » **BLADE THICKNESS** - 0.17" (4.32mm)
- » **OPEN** - 9.17" (23.29cm)
- » **WEIGHT** - 5.66oz (160.46g)
- » **HANDLE THICKNESS** - 0.17" (4.32mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP

375BK-1 BLACK \$275



H2O Fixed Dive Knife

112SBK-BLK BENCHMADE

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Opposing Bevel
- » BLADE STEEL - N680 Stainless Steel (57-59 HRC)
- » HANDLE - Black - Santoprene®
- » BLADE LENGTH - 3.5" (8.89cm)
- » BLADE THICKNESS - 0.124" (3.15mm)
- » OPEN - 8.07" (20.5cm)
- » WEIGHT - 3.2oz (90.72g)
- » HANDLE THICKNESS - 0.54" (13.72mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

112SBK-BLK SERR BLACK \$200



OUTDOOR



RESCUE

SOC P® Dagger

174BK THOMPSON

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Spear-Point
- » BLADE STEEL - 440C Stainless Steel (58-60HRC)
- » HANDLE - Black - 440C
- » BLADE LENGTH - 2.75" (6.99cm)
- » BLADE THICKNESS - 0.175" (4.45mm)
- » OPEN - 7.26" (18.44cm)
- » WEIGHT - 2.01oz (56.98g)
- » HANDLE THICKNESS - 0.175" (4.45mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

174BK BLACK \$100



TACTICAL



EVERYDAY CARRY



SEASON 2



EST SHIP DATE: OCT

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini SOC P® Spear-Point

177BK THOMPSON

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Spear-Point
- » BLADE STEEL - 440C Stainless Steel (58-60HRC)
- » HANDLE - Black - 440C
- » BLADE LENGTH - 2.22" (5.64cm)
- » BLADE THICKNESS - 0.175" (4.45mm)
- » OPEN - 6.25" (15.88cm)
- » WEIGHT - 3oz (85.05g)
- » HANDLE THICKNESS - 0.175" (4.45mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177BK BLACK \$100



TACTICAL

SOC P® Dagger

174GY THOMPSON

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Spear-Point
- » BLADE STEEL - 440C Stainless Steel (58-60HRC)
- » HANDLE - Tungsten Gray - 440C
- » BLADE LENGTH - 2.75" (6.99cm)
- » BLADE THICKNESS - 0.175" (4.45mm)
- » OPEN - 7.26" (18.44cm)
- » WEIGHT - 2.01oz (56.98g)
- » HANDLE THICKNESS - 0.175" (4.45mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

174GY GRAY \$100



TACTICAL



EVERYDAY CARRY



SEASON 2



EST SHIP DATE: OCT

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini SOC P® Dagger

173BK THOMPSON

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Double-Edged Dagger
- » BLADE STEEL - 440C Stainless Steel (58-60HRC)
- » HANDLE - Black - 440C
- » BLADE LENGTH - 2.22" (5.64cm)
- » BLADE THICKNESS - 0.175" (4.45mm)
- » OPEN - 6.25" (15.88cm)
- » WEIGHT - 3oz (85.05g)
- » HANDLE THICKNESS - 0.175" (4.45mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

173BK BLACK \$100



TACTICAL

SOC P® Dagger

174SN THOMPSON

- » MECHANISM - Fixed Blade
- » BLADE STYLE - Spear-Point
- » BLADE STEEL - 440C Stainless Steel (58-60HRC)
- » HANDLE - Desert Sand - 440C
- » BLADE LENGTH - 2.75" (6.99cm)
- » BLADE THICKNESS - 0.175" (4.45mm)
- » OPEN - 7.26" (18.44cm)
- » WEIGHT - 2.01oz (56.98g)
- » HANDLE THICKNESS - 0.175" (4.45mm)
- » SHEATH - Injection Molded
- » SHEATH WEIGHT - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

174SN DESERT SAND \$100



TACTICAL



EVERYDAY CARRY



SEASON 2



EST SHIP DATE: OCT

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



SOCP® Dagger

176BK THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.1g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK	BLACK	\$125
176BKSN	BLACK	\$125

SOCP® Combo

176BK-COMBO THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.1g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK-COMBO	BLACK	\$150
176BKSN-COMBO	BLACK	\$150

SOCP® Dagger

176BKSN THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.1g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BKSN	BLACK	\$125
---------	-------	-------

SOCP® Trainer

176T THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trainer
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Red - 440C
- » **BLADE LENGTH** - 2.78" (7.06cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.81" (17.3cm)
- » **WEIGHT** - 2.58oz (73.14g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176T	RED	\$75
------	-----	------

SOCP® Combo

176BKSN-COMBO THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Double-Edged Dagger
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **BLADE LENGTH** - 3.22" (8.18cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 7.25" (18.42cm)
- » **WEIGHT** - 2.12oz (60.1g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BKSN-COMBO	COMBO	BLACK	\$150
---------------	-------	-------	-------

Mini SOCP®

177GY THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Tungsten Gray - 440C
- » **BLADE LENGTH** - 1.66" (4.22cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.3" (16.0cm)
- » **WEIGHT** - 1.81oz (51.31g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177GY	GRAY	\$100
-------	------	-------

EST SHIP DATE: JAN

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE





SOCP®

**Special Operations
Combatives Program**

"I get the gratification of working with the best in the world. I have to give them the tools, the tactics, the procedures. I want them to go home to their families."

- Greg Thompson
SOCP® Founder



Featured on page 43

Scan to watch the video



THERE IS NO
RESET BUTTON
WHEN IT MATTERS
MOST

Featured on page 43

Mini SOCP®

177SN THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Desert Sand - 440C
- » **BLADE LENGTH** - 1.66" (4.22cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.3" (16.0cm)
- » **WEIGHT** - 1.81oz (51.31g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP
177SN : DESERT SAND : \$100

EST SHIP DATE: JAN
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini SOCP®

177GN THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Olive Drab - 440C
- » **BLADE LENGTH** - 1.66" (4.22cm)
- » **BLADE THICKNESS** - 0.175" (4.45mm)
- » **OPEN** - 6.3" (16.0cm)
- » **WEIGHT** - 1.81oz (51.31g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP
177GN : GREEN : \$100

EST SHIP DATE: JAN
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

SOCP® Rescue Tool

179GRY THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Rescue Hook
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black Steel Gray - 440C
- » **BLADE LENGTH** - 2.5" (6.35cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 6.75" (17.15cm)
- » **WEIGHT** - 1.88oz (53.3g)
- » **HANDLE THICKNESS** - 0.18" (4.57mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP
179GRY : GRAY : \$100

SOCP® Fixed Blade

185BK THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - 3V Tool Steel (60-62HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.736" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP
185BK : BLACK : \$400

SOCP® Fixed Blade Trainer

185T THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trainer
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 6.855" (17.41cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.48" (29.16cm)
- » **WEIGHT** - 6.58oz (186.54g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP
185T : RED : \$250

SOCP® Fixed Blade

185BK-1 THOMPSON



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Dagger
- » **BLADE STEEL** - 3V Tool Steel (60-62HRC)
- » **HANDLE** - Desert Tan - G10
- » **BLADE LENGTH** - 7.111" (18.06cm)
- » **BLADE THICKNESS** - 0.15" (3.81mm)
- » **OPEN** - 11.736" (29.81cm)
- » **WEIGHT** - 5.78oz (163.86g)
- » **HANDLE THICKNESS** - 0.43" (10.92mm)
- » **SHEATH** - Injection Molded
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP
185BK-1 : BLACK : \$400

Mini SOCP®
393SBK THOMPSON



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.76" (9.55cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.67" (22.02cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.497" (12.62mm)




CONFIGURATIONS/MSRP
393SBK | SERR | BLACK | \$350

EST SHIP DATE: OCT
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini SOCP®
393SSN-01 THOMPSON



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Desert Sand - G10
- » **BLADE LENGTH** - 3.76" (9.55cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.67" (22.02cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.497" (12.62mm)



CONFIGURATIONS/MSRP
393SSN-01 | SERR | DESERT SAND | \$350

EST SHIP DATE: OCT
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

7 Hook
7 BLKW BENCHMADE



- » **MECHANISM** - Rescue Hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 420HC Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Rubber Dipped
- » **OPEN** - 4.3" (10.92cm)
- » **WEIGHT** - 1.5oz (42.52g)
- » **SHEATH** - Nylon
- » **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP
7 BLKW | BLACK | \$50

8 Hook
8 BLKW BENCHMADE



- » **MECHANISM** - Rescue Hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **OPEN** - 6.5" (16.51cm)
- » **WEIGHT** - 1.43oz (40.54g)
- » **SHEATH** - Nylon
- » **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP
8 BLKW | BLACK | \$75

8 Hook
8 BLKWMED BENCHMADE



- » **MECHANISM** - Rescue Hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Black - 440C
- » **OPEN** - 6.5" (16.51cm)
- » **WEIGHT** - 1.43oz (40.54g)
- » **SHEATH** - Nylon
- » **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP
8 BLKWMED | BLACK | \$75



GEAR FOR THE
EVERYDAY



BLUE CLASS



EVERYDAY
DOESN'T
MEAN
ORDINARY.

BLUE CLASS KNIVES ARE MADE TO MOVE
WITH YOU, WHEREVER YOU GO.

Bugout®

535 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Blue - Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP

535 ⋮ ⋮ ⋮ \$200

Bugout®

535-3 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 2.02oz (57.27g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

535-3 ⋮ ⋮ ⋮ \$350

Bugout®

535GRY-1 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Ranger Green - Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP

535GRY-1 ⋮ ⋮ GRAY ⋮ \$200

Bugout®

535BK-4 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Gray - 6061-T6 Aircraft Aluminum
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 2.50oz (70.87g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP

535BK-4 ⋮ ⋮ BLACK ⋮ \$350

Bugout®

535BK-2 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Graphite Black - CF-Elite®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP

535BK-2 ⋮ ⋮ BLACK ⋮ \$200

Bugout®

535FE-05 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Crater Blue - Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP

535FE-05 ⋮ ⋮ FLAT EARTH ⋮ \$200

Bugout®
535BK-07 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Burnt Brass - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 2.50oz (70.87g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535BK-07 ⋮ ⋮ BLACK ⋮ \$350

Bugout®
535TN-11 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Olive - Grivory®
- » **BLADE LENGTH** - 3.235" (8.22cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535TN-11 ⋮ ⋮ TAN ⋮ \$200

Bugout®
535BK-08 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Storm Gray - Grivory®
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535BK-08 ⋮ ⋮ BLACK ⋮ \$200

Bugout®
535SL-13 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Crater Blue - Aluminum
- » **BLADE LENGTH** - 3.24" (8.23cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535SL-13 ⋮ ⋮ SILVER ⋮ \$350

Bugout®
535-09 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Ash Gray/Redstone - Aluminum/Richlite
- » **BLADE LENGTH** - 3.235" (8.22cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535-09 ⋮ ⋮ \$400

Bugout®
535TN-2601 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- » **HANDLE** - Taiga Green - Grivory®
- » **BLADE LENGTH** - 3.2" (8.13cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 1.85oz (52.45g)
- » **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535TN-2601 ⋮ ⋮ TAN ⋮ \$200

EST SHIP DATE: FEB

Bugout®
535FE-2602 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Taiga Green - Natural Micarta - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.24'' (8.23cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 7.46'' (18.95cm)
- » **WEIGHT** - 2.52oz (71.44g)
- » **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP
535FE-2602 | FLAT EARTH | \$400

EST SHIP DATE: JUL
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Bugout®
534BK BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.25'' (8.26cm)
- » **BLADE THICKNESS** - 0.08'' (2.03mm)
- » **OPEN** - 7.48'' (19.0cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.282'' (7.16mm)



CONFIGURATIONS/MSRP
534BK | BLACK | \$375

EST SHIP DATE: JUN
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini Bugout®
533 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Orange - Grivory®
- » **BLADE LENGTH** - 2.82'' (7.16cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 6.49'' (16.48cm)
- » **WEIGHT** - 1.50oz (42.52g)
- » **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP
533 | \$175

Mini Bugout®
533BK-1 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - White - Grivory®
- » **BLADE LENGTH** - 2.82'' (7.16cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 6.49'' (16.48cm)
- » **WEIGHT** - 1.50oz (42.52g)
- » **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP
533BK-1 | BLACK | \$175

Mini Bugout®
533BK-2 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - CF-Elite®
- » **BLADE LENGTH** - 2.82'' (7.16cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 6.49'' (16.48cm)
- » **WEIGHT** - 1.50oz (42.52g)
- » **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP
533BK-2 | BLACK | \$175

Mini Bugout®
533-3 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 2.82'' (7.16cm)
- » **BLADE THICKNESS** - 0.09'' (2.29mm)
- » **OPEN** - 6.49'' (16.48cm)
- » **WEIGHT** - 1.62oz (45.93g)
- » **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP
533-3 | \$325



THE ONE AND ONLY BUGOUT®

535BK-07 Bugout®

The premium 535BK-07 elevates the iconic Bugout® with upgraded materials and striking style. It features slim Burnt Brass anodized 6061-T6 aluminum handles, a premium M390 stainless steel blade with black DLC battlewash finish, and vibrant turquoise accents on the thumb stud and barrel spacer. Lightweight yet refined, the 535BK-07 performs flawlessly on the trail or in dress mode.

- Burnt Brass 6061-T6 aluminum handles
- M390 stainless steel (58-61HRC)
- Black DLC Battlewash blade finish
- Turquoise thumbstud and barrel spacer

BUILT FOR ADVENTURE

Featured on page 55

Mini Bugout®

533SL-10 BENCHMADE



- » MECHANISM - AXIS® Lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - S90V Stainless Steel (59-61HRC)
- » HANDLE - Woodland Green - Aluminum
- » BLADE LENGTH - 2.82" (7.16cm)
- » BLADE THICKNESS - 0.09" (2.29mm)
- » OPEN - 6.49" (16.48cm)
- » WEIGHT - 2.00oz (56.70g)
- » HANDLE THICKNESS - 0.426" (10.82mm)



CONFIGURATIONS/MSRP

533SL-10 | SILVER | \$350

Mini Bugout®

533TN-2601 BENCHMADE



- » MECHANISM - AXIS® Lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - Elmax Stainless Powder Steel (59-61HRC)
- » HANDLE - Taiga Green - Grivory®
- » BLADE LENGTH - 2.82" (7.16cm)
- » BLADE THICKNESS - 0.09" (2.29mm)
- » OPEN - 6.49" (16.48cm)
- » WEIGHT - 1.50oz (42.52g)
- » HANDLE THICKNESS - 0.426" (10.82mm)



CONFIGURATIONS/MSRP

533TN-2601 | TAN | \$175

EST SHIP DATE: FEB

Narrows™

748 BENCHMADE



- » MECHANISM - AXIS® Lock
- » BLADE STYLE - Drop-Point
- » BLADE STEEL - M390 Stainless Steel (58-61HRC)
- » HANDLE - Gray - 6Al-4V Titanium
- » BLADE LENGTH - 3.43" (8.71cm)
- » BLADE THICKNESS - 0.08" (2.03mm)
- » OPEN - 8.02" (20.37cm)
- » WEIGHT - 2.41oz (68.32g)
- » HANDLE THICKNESS - 0.28" (7.11mm)



CONFIGURATIONS/MSRP

748 | \$525

Narrows™

748BK-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Black DLC - 6Al-4V Titanium
- » **BLADE LENGTH** - 3.43" (8.71cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 8.02" (20.37cm)
- » **WEIGHT** - 2.43oz (68.89g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



CONFIGURATIONS/MSRP

748BK-01 :: BLACK :: \$525

Mini Narrows™

743 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 20CV Stainless Steel (59-61 HRC)
- » **HANDLE** - Gray - 6Al-4V Titanium
- » **BLADE LENGTH** - 2.98" (7.57cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 6.95" (17.65cm)
- » **WEIGHT** - 1.98oz (56.13g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



CONFIGURATIONS/MSRP

743 :: \$500

Mini Narrows™

743BK-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 20CV Stainless Steel (59-61 HRC)
- » **HANDLE** - Black - 6Al-4V Titanium
- » **BLADE LENGTH** - 2.98" (7.57cm)
- » **BLADE THICKNESS** - 0.08" (2.03mm)
- » **OPEN** - 6.95" (17.65cm)
- » **WEIGHT** - 1.98oz (56.13g)
- » **HANDLE THICKNESS** - 0.28" (7.11mm)



CONFIGURATIONS/MSRP

743BK-01 :: BLACK :: \$500



THE MINI OSBORNE

945-04 Mini Osborne

DOWN-HOME
CARRY



As hardworking and ruggedly handsome as a pair of blue jeans, the new 945-04 Osborne is our nod to those who like to get their hands dirty and boots dusty, just like us. Evolved from the iconic folder that first began as a versatile ranch knife — and seamlessly doubles as the ultimate EDC — the new 945-04 Osborne features a durable M390 reverse tanto blade with a satin finish. Topped off with blue denim micarta handle scales and dark copper PVD accents, the 945-04 is a hard-use, working-class hero.

Blue Denim
Micarta handle

M390 Stainless
Steel
(58-61 HRC)

Classic reverse
tanto blade

Dark Copper PVD
liners, pocket
clip, thumb stud
accents

Featured on page 66

Osborne

940 OSBORNE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.9oz (82.21g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
940 ⋮ ⋮ ⋮ \$300

Osborne

940BK-03 BENCHMADE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.9oz (82.21g)
- » **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
940BK-03 ⋮ ⋮ BLACK ⋮ \$300

Osborne

940-1 OSBORNE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.44oz (69.17g)
- » **HANDLE THICKNESS** - 0.44" (11.18mm)



CONFIGURATIONS/MSRP
940-1 ⋮ ⋮ ⋮ \$350

Osborne

940-04 OSBORNE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Blue Denim - Denim Micarta
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.423oz (68.69g)
- » **HANDLE THICKNESS** - 0.445" (11.3mm)



CONFIGURATIONS/MSRP
940-04 ⋮ ⋮ ⋮ \$300

Osborne

940-2 OSBORNE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.65oz (75.13g)
- » **HANDLE THICKNESS** - 0.44" (11.18mm)



CONFIGURATIONS/MSRP
940-2 ⋮ ⋮ ⋮ \$250

Osborne

940FE-2601 OSBORNE

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Taiga Green - 6061-T6 Aluminum
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.115" (2.92mm)
- » **OPEN** - 7.87" (19.99cm)
- » **WEIGHT** - 2.9oz (82.21g)
- » **HANDLE THICKNESS** - 0.405" (10.29mm)



2026 BLUE NEW 2026 CLASS
CONFIGURATIONS/MSRP
940FE-2601 ⋮ ⋮ FLAT EARTH ⋮ \$325

EST SHIP DATE: JUL
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Mini Osborne

945 OSBORNE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Green - 6061-T6 Billet Aluminum
- » **BLADE LENGTH** - 2.92'' (7.42cm)
- » **BLADE THICKNESS** - 0.104'' (2.64mm)
- » **OPEN** - 6.76'' (17.17cm)
- » **WEIGHT** - 2oz (56.7g)
- » **HANDLE THICKNESS** - 0.43'' (10.92mm)



CONFIGURATIONS/MSRP
945 ⋮ ⋮ ⋮ \$275

Mini Osborne

945-04 OSBORNE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Blue Denim - Denim Micarta
- » **BLADE LENGTH** - 2.92'' (7.42cm)
- » **BLADE THICKNESS** - 0.104'' (2.64mm)
- » **OPEN** - 6.76'' (17.17cm)
- » **WEIGHT** - 1.96oz (55.57g)
- » **HANDLE THICKNESS** - 0.425'' (10.8mm)



CONFIGURATIONS/MSRP
945-04 ⋮ ⋮ ⋮ \$275

Mini Osborne

945BK-1 OSBORNE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black/Blue Base layer - G10
- » **BLADE LENGTH** - 2.92'' (7.42cm)
- » **BLADE THICKNESS** - 0.104'' (2.64mm)
- » **OPEN** - 6.76'' (17.17cm)
- » **WEIGHT** - 2.19oz (62.09g)
- » **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP
945BK-1 ⋮ ⋮ BLACK ⋮ \$225

Griptilian®

550-S30V PARDUE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Sheepsfoot
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Nylon
- » **BLADE LENGTH** - 3.45'' (8.76cm)
- » **BLADE THICKNESS** - 0.115'' (2.92mm)
- » **OPEN** - 8.07'' (20.5cm)
- » **WEIGHT** - 3.79oz (107.44g)
- » **HANDLE THICKNESS** - 0.64'' (16.26mm)



CONFIGURATIONS/MSRP
550-S30V ⋮ ⋮ ⋮ \$175

Mini Osborne

945BK-03 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Reverse Tanto
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.92'' (7.42cm)
- » **BLADE THICKNESS** - 0.104'' (2.64mm)
- » **OPEN** - 6.76'' (17.17cm)
- » **WEIGHT** - 2oz (56.7g)
- » **HANDLE THICKNESS** - 0.425'' (10.8mm)



CONFIGURATIONS/MSRP
945BK-03 ⋮ ⋮ BLACK ⋮ \$275

Griptilian®

551-S30V PARDUE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Nylon
- » **BLADE LENGTH** - 3.45'' (8.76cm)
- » **BLADE THICKNESS** - 0.115'' (2.92mm)
- » **OPEN** - 8.07'' (20.5cm)
- » **WEIGHT** - 3.88oz (110.0g)
- » **HANDLE THICKNESS** - 0.64'' (16.26mm)



CONFIGURATIONS/MSRP
551-S30V ⋮ ⋮ ⋮ \$175
551SBK-S30V ⋮ SERR ⋮ BLACK ⋮ \$175

Mini Griptilian®

555-S30V PARDUE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Sheepsfot
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Nylon
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 6.78" (17.22cm)
- » **WEIGHT** - 2.68oz (75.98g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

555-S30V | | \$150

Barrage®

581BK-04 OSBORNE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Redstone - Richlite
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **WEIGHT** - 4.45oz (126.16g)
- » **HANDLE THICKNESS** - 0.633" (16.08mm)



CONFIGURATIONS/MSRP

581BK-04 | | BLACK | \$400

Mini Griptilian®

556SBK-S30V PARDUE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - Glass Filled Nylon
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 6.78" (17.22cm)
- » **WEIGHT** - 2.81oz (79.66g)
- » **HANDLE THICKNESS** - 0.51" (12.95mm)



CONFIGURATIONS/MSRP

556SBK-S30V | SERR | BLACK | \$150
556-S30V | | | \$150

Barrage®

583SBK OSBORNE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - Valox
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **WEIGHT** - 4.51oz (127.86g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP

583SBK | SERR | BLACK | \$250

Barrage®

580 OSBORNE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - Valox
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 8.45" (21.46cm)
- » **WEIGHT** - 4.31oz (122.19g)
- » **HANDLE THICKNESS** - 0.65" (16.51mm)



CONFIGURATIONS/MSRP

580 | | \$250

Mini Barrage®

585 OSBORNE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- » **HANDLE** - Black - Valox
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 6.91" (17.55cm)
- » **WEIGHT** - 3.4oz (96.39g)
- » **HANDLE THICKNESS** - 0.57" (14.48mm)



CONFIGURATIONS/MSRP

585 | | \$225

Mini Barrage®

585BK-04 OSBORNE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Redstone - Richlite
- » **BLADE LENGTH** - 2.91" (7.39cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 6.91" (17.55cm)
- » **WEIGHT** - 3.76oz (106.59g)
- » **HANDLE THICKNESS** - 0.57" (14.48mm)



CONFIGURATIONS/MSRP
585BK-04 BLACK \$375

Mini Freek®

565BK-02 BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Black/Gray/Red - G10
- » **BLADE LENGTH** - 3" (7.62cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 7.05" (17.91cm)
- » **WEIGHT** - 2.85oz (80.8g)
- » **HANDLE THICKNESS** - 0.545" (13.84mm)



CONFIGURATIONS/MSRP
565BK-02 BLACK \$300

Freek®

560-03 BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.46" (21.49cm)
- » **WEIGHT** - 4.12oz (116.8g)
- » **HANDLE THICKNESS** - 0.62" (15.75mm)



CONFIGURATIONS/MSRP
560-03 \$375

Freek®

560BK-1 BENCHMARK



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- » **HANDLE** - Black/Gray/Red - G10
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.46" (21.49cm)
- » **WEIGHT** - 4.3oz (121.9g)
- » **HANDLE THICKNESS** - 0.62" (15.75mm)



CONFIGURATIONS/MSRP
560BK-1 BLACK \$325

THE MINI BARRAGE®

585BK-04

Simply scaled down from its full-size counterpart for compact carry, yet the same versatile utility and convenient rapid assisted opening in a more pocket-friendly size with the 585BK-04 Mini Barrage®. Redstone Richlite handle scales and anodized burnt copper thumb stud with a dark copper PVD pocket clip provide a refined and stylish vibe, while the CPM-S30V stainless steel blade with a Cerakote® finish and boosted AXIS® Assist actuation keep this workhorse.

Featured on page 69



THE PSK™

593BK-01

For the outdoor enthusiast who prefers to carry a hard-core workhorse folder for camping tasks and survival experiences, the 593BK-01 PSK™ is your Personal Survival Kit in one tough and rugged lightweight bushcrafting tool. Built sturdy with full liners and outfitted with a textured carbon fiber bolster and black G10 handle housing a strong, corrosion resistant MagnaCut® blade. If you like to carry an auto outdoors but are restricted by your region, the 593BK-01 PSK™ is the perfect alternative for efficient and ambidextrous one-hand deployment.

→ Corrosion resistant MagnaCut®

→ Black Cerakote finish

→ Rapid and reliable AXIS® Assist actuation with integrated spine safety

→ Striking choil at the base of the blade for fire starting with a ferro rod

Featured on page 72



YOUR BEST
CHANCE AT
SURVIVAL

PSK™

593BK BENCHMADE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 3.4466" (8.75cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.3981" (21.33cm)
- » **WEIGHT** - 5.328oz (151.05g)
- » **HANDLE THICKNESS** - 0.6165" (15.66mm)



CONFIGURATIONS/MSRP

593BK :: BLACK :: \$400

PSK™

593BK-01 BENCHMADE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Carbon Fiber / Black - Carbon Fiber/G10
- » **BLADE LENGTH** - 3.4466" (8.75cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.3981" (21.33cm)
- » **WEIGHT** - 5.223oz (148.07g)
- » **HANDLE THICKNESS** - 0.6165" (15.66mm)



CONFIGURATIONS/MSRP

593BK-01 :: BLACK :: \$450

PSK™

593GY-02 BENCHMADE



- » **MECHANISM** - AXIS® Assist With Integrated Safety
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- » **HANDLE** - Tempest Gray/Storm Gray - Grivory®
- » **BLADE LENGTH** - 3.44" (8.74cm)
- » **BLADE THICKNESS** - 0.11" (2.79mm)
- » **OPEN** - 8.39" (21.31cm)
- » **WEIGHT** - 4.48oz (127.01g)
- » **HANDLE THICKNESS** - 0.616" (15.65mm)



CONFIGURATIONS/MSRP

593GY-02 :: GRAY :: \$325

Lowden™

491 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Crater Blue - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.79" (7.09cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.81" (17.3cm)
- » **WEIGHT** - 2.99oz (84.77g)
- » **HANDLE THICKNESS** - 0.502" (12.75mm)



CONFIGURATIONS/MSRP

491 ⋮ ⋮ ⋮ \$350

Vector®

495 BENCHMADE



- » **MECHANISM** - AXIS® Assist Flipper With Integrated Safety
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.1" (2.54mm)
- » **OPEN** - 8.42" (21.39cm)
- » **WEIGHT** - 4.11oz (116.52g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

495 ⋮ ⋮ ⋮ \$350

Lowden™

491GY-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Phoenix Red - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.79" (7.09cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.81" (17.3cm)
- » **WEIGHT** - 2.99oz (84.77g)
- » **HANDLE THICKNESS** - 0.502" (12.75mm)



CONFIGURATIONS/MSRP

491GY-01 ⋮ ⋮ GRAY ⋮ \$350

SEVEN | TEN®

710FE-24 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Recurve Drop-point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Gray - 6061-T6 Aluminum
- » **BLADE LENGTH** - 4" (10.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.95" (22.73cm)
- » **WEIGHT** - 4.85oz (137.5g)
- » **HANDLE THICKNESS** - 0.507" (12.88mm)



CONFIGURATIONS/MSRP

710FE-24 ⋮ ⋮ FLAT EARTH ⋮ \$450

Lowden™

491BK-02 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 2.79" (7.09cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.81" (17.3cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.502" (12.75mm)



CONFIGURATIONS/MSRP

491BK-02 ⋮ ⋮ BLACK ⋮ \$300

SEVEN | TEN®

710-25 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Recurve Drop-point
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Black - 6061-T6 Aluminum
- » **BLADE LENGTH** - 4" (10.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.95" (22.73cm)
- » **WEIGHT** - 4.85oz (137.5g)
- » **HANDLE THICKNESS** - 0.507" (12.88mm)



CONFIGURATIONS/MSRP

710-25 ⋮ ⋮ ⋮ \$450

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Successor™

315 BENCHMADE



- » **MECHANISM** - Slip-Joint
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Ash Gray/Crater Blue - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.56" (6.5cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.26" (15.9cm)
- » **WEIGHT** - 2.28oz (64.64g)
- » **HANDLE THICKNESS** - 0.432" (10.97mm)
- » **SHEATH** - Black Leather
- » **SHEATH WEIGHT** - 0.85oz (24.1g)



CONFIGURATIONS/MSRP

315 ⋮ ⋮ ⋮ \$250

Successor™

315BK-01 BENCHMADE



- » **MECHANISM** - Slip-Joint
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- » **HANDLE** - Ash Gray/Burnt Brass - 6061-T6 Aluminum
- » **BLADE LENGTH** - 2.56" (6.5cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 6.26" (15.9cm)
- » **WEIGHT** - 2.28oz (64.64g)
- » **HANDLE THICKNESS** - 0.632" (16.05mm)
- » **SHEATH** - Black Leather
- » **SHEATH WEIGHT** - 0.85oz (24.1g)



CONFIGURATIONS/MSRP

315BK-01 ⋮ ⋮ BLACK ⋮ \$250

Laro™

82 BENCHMADE



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Gray - Billet 6Al-4V Titanium
- » **BLADE LENGTH** - 3.6" (9.14cm)
- » **BLADE THICKNESS** - 0.104" (2.64mm)
- » **OPEN** - 8.24" (20.93cm)
- » **WEIGHT** - 4.38oz (124.17g)
- » **HANDLE THICKNESS** - 0.46" (11.68mm)
- » **SHEATH** - Black Boltaron® with stainless clip
- » **SHEATH WEIGHT** - 0.74oz (20.98g)



CONFIGURATIONS/MSRP

82 ⋮ ⋮ ⋮ \$650

Necron™

99 BENCHMADE



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar featuring SelectEdge®
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Jade - G10
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.68" (24.59cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz (20.13g)



CONFIGURATIONS/MSRP

99 ⋮ ⋮ ⋮ \$550

Necron™

99BK-1 BENCHMADE



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar featuring SelectEdge®
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Ruby Red - G10
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.68" (24.59cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz (20.13g)



CONFIGURATIONS/MSRP

99BK-1 ⋮ ⋮ BLACK ⋮ \$550

Necron™ Trainer

99T BENCHMADE



- » **MECHANISM** - Bali-Song®
- » **BLADE STYLE** - Scimitar
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Blue - G10
- » **BLADE LENGTH** - 4.59" (11.66cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.59" (24.36cm)
- » **WEIGHT** - 4.21oz (119.35g)
- » **HANDLE THICKNESS** - 0.604" (15.34mm)
- » **SHEATH** - Nylon with velcro mount straps
- » **SHEATH WEIGHT** - 0.71oz (20.13g)



CONFIGURATIONS/MSRP

99T ⋮ ⋮ ⋮ \$400



MASTER YOUR CRAFT

163-1 Bushcrafter

Channel your inner-survivalist with the sleek modern bushcraft fixed-blade reimagined as a premium variant to our original 162 designed by Shane Sibert. Built for the trail — or straying off of it — the 163-1 and 165-1 have been elevated with new blade geometry and handle ergonomics, premium finishes. From fire prep batoning and feather sticking to shelter building and food prep around camp, the Bushcrafter begs you to be outside.

→ Two color options are available in both the full size and mini variants

→ Comes with a belt-carry leather sheath with ferro rod attachment

→ Made from durable allweather materials

→ Redesigned with updated blade geometry and handle ergonomics

Featured on page 78

THRIVE IN
THE WILD

Bushcrafter

163-1 SIBERT



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - OD Green / Red - G10
- » **BLADE LENGTH** - 4.3837" (11.13cm)
- » **BLADE THICKNESS** - 0.164" (4.17mm)
- » **OPEN** - 9.0417" (22.97cm)
- » **WEIGHT** - 7.68oz (217.72g)
- » **HANDLE THICKNESS** - 0.948" (24.08mm)
- » **SHEATH** - Brown Leather
- » **SHEATH WEIGHT** - 2.26oz (64.07g)



CONFIGURATIONS/MSRP
163-1 : : \$350

Mini Bushcrafter

165-1 SIBERT



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - OD Green / Red - G10
- » **BLADE LENGTH** - 3.3823" (8.59cm)
- » **BLADE THICKNESS** - 0.164" (4.17mm)
- » **OPEN** - 7.58" (19.25cm)
- » **WEIGHT** - 6.45oz (182.85g)
- » **HANDLE THICKNESS** - 0.925" (23.5mm)
- » **SHEATH** - Brown Leather
- » **SHEATH WEIGHT** - 2.49oz (70.59g)



CONFIGURATIONS/MSRP
165-1 : : \$300

ANONIMUS™

539GY BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 5" (12.7cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 9.83" (24.97cm)
- » **WEIGHT** - 5.94oz (168.4g)
- » **HANDLE THICKNESS** - 0.68" (17.27mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP
539GY : : GRAY : \$325

Dacian™
203BK-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Black Canvas - Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH** - Black leather & Boltaron®
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP
203BK-02 BLACK \$300

Dacian™
203BT-03 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Brown Canvas - Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH** - Black leather & Boltaron®
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP
203BT-03 BLUE \$300

Dacian™
203-04 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Spear-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Blue Denim - Micarta
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 7.57" (19.23cm)
- » **WEIGHT** - 3.37oz (95.54g)
- » **HANDLE THICKNESS** - 0.39" (9.91mm)
- » **SHEATH** - Brown leather & Boltaron®
- » **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP
203-04 \$300



THE DACIAN®

203-04

For the daily carry fan who prefers an all-purpose fixed-blade knife to a folder, the 203-04 Dacian™ is designed to be your perfectly sized companion for general-purpose utility, outdoor recreation, or EDC. Featuring a blend of a super tough, corrosion resistant MagnaCut® blade steel with a spear point profile and high grind for maximum sliceability. The durable Denim Micarta handle is constructed with deep finger grooves for extreme comfort in multiple grip positions, the 203-04 Dacian™ includes a Russet Brown molded sheath with a high retention clip for easy access from the belt, pocket, or waistband.

- Blue Denim Micarta handle material
- MagnaCut® stainless steel (60-62 HRC)
- An EDC fixed blade for tough work
- 7.57" | 19.23cm open length

Featured on page 79



A WORKHORSE EDC



INTO THE WILD
BELOW

WATER

ON DECK IN
FLORIDA

IN IT ALL DAY- THE WATER CLASS NEVER TAPS OUT.

Fishcrafter™ 5"

18030 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 5.97" (15.16cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 10.87" (27.61cm)
- » **WEIGHT** - 2.58oz (73.14g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 2.36oz (66.9g)



CONFIGURATIONS/MSRP
18030 : : \$225

EST SHIP DATE: MAR

Fishcrafter™ 7"

18010 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 7" (17.78cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 11.89" (30.2cm)
- » **WEIGHT** - 2.84oz (80.51g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 2.32oz (65.77g)



CONFIGURATIONS/MSRP
18010 : : \$250

Fishcrafter™ 9"

18020 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 9.05" (22.99cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 13.94" (35.41cm)
- » **WEIGHT** - 3.7oz (104.89g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 2.55oz (72.29g)



CONFIGURATIONS/MSRP
18020 : : \$250



THE MIGHTY FISHCRAFTER™

18020 Fishcrafter 9"

When processing the day's catch, we believe in fishing more and sharpening less. Fashioned with a larger 9" trailing point MagnaCut® steel blade with SelectEdge® tech, the Fishcrafter™ excels at cutting medium to large fish where that extra length makes a smooth cut for a clean fillet. Featuring a long, straighter edge for stability in the cut and upswept tip for aiding in deboning, the 9" Fishcrafter™ knife's durable Santoprene® handle has a finger guard with jimping to prevent slipping during push-cuts.

- MagnaCut® steel with SelectEdge®
- White logo lasermark prevents corrosion
- Santoprene® handle provides solid grip
- 5", 7", and 9" blade options

PRECISION FILLETING

Featured on page 83

Undercurrent™

18040S BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Sheepsfot
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 4.321" (10.98cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 9.4353" (23.97cm)
- » **WEIGHT** - 5.38oz (152.52g)
- » **HANDLE THICKNESS** - 0.846" (21.49mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 1.6oz (45.36g)



CONFIGURATIONS/MSRP
18040S | SERR | \$225

Intersect™

18050 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 2.68" (6.81cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 6.55" (16.64cm)
- » **WEIGHT** - 2.36oz (66.9g)
- » **HANDLE THICKNESS** - 0.625" (15.88mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 1.54oz (43.66g)



CONFIGURATIONS/MSRP
18050 | | \$175

Intersect™

18050S BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Santoprene®
- » **BLADE LENGTH** - 2.68" (6.81cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 6.55" (16.64cm)
- » **WEIGHT** - 2.36oz (66.9g)
- » **HANDLE THICKNESS** - 0.846" (21.49mm)
- » **SHEATH** - Sonar Gray injection molded
- » **SHEATH WEIGHT** - 1.54oz (43.66g)



CONFIGURATIONS/MSRP
18050S | SERR | \$175



THE INTERSECT™

18050 Intersect™

A fisherman's minimalist, tough-as-nails cutting tool, the Intersect™ is a versatile fixed blade built for convenient and quick access when seconds matter. An EDC for the adventurer, the Intersect™ dons a 2.75" drop-point blade forged of MagnaCut® steel. This compact knife is ideal for finer tasks like cutting tangled line. The Intersect™ features a Santoprene handle and spine jimping for a secure grip and pinch cuts when wet. Purposefully designed with a quick mount sheath that attaches to pockets, belts, backpacks, waders, and beyond.

BEST FOR GENERAL CUTTING TASKS

MagnaCut® steel

White logo lasermark prevents corrosion

Santoprene® handle provides solid grip

Long spine jimping for increased blade control

Featured on page 85





THE MINI ADIRA™

18065BT-01 Mini Adira™

The mini variant of our waterman's favorite folder, the versatile Mini Adira™ is a heavy-use EDC built for tasks in wet environments. Featuring a 3.21" drop-point blade made of MagnaCut® stainless steel, this pocket-ready fisherman's folder uses an AXIS® Lock mechanism with stainless steel springs for corrosion resistance. From prepping bait on a hook to slicing lines for a new rig, the Mini Adira™'s got your back on and off the water.

→ Paracord lanyard + bead

→ White logo lasermark prevents corrosion

→ Grivory® handle with texture for a lightweight feel

→ Higher corrosion resistant 17-7PH omega spring

BEST FOR HARD USE, BAIT PREP, EDC AND GENERAL CUTTING TASKS

Adira™

18060 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Grivory®
- » **BLADE LENGTH** - 3.88" (9.86cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 9" (22.86cm)
- » **WEIGHT** - 4.23oz (119.92g)
- » **HANDLE THICKNESS** - 0.663" (16.84mm)



CONFIGURATIONS/MSRP
18060 : : \$250

Adira™

18060S BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Grivory®
- » **BLADE LENGTH** - 3.88" (9.86cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 9" (22.86cm)
- » **WEIGHT** - 4.23oz (119.92g)
- » **HANDLE THICKNESS** - 0.663" (16.84mm)



CONFIGURATIONS/MSRP
18060S : SERR : \$250

Adira™

18060BT-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Tempest Gray - Grivory®
- » **BLADE LENGTH** - 3.88" (9.86cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 9" (22.86cm)
- » **WEIGHT** - 4.23oz (119.92g)
- » **HANDLE THICKNESS** - 0.663" (16.84mm)



CONFIGURATIONS/MSRP
18060BT-01 : : BLUE : \$250

Featured on page 91

Adira™
18060SBT-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Tempest Gray - Grivory®
- » **BLADE LENGTH** - 3.88" (9.86cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 9" (22.86cm)
- » **WEIGHT** - 4.23oz (119.92g)
- » **HANDLE THICKNESS** - 0.663" (16.84mm)



CONFIGURATIONS/MSRP
18060SBT-01 | SERR | BLUE | \$250

Mini Adira™
18065 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 3.09oz (87.6g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)



CONFIGURATIONS/MSRP
18065 | | \$225

Mini Adira™
18065S BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Depth Blue - Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 3.09oz (87.6g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)



CONFIGURATIONS/MSRP
18065S | SERR | \$225



THE DARK WATER COLLECTION

The newest additions to the Adira™ and Mini Adira™ feature a Tempest Gray Grivory® handle and a Blue Titanium blade finish, evoking the deep, mysterious allure of the water. This palette captures the cool, enigmatic essence of the depths, making each tool as striking and capable as the waters it's designed to navigate.

Mini Adira™

18065BT-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Tempest Gray - Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 3.09oz (87.6g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)



CONFIGURATIONS/MSRP
18065BT-01 | | BLUE | \$225

Mini Adira™

18065SBT-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Tempest Gray - Grivory®
- » **BLADE LENGTH** - 3.21" (8.15cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.46" (18.95cm)
- » **WEIGHT** - 3.09oz (87.6g)
- » **HANDLE THICKNESS** - 0.175" (4.45mm)



CONFIGURATIONS/MSRP
18065SBT-01 | SERR | BLUE | \$250



THE WATER COLLECTION

Crafted to withstand the salt of the sea, the chilling temperatures of a winter run, and everything in between, your Benchmade is your lifelong companion for every adventure. Inspired by the tough conditions of the Pacific Northwest, its rugged resilience will give you the confidence you need when your greatest catch is on the line.





→ GAME DAY
READY

HUNT

TRACKING
WHITETAIL

FROM FIELD TO FREEZER, HUNT CLASS KNIVES
ARE MADE TO PERFORM.

Raghorn®
15600-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 4" (10.16cm)
- » **BLADE THICKNESS** - 0.105" (2.67mm)
- » **OPEN** - 8.9" (22.61cm)
- » **WEIGHT** - 3.56oz (100.92g)
- » **HANDLE THICKNESS** - 0.64" (16.26mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 1.6oz (45.36g)



CONFIGURATIONS/MSRP		
15600-01	⋮	\$325

Steep Country
15006-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Olive - Santoprene®
- » **BLADE LENGTH** - 3.54" (8.99cm)
- » **BLADE THICKNESS** - 0.121" (3.07mm)
- » **OPEN** - 6.42" (16.31cm)
- » **WEIGHT** - 2.95oz (83.63g)
- » **HANDLE THICKNESS** - 0.58" (14.73mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 1.2oz (34.02g)



CONFIGURATIONS/MSRP		
15006-01	⋮	\$175

Saddle Mountain Skinner
15002-1 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- » **HANDLE** - Chocolate/Brown/Maple, Orange G10 - Richlite/G10
- » **BLADE LENGTH** - 4.2" (10.67cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 8.7" (22.1cm)
- » **WEIGHT** - 4.38oz (124.17g)
- » **HANDLE THICKNESS** - 0.66" (16.76mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 1.38oz (39.12g)



CONFIGURATIONS/MSRP		
15002-1	⋮	\$300
15002	⋮	\$250



SADDLE MOUNTAIN SKINNER

15002-1 Saddle Mountain Skinner

At Benchmade, we build knives that are made for these moments — crisp mornings, steady hands, and the relentless pursuit of whitetail. Every blade we craft carries the same promise: durability, performance, and the confidence to finish what you start. The Saddle Mountain Skinner is built for the final, critical moment of the hunt — when precision, control, and sharpness matter most.

→ CPM-S90V stainless steel

→ Drop point blade style

→ Richlite with Orange Base Layer handle

→ Black/Orange Boltaron® sheath

→ YOUR EDGE IN THE FIELD



Featured on page 95



Hidden Canyon Hunter

15017 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 2.79" (7.09cm)
- » **BLADE THICKNESS** - 0.12" (3.05mm)
- » **OPEN** - 6.42" (16.31cm)
- » **WEIGHT** - 2.81oz (79.66g)
- » **HANDLE THICKNESS** - 0.55" (13.97mm)
- » **SHEATH** - Brown leather
- » **SHEATH WEIGHT** - 2.01oz (56.98g)



CONFIGURATIONS/MSRP

15017	⋮	\$225
15017-1	⋮	\$275

Meatcrafter® 6"

15500-3 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 6.077" (15.44cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 11.059" (28.09cm)
- » **WEIGHT** - 5.13oz (145.43g)
- » **HANDLE THICKNESS** - 0.55" (13.97mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 2.15oz (60.95g)



CONFIGURATIONS/MSRP

15500-3	⋮	\$375
---------	---	-------

Meatcrafter® 6"

15500-04 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Dark Olive - Santoprene®
- » **BLADE LENGTH** - 6.09" (15.47cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 11.08" (28.14cm)
- » **WEIGHT** - 3.24oz (91.85g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 1.7oz (48.19g)



CONFIGURATIONS/MSRP

15500-04	⋮	\$200
----------	---	-------



FIELD
READY

Get the right Benchmade hunting knives to meet your needs in the field. From field processing game animals and upland birds to outdoor tasks and camp chores, Benchmade's tough and reliable hunting knives are purpose-built for optimum performance season after season.

THE MEATCRAFTER 4"

→ CPM-154
Stainless Steel
(58-61HRC)

→ Santoprene®
handle

→ Featuring
SelectEdge®
technology

→ Trailing-point
blade style

Featured on page 99



Meatcrafter® 4"

15505 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Dark Olive - Santoprene®
- » **BLADE LENGTH** - 4.01" (10.19cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.86" (22.5cm)
- » **WEIGHT** - 2.71oz (76.83g)
- » **HANDLE THICKNESS** - 0.67" (17.02mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - 1.1oz (31.18g)



CONFIGURATIONS/MSRP
15505 ⋮ ⋮ ⋮ \$175

Crooked River

15080BK-04 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper/Black - 6061-T6 Aluminum/Canvas Micarta
- » **BLADE LENGTH** - 4" (10.16cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.3" (23.62cm)
- » **WEIGHT** - 5.019oz (142.29g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP
15080BK-04 ⋮ ⋮ BLACK ⋮ \$375

Crooked River

15080-2 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 4" (10.16cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 9.3" (23.62cm)
- » **WEIGHT** - 5.41oz (153.37g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP
15080-2 ⋮ ⋮ ⋮ \$375

Mini Crooked River

15085BK-04 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Burnt Copper/Black - 6061-T6 Aluminum/Canvas Micarta
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.89" (20.04cm)
- » **WEIGHT** - 2.5oz (70.87g)
- » **HANDLE THICKNESS** - 0.52" (13.21mm)



CONFIGURATIONS/MSRP
15085BK-04 ⋮ ⋮ BLACK ⋮ \$325

Mini Crooked River

15085-2 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 3.4" (8.64cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 7.89" (20.04cm)
- » **WEIGHT** - 3.29oz (93.27g)
- » **HANDLE THICKNESS** - 0.52" (13.21mm)



CONFIGURATIONS/MSRP
15085-2 ⋮ ⋮ ⋮ \$325

Trackpoint

15090 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.25" (20.96cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.551" (14.0mm)



CONFIGURATIONS/MSRP
15090 ⋮ ⋮ ⋮ \$300

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



Trackpoint

15090-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Rust Orange - G10
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.25" (20.96cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.551" (14.0mm)



CONFIGURATIONS/MSRP

15090-01 :: \$300

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Grizzly Creek

15062 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 3.49" (8.86cm)
- » **BLADE THICKNESS** - 0.124" (3.15mm)
- » **OPEN** - 7.81" (19.84cm)
- » **WEIGHT** - 4.18oz (118.5g)
- » **HANDLE THICKNESS** - 0.6" (15.24mm)



CONFIGURATIONS/MSRP

15062 :: \$325

North Fork

15032 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Drop-Point
- » **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- » **HANDLE** - Dark Brown Wood - Wood
- » **BLADE LENGTH** - 2.97" (7.54cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 6.87" (17.45cm)
- » **WEIGHT** - 3.82oz (108.3g)
- » **HANDLE THICKNESS** - 0.53" (13.46mm)



CONFIGURATIONS/MSRP

15032 :: \$250

Taggedout®

15536 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.13" (20.65cm)
- » **WEIGHT** - 2.889oz (81.9g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15536 :: \$325

Taggedout®

15535 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Orange - Grivory®
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.13" (20.65cm)
- » **WEIGHT** - 2.1oz (59.53g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15535 :: \$175

Taggedout®

15535OR-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Black - Carbon Fiber
- » **BLADE LENGTH** - 3.48" (8.84cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.15" (20.7cm)
- » **WEIGHT** - 2.44oz (69.17g)
- » **HANDLE THICKNESS** - 0.48" (12.19mm)



CONFIGURATIONS/MSRP

15535OR-01 :: ORANGE :: \$350

Taggedout®

15536GN-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - Elmax Stainless powder steel (59-61 HRC)
- » **HANDLE** - Tan - Grivory®
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.13" (20.65cm)
- » **WEIGHT** - 2.1oz (59.53g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15536GN-01 :: GREEN :: \$225

Taggedout®

15536TN-02 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - Elmax Stainless powder steel (59-61 HRC)
- » **HANDLE** - Deep Olive - Grivory®
- » **BLADE LENGTH** - 3.5" (8.89cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.13" (20.65cm)
- » **WEIGHT** - 2.1oz (59.53g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15536TN-02 :: TAN :: \$225

Mini Taggedout®

15533 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Orange - Grivory®
- » **BLADE LENGTH** - 3.04" (7.72cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.12" (18.08cm)
- » **WEIGHT** - 1.68oz (47.63g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15533 :: \$150

Mini Taggedout®

15534 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- » **HANDLE** - OD Green - G10
- » **BLADE LENGTH** - 3.04" (7.72cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.12" (18.08cm)
- » **WEIGHT** - 2.33oz (66.05g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15534 :: \$300

Mini Taggedout®

15533OR-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Carbon Fiber - Carbon Fiber
- » **BLADE LENGTH** - 3.04" (7.72cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 7.12" (18.08cm)
- » **WEIGHT** - 2.33oz (66.05g)
- » **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP

15533OR-01 :: ORANGE :: \$325





THE MINI TAGGEDOUT®

A HUNTER'S EDC

15534 Mini Taggedout®

The 15534 Mini Taggedout® is a lightweight, compact folder built for both Hunt and EDC. Its CPM-S45VN clip point blade with SelectEdge® delivers excellent edge retention and corrosion resistance, while the OD green G10 handle with orange accents ensures durability and style. Perfect for field dressing or everyday tasks, it's the pocket-sized folder hunters have been waiting for.

CPM-S45VN
Stainless Steel
(60-62 HRC)

OD Green G10
handle

AXIS® lock
mechanism

Clip-point
blade style

Featured on page 104

Trackpoint Fixed

15650 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 3.7" (9.4cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.11" (20.6cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.616" (15.65mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - TBD



CONFIGURATIONS/MSRP

15650		\$275
15650-KIT		\$350

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Trackpoint Fixed

15650-01 BENCHMADE



- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Rust Orange - G10
- » **BLADE LENGTH** - 3.7" (9.4cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 8.11" (20.6cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.616" (15.65mm)
- » **SHEATH** - TBD
- » **SHEATH WEIGHT** - TBD



CONFIGURATIONS/MSRP

15650-01		\$275
15650-01-KIT		\$350

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Trackpoint Hook

110R BENCHMADE



- » **MECHANISM** - Hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Rust Orange Cerakote®
- » **BLADE LENGTH** - 0.75" (1.91cm)
- » **BLADE THICKNESS** - 0.125" (3.18mm)
- » **OPEN** - 4.82" (12.24cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.125" (3.18mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - TBD



CONFIGURATIONS/MSRP

110R	ORANGE	\$75
------	--------	------

EST SHIP DATE: AUG
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



↓
MASTER THE
GRILL

CUTLERY

MASTERING
THE GRILL

FROM BRISKET TO BACKSTRAP, BENCHMADE
CUTLERY DELIVERS POWER AND PRECISION.

Featured on page 111



MASTER THE GRILL

From brisket to backstrap, the Station Knife is built to dominate the grill. Designed with the power of a chef's knife and the precision of a paring blade, it handles everything—trimming, slicing, carving—with zero compromise.

Featured on page 111



BUILT TO TAKE THE HEAT



Chef Matt Groark
@groarkboysbbq



Featured on page 112

Station Knife

4010BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **BLADE LENGTH** - 5.97" (15.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 10.88" (27.64cm)
- » **WEIGHT** - 6.36oz (180.30g)
- » **HANDLE THICKNESS** - 0.61" (15.49mm)
- » **BLADE GUARD WEIGHT** - 1.161oz (32.91g)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP
4010BK-01 : : BLACK : \$350

Station Knife

4010-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **BLADE LENGTH** - 5.97" (15.16cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 10.88" (27.64cm)
- » **WEIGHT** - 6.36oz (180.30g)
- » **HANDLE THICKNESS** - 0.61" (15.49mm)
- » **BLADE GUARD WEIGHT** - 1.161oz (32.91g)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP
4010-02 : : \$350



THE STATION KNIFE

4010-02 Station Knife


A minimalist workhorse, this ultra-versatile kitchen tool was built, designed, and manufactured to perform. From field to table, this knife combines the power and exceptional quality of Benchmade's proprietary SelectEdge® technology for a cut like no other. The gray blade guard is included for safe storage and easy transport from camp to the kitchen.

→ CPM-154 wear resistant stainless steel (58-61HRC)

→ Maple Valley Richlite with black G10 bolster

→ Satin blade finish

→ Comes with a gray blade guard



→ A CHEF'S EDC

Featured on page 111

3 Piece Set

4005BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - 4050 Training-Point featuring SelectEdge® / 4070/4045 Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **EXTRA** - Gold Pivot Rings

CONFIGURATIONS/MSRP
4005BK-01 : BLACK : \$900

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



True Paring Knife

BLADE LENGTH - 4.12" (10.46cm)
BLADE THICKNESS - 0.09" (2.29mm)
OPEN - 8.54" (21.69cm)
WEIGHT - 2.67oz (75.69g)
HANDLE THICKNESS - 0.47" (11.94mm)

Meatcrafter®

BLADE LENGTH - 6.14" (15.6cm)
BLADE THICKNESS - 0.09" (2.29mm)
OPEN - 11.13" (28.27cm)
WEIGHT - 5.13oz (145.43g)
HANDLE THICKNESS - 0.584" (14.83mm)

Wildcoast

BLADE LENGTH - 6.83" (17.35cm)
BLADE THICKNESS - 0.114" (2.9mm)
OPEN - 11.79" (29.95cm)
WEIGHT - 6.26oz (177.47g)
HANDLE THICKNESS - 0.61" (15.49mm)

3 Piece Set

4005-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - 4050 Training-Point featuring SelectEdge® / 4070/4045 Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **EXTRA** - Gold Pivot Rings

CONFIGURATIONS/MSRP
4005-02 : \$900

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



True Paring Knife

BLADE LENGTH - 4.12" (10.46cm)
BLADE THICKNESS - 0.09" (2.29mm)
OPEN - 8.54" (21.69cm)
WEIGHT - 2.67oz (75.69g)
HANDLE THICKNESS - 0.47" (11.94mm)

Meatcrafter®

BLADE LENGTH - 6.14" (15.6cm)
BLADE THICKNESS - 0.09" (2.29mm)
OPEN - 11.13" (28.27cm)
WEIGHT - 5.13oz (145.43g)
HANDLE THICKNESS - 0.584" (14.83mm)

Wildcoast


BLADE LENGTH - 6.83" (17.35cm)
BLADE THICKNESS - 0.114" (2.9mm)
OPEN - 11.79" (29.95cm)
WEIGHT - 6.26oz (177.47g)
HANDLE THICKNESS - 0.61" (15.49mm)

Chef Knife

4025BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **BLADE LENGTH** - 8.04" (20.42cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 13.02" (33.07cm)
- » **WEIGHT** - 7.37oz (208.94g)
- » **HANDLE THICKNESS** - 0.61" (15.44mm)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP		
4025BK-01	BLACK	\$400

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Chef Knife

4025-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Drop-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **BLADE LENGTH** - 8.04" (20.42cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 13.02" (33.07cm)
- » **WEIGHT** - 7.37oz (208.94g)
- » **HANDLE THICKNESS** - 0.61" (15.44mm)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP		
4025-02		\$400

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Meatcrafter®

4050BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **BLADE LENGTH** - 6.14" (15.6cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 11.13" (28.27cm)
- » **WEIGHT** - 5.13oz (145.43g)
- » **HANDLE THICKNESS** - 0.584" (14.83mm)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP		
4050BK-01	BLACK	\$350

Meatcrafter®

4050-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **BLADE LENGTH** - 6.14" (15.6cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 11.13" (28.27cm)
- » **WEIGHT** - 5.13oz (145.43g)
- » **HANDLE THICKNESS** - 0.584" (14.83mm)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP		
4050-02		\$350

Table Knife Set
4001 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Black - G10
- » **BLADE LENGTH** - 5.13" (13.03cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 9.2" (23.37cm)
- » **WEIGHT** - 3.19oz (90.43g)
- » **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP
4001 : : \$700

True Paring Knife
4045BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **BLADE LENGTH** - 4.12" (10.46cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.54" (21.69cm)
- » **WEIGHT** - 2.67oz (75.69g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)
- » **EXTRA** - Satin pivot rings




CONFIGURATIONS/MSRP
4045BK-01 : BLACK : \$250

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

True Paring Knife
4045-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **BLADE LENGTH** - 4.12" (10.46cm)
- » **BLADE THICKNESS** - 0.09" (2.29mm)
- » **OPEN** - 8.54" (21.69cm)
- » **WEIGHT** - 2.67oz (75.69g)
- » **HANDLE THICKNESS** - 0.47" (11.94mm)
- » **EXTRA** - Satin Pivot Rings



CONFIGURATIONS/MSRP
4040-02 : : \$250

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE



THE TABLE
KNIFE SET

4001

We made the Table Knife Set to redefine versatility in kitchen tools, because you shouldn't have to choose between strength and precision. The Table Knife Set features Benchmade's proprietary SelectEdge® blade for maximum precision. Its stainless steel, serrated blade is wear resistant for enduring strength.

Featured on page 117



THE WILDCOAST

4070-02

Built for adventure, the Wildcoast Knife blends raw power with precision. Its CPM-154 stainless steel clip-point blade with stonewash finish thrives outdoors, delivering effortless cuts from shore to backcountry. SelectEdge® technology ensures razor-sharp performance, while the Maple Valley Richlite handle provides a durable, comfortable grip. For chefs who cook without limits, this blade goes wherever the wild takes you.

- CPM-154 wear resistant stainless steel (58-61HRC)
- Maple Valley Richlite with black G10 bolster
- Satin blade finish

PRECISION AND POWER FOR THE OUTDOOR CHEF.

Featured on page 120

Wildcoast

4070BK-01 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - OD and Black - G10
- » **BLADE LENGTH** - 6.83" (17.35cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 11.79" (29.95cm)
- » **WEIGHT** - 6.26oz (177.47g)
- » **HANDLE THICKNESS** - 0.61" (15.49mm)
- » **BLADE GUARD WEIGHT** - 1.83oz (51.88g)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP
4070BK-01 | BLACK | \$350

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

Wildcoast

4070-02 BENCHMADE



- » **MECHANISM** - Fixed Blade
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- » **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- » **BLADE LENGTH** - 6.83" (17.35cm)
- » **BLADE THICKNESS** - 0.114" (2.9mm)
- » **OPEN** - 11.79" (29.95cm)
- » **WEIGHT** - 6.26oz (177.47g)
- » **HANDLE THICKNESS** - 0.61" (15.49mm)
- » **BLADE GUARD WEIGHT** - 1.83oz (51.88g)
- » **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP
4070-02 | | \$350

EST SHIP DATE: MAR
IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

SHARPENERS



20° Guided Hone Tool

20° Guided Hone Tool with a controlled 20-degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

- 50080 (Single) + PRICE - \$30.00
- 50081 (12 Pack) + PRICE - \$360.00



Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

- 100604F + PRICE - \$50.00

SHEATHS

Hunt

Model Specific

- 102637F - 15017-1 Boltaron® (Orange/Black) + PRICE - \$40.00
- 102638F - 15002 Boltaron® + PRICE - \$40.00
- 103195F - 15017 Hidden Canyon + PRICE - \$35.00
- 103193F - 15002 Saddle Mt. (Brown leather) + PRICE - \$35.00
- 105387F - 15006 Steep Country + PRICE - \$40.00
- 105045F - 15505 - Meatcrafter® 4" (Boltaron Orng/Gry) + PRICE - \$40.00
- 105235F - 15500-04 - Meatcrafter® 6" (Boltaron Orng/Gry) + PRICE - \$40.00

Water

Model Specific

- 104950 - Fishcrafter™ 7" + PRICE - \$25.00
- 104976 - Fishcrafter™ 9" + PRICE - \$25.00
- 105002 - Undercurrent + PRICE - \$25.00
- 104773 - Intersect + PRICE - \$25.00



8-Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA..

- 985398F - Black
- 985570F - Foliage Green
- 985569F - Coyote
- + PRICE - \$18.00

Blue Class

Model Specific

- 104747F - 163 Leather + PRICE - \$40.00
- 104562F - 163 PIM + PRICE - \$40.00
- 104764F - 165 PIM + PRICE - \$35.00
- 104765F - 165 Leather + PRICE - \$35.00
- 102658F - Necron 99 (Black Nylon) + PRICE - \$30.00
- 104997F - Laro 82 (Black Boltaron) + PRICE - \$25.00

Black Class

Model Specific

- 987592F - 375BK-1 Fixed Adamas® (Black) + PRICE - \$50.00
- 102803F - 375FE-1 Fixed Adamas® (Ranger green) + PRICE - \$50.00
- 101622F - 173BK Mini SOCP® + PRICE - \$25.00
- 987495F - 176BK SOCP® (Black) + PRICE - \$25.00
- 987496F - 176BK SOCP® (Sand) + PRICE - \$25.00
- 102119F - KIT SOCP® Leather Tab + PRICE - \$10.00

Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- 981086F - Soft Sheath, small (1.625" W x 5" D), black
- 981087F - Soft Sheath, large (2" W x 5.25" D), black
- 981717F - Soft Sheath, 4" Bali-Song® Series, black
- + PRICE - \$15.00



7-Hook

(MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- 984166F - Black
- 984205F - Foliage Green
- 984204F - Coyote
- + PRICE - \$15.00



Soft Sheath with MALICE Clip

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- 984818F - Black
- + PRICE - \$30.00



Tek-Lok™

Multiple position options, with compatible sheath..

- 981609F - Tek-Lok™, large size
- + PRICE - \$20.00



.....



BlueLube® Lubricant

983900F

✦ **PRICE** - \$15.00

BlueLube® Lubricant

983901F

✦ **PRICE** - \$20.00

Clean, lubricate, and protect your Benchmade.



Benchmade Ferro Rod

50023 - BLUE

50024 - GRAY

- » **STYLE** - Ferro Rod
- » **MATERIAL** - Blue anodized 6061-T6 aluminum tinder capsule
- » **STRIKER** - 5/16" by 3.10" ferrocerium rod
- » **EXTRA** - QuickLIGHT™ waterproof tinder
- » **ORIGIN** - Made in the USA by Exotac

✦ **PRICE** - \$50.00

ACCESSORIES

.....



Lanyards

103488F - Lanyard, Bead, Blue

103489F - Lanyard, Bead, Rose Gold

104331F - Lanyard, Bead, DLC

104984F - Lanyard, Nylon Bead, Black

✦ **PRICE** - \$20.00



Malice Clips®

Add MALICE® Clips to Fight Light

102789F - Short Blk (3" size)

102790F - Short Snd (3" size)

103226F - Long Blk (5" size)

✦ **PRICE** - \$4.00



Knife Roll

50019

- » **STYLE** - Knife Roll
- » **COLOR** - Gray with black accents
- » **MATERIAL** - 1680 nylon and urethane coating construction
- » **CAPACITY** - Holds up to eleven knives and two pens
- » **EXTRA** - Two integrated loop panels for morale patches

✦ **PRICE** - \$75.00



Multi-Bit Driver

50141 - Hanging

✦ **PRICE** - \$75.00

104688F - Replacement bit

✦ **PRICE** - \$30.00



Cutlery Knife Roll

50088

- » **STYLE** - Knife Roll
- » **COLOR** - Black with leather accents
- » **MATERIAL** - Waxed canvas and leather
- » **CAPACITY** - Holds up to 5 cutlery knives
- » **EXTRA** - Full-length zipper pocket

✦ **PRICE** - \$180.00



DESIGNER COLLABORATIONS

Benchmade's collaborations with custom designers has created the most innovative and functional designs in the the industry. These skilled artisans and craftsmen poured their passion into these designs and agonized over every detail. By collaborating with a selection of world-class custom designers, we were able to tap into innovative locking mechanisms, modern materials, and custom blending and finishing techniques.



MEL PARDUE

The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHenry & Williams

BILL MCHENRY & JASON WILLIAMS

Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



WARREN OSBORNE

Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



SHANE SIBERT

Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



GREG THOMPSON

Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC



7 BLKW PG50	8 BLKW PG50	8 BLKW MED PG50	11OR PG106	82 PG75	99 PG76	99BK-1 PG76	940FE-2601 PG64	945 PG65	945-04 PG66	945BK-03 PG65	945BK-1 PG65	15002-1 PG95	15006-01 PG95				
99T PG76	112SBK-BLK PG41	163-1 PG78	165-1 PG78	173BK PG41	174BK PG42	174GY PG42	15017 PG97	15032 PG101	15062 PG101	15080-2 PG99	15080BK-04 PG100	15085-2 PG99	15085BK-04 PG100				
174SN PG42	176BK PG43	176BK-COMBO PG43	176BKSN PG43	176BKSN-COMBO PG44	176T PG44	177BK PG41	15090 PG100	15090-01 PG101	15500-3 PG97	15500-04 PG97	15505 PG99	15533 PG103	15533OR-01 PG104				
177GN PG47	177GY PG44	177SN PG47	179GRY PG47	185BK PG48	185BK-1 PG48	185T PG48	15534 PG104	15535 PG102	15535OR-01 PG102	15536 PG102	15536GN-01 PG103	15536TN-02 PG103	15600-01 PG95				
203-04 PG79	203BK-02 PG79	203BT-03 PG79	273-03 PG23	273FE-2 PG23	275SGY-1 PG23	290BK PG24	15650 PG106	15650-01 PG106	18010 PG83	18020 PG83	18030 PG83	18040S PG85	18050 PG85				
290BK-1 PG24	290BK-2 PG24	315 PG75	315BK-01 PG75	375BK-1 PG40	375FE-1 PG40	393SBK PG49	18050S PG85	18060 PG88	18060BT-01 PG88	18060S PG88	18060SBT-01 PG89	18065 PG89	18065BT-01 PG91				
393SSN-01 PG49	430BK-02 PG21	431SBK-1 PG21	491 PG73	491BK-02 PG73	491GY-01 PG73	495 PG74	18065S PG89	18065SBT-01 PG91	2730-03 PG26	2750GY-3 PG26	3300BK PG38	3350BK PG39	3370GY PG36				
533 PG57	533-3 PG58	533BK-1 PG58	533BK-2 PG58	533SL-10 PG60	533TN-2601 PG60	534BK PG57	3370GY-1 PG37	3370SGY PG36	3370SGY-1 PG37	3375GY-1 PG37	3400BK PG39	3400BK-1 PG39	3400BK-2 PG40				
535 PG53	535-3 PG54	535-09 PG55	535BK-2 PG53	535BK-4 PG54	535BK-07 PG55	535BK-08 PG55	4001 PG117	4005-02 PG114	4005BK-01 PG113	4010-02 PG111	4010BK-01 PG111	4025-02 PG115	4025BK-01 PG115				
535GRY-1 PG53	535FE-05 PG54	535FE-2601 PG57	535SL-13 PG56	535TN-11 PG56	535TN-2601 PG56	537-09 PG19	4045-02 PG118	4045BK-01 PG118	4050-02 PG116	4050BK-01 PG116	4070-02 PG120	4070BK-01 PG120	4170BK PG27				
537BK-06 PG18	537BK-07 PG19	537FE-02 PG17	537FE-2601 PG19	537GY-1 PG17	537GY-03 PG18	537SGY-03 PG18	4300-1 PG28	4300BK PG27	4300BK-02 PG28	4400BK PG28	4600DLC PG38	4600DLC-1 PG38	5370FE PG33				
537SGY-1 PG17	539GY PG78	550-S30V PG66	551-S30V PG66	555-S30V PG67	556SBK-S30V PG67	560-03 PG69	5370FE-01 PG33	5370FE-02 PG34	5371BK-01 PG34	5371FE PG34	5371FE-2601 PG36	5700SBK PG26	8551BK PG31				
560BK-1 PG69	565BK-02 PG70	570-1 PG21	575-1 PG22	580 PG67	581BK-04 PG68	583SBK PG68	9051SBK PG32	9070BK PG31	9070SBK-1 PG31	9071BK PG32	9101SBK PG33	9170SBK PG27	9400 PG30				
																	
585 PG68	585BK-04 PG69	593BK PG72	593BK-01 PG72	593GY-02 PG72	710FE-24 PG74	710-25 PG74	9400BK PG30	9400BK-03 PG30	9570BK-1 PG32								
																	
743 PG61	743BK-01 PG61	748 PG60	748BK-01 PG61	865-02 PG25	865BK-01 PG25	865SBK PG25											
																	
916SBK PG22	917SBK PG22	940 PG63	940-1 PG63	940-2 PG63	940-04 PG64	940BK-03 PG64											



YOURS. FOR LIFE.

BENCHMADE

YOURS, FOR LIFE.

USA DEALERS

CUSTOMER
SERVICE/SALES

TELEPHONE:

Local: 503.354.1406
Toll Free: 855.569.4738

CUSTOMER
SERVICE FAX:
503.496.1896

EMAIL:
info@benchmade.com
SalesTeam@benchmade.com

WEB:
dealer.benchmade.com

CONSUMER CUSTOMER SERVICE

CUSTOMER
SERVICE/SALES

TELEPHONE:

Toll Free: 1.833.557.2526
International: 1-503-655-6004

EMAIL:
info@benchmade.com
SalesTeam@benchmade.com

WEB:
benchmade.com

LAW ENFORCEMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:

855.569.4738
(ASK FOR LE SALES)

EMAIL:
lesales@benchmade.com

WEB:
benchmade.com

FEDERAL GOVERNMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:

855.569.4738
(ASK FOR FED/GOV SALES)

FED/GOV FAX:
503.496.1896

EMAIL:
military@benchmade.com

WEB:
benchmade.com

CAGE CODE:
041N2

INTERNATIONAL

CUSTOMER
SERVICE/SALES

TELEPHONE:

1.503.354.1406
(ASK FOR INTERNATIONAL SALES)

EMAIL:
international@benchmade.com

WEB:
benchmade.com



2026 BENCHMADE KNIFE CO, INC

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045