

BENCHMADE®

2017 CATALOG

BENCHMADE KNIFE COMPANY 2017 CATALOG




30
ANNIVERSARY





30 YEARS AND COUNTING.

December 1987.



Inside a small shop in Los Angeles, California, something big was happening. A young man was on a personal mission. A hunt for perfection.

Equipped with manufacturing skills from his high school shop class, childhood memories from the Filipino community, and grit, Les de Asis created one of the world's great tools. A seemingly impossible balance of artistry, science and craftsmanship: the Benchmade Bali-Song®.

It was the knife that started it all.

From the humble garage beginnings to today's state-of-the-art Benchmade factory in Oregon City, Oregon—the hunt for the perfect knife continues. Stronger than ever.

Benchmade takes immense pride in seamlessly blending old-world craftsmanship with advanced manufacturing technologies and ongoing material science research to produce a vast array of limit-pushing, genre-bending, precision-crafted knives. Honoring tradition while looking to the future.

The first 30 years have been a fantastic grind.

Here's to 30 more.



HOW TO CHOOSE YOUR BENCHMADE KNIFE

1 ACTIVITY

Outdoor, tactical, every day use—there are many uses for a knife, and some knives are better for certain activities than others.

HOW WILL YOU USE YOUR KNIFE?



TACTICAL Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations where performance is a must.



RESCUE For critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.



EVERY DAY Not obtrusive or uncomfortable in slacks or shorts; just convenient and well fitted to your general needs.



OUTDOOR From water to woods, backpacking trips to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.



HUNTING Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



SURVIVAL Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

KEY KNIFE FEATURES



AXIS® Exclusive to Benchmade, the AXIS® lock is truly ambidextrous and extremely strong.



Dual-Action Works both as an auto and manual-opening mechanism.



Ambidextrous Can be used equally well with either hand.



Reversible Clip The pocket clip can be removed and placed in alternate locations on the handle.



MOLLE® Compatible A versatile attachment system designed for kitting military equipment.



LifeSharp: Service and Warranty Our industry-leading lifetime warranty and product service program. For more detailed information, visit pages 89 and 96.

2 MECHANISM

We offer five primary actions: manual-opening, assisted-opening, automatic-opening, fixed blade and Bali-Song®. If you're a mountain climber, you may want an assist. If you're a sportsman, a fixed blade may be the right choice. Whatever the case, consider which mechanism type is optimal for your needs. Mechanisms like the AXIS® lock deliver manual opening, assisted opening and automatic opening. Others, like the monolock, deliver only manual opening. For detailed information on our mechanisms, visit page 91.

ACTIONS

Manual-opening "Manuals" must be opened 100%, from the closed position to the open position, by the user.

Assisted-opening "Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

Automatic-opening "Autos" have a button or other actuation switch that mechanically

fires the blade open without the user directly manipulating the blade.

Bali-Song® "Balis" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

Fixed Blade These knives are permanently open and almost always come with a sheath to protect the edge.

3 BLADE STYLE

While the cutting edge does the work, the edge is applied to the cutting surface in different ways depending on the shape of the blade. Blade shapes with larger radiuses may be optimal for hunting while blade shapes with hard angles, like the tanto, may be better for tactical applications.

SHAPES



Clip-point Blade contains a sharp beak, typically forward of the mid-point, as if the tip has been "clipped off".



Drop-point Drops off the spine to the top. Tip height is typically below the center line on the blade.



Tanto This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.



Reverse Tanto Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.



Sheepsfoot The spine of the blade 'rolls' into the tip, creating a more rounded end to discourage puncturing.



Wharncliffe Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.



Spear-point Must be symmetrical considering the blade profile. *Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.



Weehawk Characterized by a sweeping edge and spine radius that tapers to the tip and handle.

CONFIGURATION CODES (INSIDE THE MODEL NUMBERS)

BLADE VARIATIONS

- None** No coating, no serrations
- S** Serrations, no coating
- BK** Black coating, no serrations
- SBK** Serrations and black coating

HANDLE

- ORG** Orange
- OD** Olive Drab
- SN** Sand
- PNK** Pink
- YEL** Yellow
- BLU** Blue
- *-1, -2, etc. typically indicate handle material variations

4 BLADE STEEL

Steel composition can mean the difference between one sharp cut and 1,000. There are many types of steel and additional factors that play into the right kind of steel for your usage. For instance, the way some steels are heat treated plays a critical role in a knife's performance.

PROPERTIES

Edge Retention

How long a blade can maintain its sharpened edge.

Strength

Maximum stress withstood before a blade breaks or fails.

Corrosion Resistance

Resistance of a blade to oxidization and chemical attack.

Toughness

Resistance of a blade to fracture and chipping.

For more detailed information, visit page 92 or go to benchmade.com.

2017 NEW PRODUCTS

GOLD CLASS PAGES 4-7



485-171
P.6

BLUE CLASS PAGES 8-35



87
P.10



560
P.19



590
P.19



781
P.21

BLACK CLASS PAGES 46-77



125
P.73



570
P.57



3300BK-
1701
P.53



4400
P.63



4400-1
P.63



4600
P.52



4600-1
P.52



4700
P.53



5700
P.57



10
P.75



GOLD CLASS

PAGES 4-7

Fit for a collector's case, yet purpose-built. An exquisite work of art crafted from the hard-working bones of the world's most reliable knives. This flawless creation isn't just for the safe; it is built to perform at the highest level.



BLUE CLASS

PAGES 8-35

The core. The workhorse. The 'EDC'. High-quality blades, effortless function and near-perfect performance. The heart and soul of our 30 years of existence. Precise form meets every day carry function, right in your pocket.



HUNT.™

PAGES 36-45

Hunts are defined by great adventures and by single moments. That's why we put endless hours of R&D, mountains of field research and the highest quality materials into our hunting knives. So you can feel confident when your moment comes.



BLACK CLASS

PAGES 46-77

It's not every day that a knife is called to action. Sometimes it may be weeks, months; some knives may never be used for their intended purpose. In some arenas, a knife is called upon only in the worst of times. And when the time arrives, performance is everything.





GOLDCLASS

485-171 VALET **NEW**

BENCHMADE DESIGN • U.S.A.



The Valet is reborn as a work of art in this exclusive, titanium Gold Class knife.

MECHANISM AXIS® Lock

BLADE STYLE Drop-point

BLADE STEEL Ladder pattern
Damasteel® (58-60HRC)

HANDLE Blue-violet anodized
billet titanium with diamond-like
carbon (DLC) coated stainless
steel liners

EXTRA Damasteel backspacer,
anodized titanium thumbstub,
and DLC coated reversible tip-up
deep-carry pocket clip



485-171

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 2.96" (7.52cm) |
| BLADE THICKNESS | 0.100" (2.54mm) |
| OPEN | 6.69" (16.99cm) |
| CLOSED | 3.73" (9.47cm) |
| WEIGHT | 2.82oz (79.95g) |
| HANDLE THICKNESS | 0.47" (11.94mm) |

CONFIGURATION/MSRP

485-171

\$700

DON'T TREAT THIS KNIFE SPECIAL.



This is the custom knife-maker's knife. Artisan craftsmanship taken to another level. We seamlessly blend old world techniques with modern technology, and pay extra attention to these few special blades. With exquisite details from pommel to point, it's a knife you'll want to keep in pristine condition, in your collector's case. But that'd be a shame. This knife is built to perform.





BLUECLASS

87 Ti BALI-SONG® NEW

BENCHMADE DESIGN • U.S.A.



The past inspires the future, and while it all started in 1987, nothing about this billet titanium Bali-Song® is old school.

MECHANISM Bali-Song®

BLADE STYLE Wharncliffe

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Sandblasted, single piece billet titanium

SHEATH Gray nylon sheath with multiple carry options

EXTRA Thrust bearing washers, custom hardware and magnetic latch



Sheath included

87

| | |
|-------------------------|------------------|
| BLADE LENGTH | 4.50" (11.43cm) |
| BLADE THICKNESS | 0.124" (3.145mm) |
| OPEN | 10.00" (25.4cm) |
| CLOSED | 5.50" (13.97cm) |
| WEIGHT | 5.37oz (152.24g) |
| HANDLE THICKNESS | 0.46" (1.17mm) |
| SHEATH WEIGHT | 0.66oz (18.71g) |

CONFIGURATION/MSRP

87

\$600

OUR FIRST-BORN TURNS 30.



For many years the butterfly knife was known as a cheaply made self-defense weapon. Quality and precision were an afterthought. That was until Les de Asis set out to create one.

With Les' influence, better materials and painstaking attention to detail, the Benchmade Bali-Song® was born. And it will go down in history as one of the greatest knives we've ever made.

30 years later, the Benchmade Bali-Song is still universally respected in knife-maker and collector circles.

Bali-Song will always have a special place in our hearts and hands. And will always be Benchmade.

62/63/67 BALI-SONG®

BENCHMADE DESIGN • U.S.A.



Based on the classic Bali—with crafted stainless steel handles.

MECHANISM Bali-Song® with T-latch

BLADE STYLE 62: Weehawk; 63: Bowie; 67: Tanto

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Hand finished, machined stainless steel

SHEATH Nylon



62

63

67

62T

Sheath included

| | 62 | 63 | 67 |
|-------------------------|------------------|------------------|------------------|
| BLADE LENGTH | 4.25" (10.80cm) | 4.25" (10.80cm) | 4.25" (10.80cm) |
| BLADE THICKNESS | 0.125" (3.18mm) | 0.125" (3.18mm) | 0.125" (3.18mm) |
| OPEN | 9.20" (23.37cm) | 9.20" (23.37cm) | 9.20" (23.37cm) |
| CLOSED | 5.27" (13.39cm) | 5.27" (13.39cm) | 5.27" (13.39cm) |
| WEIGHT | 6.33oz (179.45g) | 6.37oz (180.59g) | 6.39oz (181.15g) |
| HANDLE THICKNESS | 0.48" (12.19mm) | 0.48" (12.19mm) | 0.48" (12.19mm) |

CONFIGURATIONS/MSRP

| | | |
|-----|---------|-------|
| 62 | WEEHAWK | \$375 |
| 63 | BOWIE | \$375 |
| 67 | TANTO | \$375 |
| 62T | TRAINER | \$300 |

MORPHO® FAMILY
BENCHMADE DESIGN • U.S.A.



51/32



A lightweight Bali that brings modern style to a classic.

MECHANISM Bali-Song® with Nitrous® latch-lock

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black skeletonized G10 with blue anodized, jeweled titanium liners

EXTRA Blue anodized titanium pocket clip



| | 32 | 51 |
|-------------------------|-----------------|-----------------|
| BLADE LENGTH | 3.25" (8.26cm) | 4.25" (10.80cm) |
| BLADE THICKNESS | 0.100" (2.54mm) | 0.100" (2.54mm) |
| OPEN | 7.35" (18.67cm) | 9.35" (23.75cm) |
| CLOSED | 4.39" (11.15cm) | 5.40" (13.72cm) |
| WEIGHT | 2.70oz (76.54g) | 3.30oz (93.55g) |
| HANDLE THICKNESS | 0.44" (11.18mm) | 0.47" (11.94mm) |

| CONFIGURATIONS/MSRP | |
|----------------------------|-------------|
| 32 | \$280 |
| 51 | \$300 |
| 51BK | BLACK \$315 |

BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



580/585

583



Quick, one-handed opening for righties or lefties.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE 580 & 585: Drop-point; 583: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black Valox® with stainless steel liners

EXTRA Reversible tip-up pocket clip



583SBK

580

585
Mini

| | 580 | 583 | 585 |
|-------------------------|------------------|------------------|-----------------|
| BLADE LENGTH | 3.60" (9.14cm) | 3.60" (9.14cm) | 2.91" (7.39cm) |
| BLADE THICKNESS | 0.121" (3.07mm) | 0.121" (3.07mm) | 0.100" (2.54mm) |
| OPEN | 8.35" (21.21cm) | 8.35" (21.21cm) | 6.91" (17.55cm) |
| CLOSED | 4.75" (12.07cm) | 4.75" (12.07cm) | 4.00" (10.16cm) |
| WEIGHT | 4.31oz (122.19g) | 4.51oz (127.86g) | 3.40oz (96.39g) |
| HANDLE THICKNESS | 0.65" (16.51mm) | 0.65" (16.51mm) | 0.57" (14.48mm) |

CONFIGURATIONS/MSRP

| | | | |
|--------|------|-------|-------|
| 580 | | | \$155 |
| 580S | SERR | | \$155 |
| 580BK | | BLACK | \$170 |
| 580SBK | SERR | BLACK | \$170 |
| 583 | | | \$155 |
| 583S | SERR | | \$155 |
| 583BK | | BLACK | \$170 |
| 583SBK | SERR | BLACK | \$170 |
| 585 | | | \$145 |
| 585S | SERR | | \$145 |
| 585BK | | BLACK | \$160 |
| 585SBK | SERR | BLACK | \$160 |

G10 BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.



580-2/585-2



Gray G10 and upgraded blade steel offer enhanced performance.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Gray textured G10 with stainless steel liners

EXTRA Black oxide metal backspacer, single barrel spacer and reversible tip-up pocket clip



580SBK-2

585-2
Mini

581 BARRAGE®

OSBORNE DESIGN • U.S.A.



The dressed up handle and enhanced steel offer premium performance.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Black G10 with aluminum bolsters and stainless steel liners

EXTRA Reversible tip-up pocket clip



581



CONFIGURATIONS/MSRP

| | | |
|----------|------------|-------|
| 580-2 | | \$190 |
| 580S-2 | SERR | \$190 |
| 580BK-2 | BLACK | \$205 |
| 580SBK-2 | SERR BLACK | \$205 |
| 585-2 | | \$180 |
| 585S-2 | SERR | \$180 |
| 585BK-2 | BLACK | \$195 |
| 585SBK-2 | SERR BLACK | \$195 |
| 581 | | \$235 |
| 581S | SERR | \$235 |
| 581BK | BLACK | \$250 |
| 581SBK | SERR BLACK | \$250 |

| | 580-2 | 585-2 | 581 |
|-------------------------|------------------|------------------|------------------|
| BLADE LENGTH | 3.60" (9.14cm) | 2.91" (7.39cm) | 3.60" (9.14cm) |
| BLADE THICKNESS | 0.121" (3.07mm) | 0.100" (2.54mm) | 0.121" (3.07mm) |
| OPEN | 8.35" (21.21cm) | 6.91" (17.55cm) | 8.35" (21.21cm) |
| CLOSED | 4.75" (12.07cm) | 4.00" (10.16cm) | 4.75" (12.07cm) |
| WEIGHT | 4.94oz (140.05g) | 3.76oz (106.59g) | 5.20oz (147.42g) |
| HANDLE THICKNESS | 0.62" (15.75mm) | 0.57" (14.48mm) | 0.65" (16.51mm) |

EMISSARY® FAMILY

OSBORNE DESIGN • U.S.A.



477

470-1



Strong, versatile and good looking.

MECHANISM AXIS® Assist with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 477: Black anodized, 6061-T6 billet aluminum; 477-1: Aqua anodized, 6061-T6 billet aluminum; 470-1: Black anodized, 7075-T6 billet aluminum

EXTRA Reversible tip-up deep-carry pocket clip



477S

477-1

470-1
Mini

| | 477/477-1 | 470-1 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.45" (8.76cm) | 3.00" (7.62cm) |
| BLADE THICKNESS | 0.100" (2.54mm) | 0.090" (2.89mm) |
| OPEN | 8.00" (20.32cm) | 6.90" (17.53cm) |
| CLOSED | 4.55" (11.56cm) | 3.90" (9.91cm) |
| WEIGHT | 3.95oz (111.98g) | 2.20oz (62.37g) |
| HANDLE THICKNESS | 0.52" (13.21mm) | 0.45" (11.43mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------|-------|
| 470-1 | | \$215 |
| 477 | | \$230 |
| 477S | SERR | \$230 |
| 477-1 | | \$230 |
| 477S-1 | SERR | \$230 |

490 ARCANÉ™

BENCHMADE DESIGN • U.S.A.



The speed and function of AXIS® Assist, the convenience of a flipper.

MECHANISM AXIS® Assist flipper with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S90V super premium stainless steel (59-61HRC)

HANDLE Black anodized 7075-T6 billet aluminum

EXTRA Reversible tip-up deep-carry pocket clip



490

490

| | |
|------------------|------------------|
| BLADE LENGTH | 3.25" (8.26cm) |
| BLADE THICKNESS | 0.090" (2.29mm) |
| OPEN | 7.77" (19.74cm) |
| CLOSED | 4.52" (11.48cm) |
| WEIGHT | 2.88oz (81.65g) |
| HANDLE THICKNESS | 0.48" (12.192mm) |

CONFIGURATIONS/MSRP

| | |
|-----------|-------|
| 490 | \$250 |
| 490S SERR | \$250 |

1000001 VOLLI®

BENCHMADE DESIGN • U.S.A.



Utilizes the same **AXIS® Assist** as the **Barrage®** series but with a broader blade and a slimmer handle with **G10 scales**.

MECHANISM **AXIS® Assist** with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured and textured **G10** with stainless steel liners

EXTRA Reversible tip-up pocket clip



1000001

1000001

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.26" (8.28cm) |
| BLADE THICKNESS | 0.100" (2.54mm) |
| OPEN | 7.68" (19.51cm) |
| CLOSED | 4.42" (11.23cm) |
| WEIGHT | 4.28oz (121.34g) |
| HANDLE THICKNESS | 0.56" (14.22mm) |

CONFIGURATIONS/MSRP

| | | | |
|------------|------|-------|-------|
| 1000001 | | | \$180 |
| 1000001S | SERR | | \$180 |
| 1000001BK | | BLACK | \$195 |
| 1000001SBK | SERR | BLACK | \$195 |

890 TORRENT®

STEIGERWALT DESIGN • U.S.A.



Featuring a reliable, patented assist mechanism known as **Nitrous®**.

MECHANISM Liner lock with **Nitrous® Assist**

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured **G10** with titanium liners

EXTRA Stainless steel backspacer and tip-down deep-carry pocket clip



890

890

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 3.60" (9.14cm) |
| BLADE THICKNESS | 0.100" (2.54mm) |
| OPEN | 8.20" (20.83cm) |
| CLOSED | 4.60" (11.68cm) |
| WEIGHT | 3.50oz (99.22g) |
| HANDLE THICKNESS | 0.60" (15.24mm) |

CONFIGURATIONS/MSRP

| | | | |
|--------|------|-------|-------|
| 890 | | | \$175 |
| 890S | SERR | | \$175 |
| 890BK | | BLACK | \$190 |
| 890SBK | SERR | BLACK | \$190 |

590 BOOST™ **NEW**

BENCHMADE DESIGN • U.S.A.



Dual durometer handles greatly increase grip performance while maintaining strength on this fast-action assist.

MECHANISM AXIS® Assist

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Dark gray Grivory® and black overmolded Versaflex®

EXTRA Reversible tip-up deep-carry pocket clip



590

590

| | |
|------------------|-------------------|
| BLADE LENGTH | 3.70" (9.40cm) |
| BLADE THICKNESS | 0.120" (3.048mm) |
| OPEN | 8.52" (21.64cm) |
| CLOSED | 4.83" (12.26cm) |
| WEIGHT | 4.59oz. (130.12g) |
| HANDLE THICKNESS | 0.70" (17.78mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 590 | | \$165 |
| 590S | SERR | \$165 |
| 590BK | BLACK | \$180 |
| 590SBK | SERR BLACK | \$180 |

560 FREEK™ **NEW**

BENCHMADE DESIGN • U.S.A.



Dual durometer handles afford strength, comfort and positive grip to this versatile folder.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Warm gray Grivory® and black overmolded Versaflex®

EXTRA Reversible tip-up pocket clip



560

560

| | |
|------------------|------------------|
| BLADE LENGTH | 3.60" (9.14cm) |
| BLADE THICKNESS | 0.114" (2.896mm) |
| OPEN | 8.46" (21.49cm) |
| CLOSED | 4.86" (12.34cm) |
| WEIGHT | 3.72oz (105.46g) |
| HANDLE THICKNESS | 0.65" (16.51mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 560 | | \$130 |
| 560S | SERR | \$130 |
| 560BK | BLACK | \$145 |
| 560SBK | SERR BLACK | \$145 |

761 Ti MONOLOCK & 765 MINI-Ti MONOLOCK

BENCHMADE DESIGN • U.S.A.



Thrust bearing washers provide super smooth action in our flagship Ti folder.

MECHANISM Monolock

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Machined and sandblasted titanium

EXTRA 761: Tip-down titanium pocket clip with thrust bearing washers; 765: Tip-up or tip-down titanium pocket clip with thrust bearing washers.



| | 761 | 765 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.73" (9.47cm) | 3.24" (8.23cm) |
| BLADE THICKNESS | 0.120" (3.05mm) | 0.115" (2.92mm) |
| OPEN | 8.60" (21.84cm) | 7.46" (18.95cm) |
| CLOSED | 4.87" (12.37cm) | 4.22" (10.72cm) |
| WEIGHT | 4.36oz (123.60g) | 3.16oz (89.58g) |
| HANDLE THICKNESS | 0.42" (10.67mm) | 0.41" (10.41mm) |

CONFIGURATIONS/MSRP

| | | |
|------|------|-------|
| 761 | | \$400 |
| 761S | SERR | \$400 |
| 765 | | \$355 |
| 765S | SERR | \$355 |

781 ANTHEM™ **NEW**

BENCHMADE DESIGN • U.S.A.



The first ever single piece, billet titanium
AXIS® knife. Cue the music.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium
stainless steel (59-61HRC)

HANDLE Chevron patterned, weathered
bronze anodized, single piece billet titanium

EXTRA Reversible chevron patterned tip-up
titanium clip



781

781

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.50" (8.89cm) |
| BLADE THICKNESS | 0.112" (2.845mm) |
| OPEN | 8.06" (20.47cm) |
| CLOSED | 4.56" (11.58cm) |
| WEIGHT | 3.66oz (103.76g) |
| HANDLE THICKNESS | 0.43" (10.922mm) |

CONFIGURATIONS/MSRP

| | | |
|------|------|-------|
| 781 | | \$500 |
| 781S | SERR | \$500 |

485 VALET

BENCHMADE DESIGN • U.S.A.



A stylish, comfortable **AXIS®** gent knife.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL M390 super premium stainless steel (58-61HRC)

HANDLE Gray contoured G10 with stainless steel liners

EXTRA Machined G10 backspacer and reversible tip-up deep-carry pocket clip



485

485

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 2.96" (7.52cm) |
| BLADE THICKNESS | 0.100" (2.54mm) |
| OPEN | 6.69" (16.99cm) |
| CLOSED | 3.73" (9.47cm) |
| WEIGHT | 2.18oz (61.80g) |
| HANDLE THICKNESS | 0.45" (11.43mm) |

CONFIGURATIONS/MSRP

| | |
|-----------|-------|
| 485 | \$200 |
| 485S SERR | \$200 |

482 MEGUMI®

NAKAMURA DESIGN • U.S.A.



Another beautiful gent knife from Seiichi Nakamura.

MECHANISM Nak-Lok®

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Cocobolo wood and carbon fiber with stainless steel liners

EXTRA Stainless steel backspacer and lanyard hole



482

482

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 2.48" (6.30cm) |
| BLADE THICKNESS | 0.104" (2.64mm) |
| OPEN | 5.76" (14.63cm) |
| CLOSED | 3.28" (8.33cm) |
| WEIGHT | 1.85oz (52.45g) |
| HANDLE THICKNESS | 0.46" (11.68mm) |

CONFIGURATION/MSRP

| | |
|-----|-------|
| 482 | \$245 |
|-----|-------|

NAKAMURA AXIS® FAMILY

NAKAMURA DESIGN • U.S.A.



484/484-1



Brings together the best of both worlds: detailed design and functional strength.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL 484: M390 super premium stainless steel (58-61HRC); 484-1: CPM-S90V super premium stainless steel (59-61HRC)

HANDLE 484: Black contoured G10 with stainless steel liners; 484-1: Contoured carbon fiber with stainless steel liners

EXTRA 484: Stainless steel pivot bushing and barrel spacers and reversible tip-up pocket clip; 484-1: Blue anodized aluminum pivot bushing and barrel spacers with reversible tip-up pocket clip



484



484-1

| | 484 | 484-1 |
|-------------------------|-----------------|-----------------|
| BLADE LENGTH | 3.08" (7.82cm) | 3.08" (7.82cm) |
| BLADE THICKNESS | 0.114" (2.90mm) | 0.114" (2.90mm) |
| OPEN | 7.03" (17.86cm) | 7.03" (17.86cm) |
| CLOSED | 3.95" (10.03cm) | 3.95" (10.03cm) |
| WEIGHT | 3.52oz (99.79g) | 3.28oz (92.99g) |
| HANDLE THICKNESS | 0.57" (14.48mm) | 0.57" (14.48mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------|-------|
| 484 | | \$225 |
| 484S | SERR | \$225 |
| 484-1 | | \$315 |
| 484S-1 | SERR | \$315 |

698 FORAY®

BENCHMADE DESIGN • U.S.A.



The Foray® offers gent-styling in a larger overall profile, translating to improved handling and all-around utility.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV
premium stainless steel
(59-61HRC)

HANDLE Black contoured
G10 with stainless steel liners

EXTRA Reversible tip-up
deep-carry pocket clip



698

698

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.22" (8.18cm) |
| BLADE THICKNESS | 0.137" (3.48mm) |
| OPEN | 7.34" (18.64cm) |
| CLOSED | 4.15" (10.54cm) |
| WEIGHT | 3.58oz (101.49g) |
| HANDLE THICKNESS | 0.56" (14.22mm) |

CONFIGURATIONS/MSRP

| | | |
|------|------|-------|
| 698 | | \$225 |
| 698S | SERR | \$225 |

530/531 FAMILY

PARDUE DESIGN • U.S.A.



The ultimate lightweight carry.

MECHANISM AXIS® lock

BLADE STYLE 530: Spear-point;
531: Drop-point

BLADE STEEL 154CM stainless
steel (58-61HRC)

HANDLE 530: Black
Grivory®; 531: Gray and
black textured G10

EXTRA Reversible tip-up
pocket clip



530



531

| | 530 | 531 |
|-------------------------|-----------------|-----------------|
| BLADE LENGTH | 3.25" (8.26cm) | 3.25" (8.26cm) |
| BLADE THICKNESS | 0.090" (2.29mm) | 0.090" (2.29mm) |
| OPEN | 7.42" (18.85cm) | 7.42" (18.85cm) |
| CLOSED | 4.17" (10.59cm) | 4.17" (10.59cm) |
| WEIGHT | 1.88oz (53.30g) | 2.10oz (59.53g) |
| HANDLE THICKNESS | 0.37" (9.40mm) | 0.37" (9.40mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 530 | | \$120 |
| 530S | SERR | \$120 |
| 530BK | BLACK | \$135 |
| 530SBK | SERR BLACK | \$135 |
| 531 | | \$160 |
| 531S | SERR | \$160 |
| 531BK | BLACK | \$175 |
| 531SBK | SERR BLACK | \$175 |

940/943 FAMILY

OSBORNE DESIGN • U.S.A.



940/943



Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

BLADE STYLE 940: Reverse tanto;
943: Clip-point

BLADE STEEL 940 & 943:
CPM-S30V premium stainless
steel (58-60HRC)

HANDLE 940: Green anodized
6061-T6 billet aluminum; 943: Black
anodized 6061-T6 billet aluminum

EXTRA 940: Purple anodized
titanium backspacer and
reversible tip-up pocket clip;
943: Blue anodized titanium
backspacer and reversible
tip-up pocket clip



940



943SBK

| | 940 | 943 |
|-------------------------|-----------------|-----------------|
| BLADE LENGTH | 3.40" (8.64cm) | 3.40" (8.64cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.115" (2.92mm) |
| OPEN | 7.87" (19.99cm) | 7.87" (19.99cm) |
| CLOSED | 4.47" (11.35cm) | 4.47" (11.35cm) |
| WEIGHT | 2.90oz (82.21g) | 2.90oz (82.21g) |
| HANDLE THICKNESS | 0.41" (10.41mm) | 0.41" (10.41mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 940 | | \$215 |
| 940S | SERR | \$215 |
| 940BK | BLACK | \$230 |
| 940SBK | SERR BLACK | \$230 |
| 943 | | \$215 |
| 943S | SERR | \$215 |
| 943BK | BLACK | \$230 |
| 943SBK | SERR BLACK | \$230 |

940 FAMILY

OSBORNE DESIGN • U.S.A.



940-1/940-2



Highly regarded as one of the most quintessential EDCs of all time.

MECHANISM AXIS® lock

BLADE STYLE Reverse tanto

BLADE STEEL 940-1: CPM-S90V super premium stainless steel (59-61HRC); 940-2: CPM-S30V premium stainless steel (58-60HRC)

HANDLE 940-1: Carbon fiber with stainless steel liners; 940-2: Black 3D milled G10 with stainless steel liners

EXTRA 940-1: Blue anodized barrel spacers and reversible tip-up pocket clip; 940-2: Green anodized barrel spacers and reversible tip-up pocket clip



940-1



940-2

| | 940-1 | 940-2 |
|-------------------------|-----------------|-----------------|
| BLADE LENGTH | 3.40" (8.64cm) | 3.40" (8.64cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.115" (2.92mm) |
| OPEN | 7.87" (19.99cm) | 7.87" (19.99cm) |
| CLOSED | 4.47" (11.35cm) | 4.47" (11.35cm) |
| WEIGHT | 2.44oz (69.17g) | 2.65oz (75.13g) |
| HANDLE THICKNESS | 0.44" (11.18mm) | 0.44" (11.18mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------|-------|
| 940-1 | | \$315 |
| 940S-1 | SERR | \$315 |
| 940-2 | | \$200 |
| 940S-2 | SERR | \$200 |

AXIS® FLIPPER FAMILY

BUTCH BALL DESIGN • U.S.A.



300/300-1



The convenience of a flipper —
the performance of an AXIS®.

MECHANISM AXIS® lock flipper

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless
steel (58-61HRC)

HANDLE 300SN: Brown and tan
textured G10 with stainless
steel liners; 300-1: Blue
and black contoured and textured
G10 with stainless steel liners

EXTRA Reversible tip-up
deep-carry pocket clip



300-1

| | 300SN | 300-1 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.18" (8.08cm) | 3.18" (8.08cm) |
| BLADE THICKNESS | 0.130" (3.30mm) | 0.130" (3.30mm) |
| OPEN | 7.43" (18.87cm) | 7.43" (18.87cm) |
| CLOSED | 4.25" (10.80cm) | 4.25" (10.80cm) |
| WEIGHT | 4.85oz (137.50g) | 4.68oz (132.68g) |
| HANDLE THICKNESS | 0.59" (14.99mm) | 0.59" (14.99mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------|-------|
| 300SN | | \$180 |
| 300SSN | SERR | \$180 |
| 300-1 | | \$180 |
| 300S-1 | SERR | \$180 |

928 **PROXY**[®]
OSBORNE DESIGN • U.S.A.



The Proxy[®] combines G10 and Ti for a highly modern look.

MECHANISM Monolock flipper

BLADE STYLE Drop-point

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Desert tan contoured G10 and sandblasted titanium with thrust bearing washers and an adjustable lock face

EXTRA Reversible tip-up pocket clip



928

928

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.85" (9.78cm) |
| BLADE THICKNESS | 0.150" (3.81mm) |
| OPEN | 8.94" (22.71cm) |
| CLOSED | 5.09" (12.93cm) |
| WEIGHT | 4.86oz (137.78g) |
| HANDLE THICKNESS | 0.50" (12.70mm) |

CONFIGURATIONS/MSRP

| | | |
|------|------|-------|
| 928 | | \$360 |
| 928S | SERR | \$360 |

GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



More shapes, sizes, and color options than any other Benchmade family.

551/556 Griptilian®



MECHANISM AXIS® lock

BLADE STEEL 154CM stainless steel (58-61HRC)

BLADE STYLE Drop-point

HANDLE Glass-filled nylon with stainless steel liners

EXTRA Reversible tip-up pocket clip



551SBK

556S Mini



551T

| | 551 | 556 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.45" (8.76cm) | 2.91" (7.39cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.100" (2.54mm) |
| OPEN | 8.07" (20.50cm) | 6.78" (17.22cm) |
| CLOSED | 4.62" (11.73cm) | 3.87" (9.83cm) |
| WEIGHT | 3.88oz (110.00g) | 2.81oz (79.66g) |
| HANDLE THICKNESS | 0.64" (16.26mm) | 0.51" (12.95mm) |

HELP SUPPORT BREAST CANCER RESEARCH

A portion of the profits from the sale of this knife is donated to the Oregon Health & Science University Knight Cancer Institute for breast health.

Available in 555HG and 556 versions.

MSRP: \$110



555HG-PNK Mini

556-PNK Mini



Benchmade has been proud to support the OHSU Knight Cancer Institute for over 9 years.

CONFIGURATIONS/MSRP

| | | | |
|-------------------|---------|-------|-------|
| 551 | | | \$120 |
| 551S | SERR | | \$120 |
| 551BK | BLACK | | \$135 |
| 551SBK | SERR | BLACK | \$135 |
| 551BKOD | BLACK | | \$135 |
| 551SBKOD | SERR | BLACK | \$135 |
| 551BKSN | BLACK | | \$140 |
| 551SBKSN | SERR | BLACK | \$140 |
| 551-ORG | | | \$120 |
| 551S-ORG | SERR | | \$120 |
| 551BK-ORG | BLACK | | \$135 |
| 551SBK-ORG | SERR | BLACK | \$135 |
| 551T (440C STEEL) | TRAINER | | \$100 |
| 556 | | | \$110 |
| 556S | SERR | | \$110 |
| 556BK | BLACK | | \$125 |
| 556SBK | SERR | BLACK | \$125 |
| 556BKOD | BLACK | | \$125 |
| 556SBKOD | SERR | BLACK | \$125 |
| 556-YEL | | | \$110 |
| 556S-YEL | SERR | | \$110 |
| 556-BLU | | | \$110 |
| 556S-BLU | SERR | | \$110 |
| 556-PNK | | | \$110 |
| 556S-PNK | SERR | | \$110 |

GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



550HG/555HG Griptilian®



BLADE STYLE Sheepsfoot,
hollow grind



550HG

555HG
Mini

| | 550 | 555 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.45" (8.76cm) | 2.91" (7.39cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.100" (2.54mm) |
| OPEN | 8.07" (20.50cm) | 6.78" (17.22cm) |
| CLOSED | 4.62" (11.73cm) | 3.87" (9.83cm) |
| WEIGHT | 3.79oz (107.44g) | 2.68oz (75.98g) |
| HANDLE THICKNESS | 0.64" (16.26mm) | 0.51" (12.95mm) |

CONFIGURATIONS/MSRP

| | | |
|------------|------------|-------|
| 550HG | | \$120 |
| 550SHG | SERR | \$120 |
| 550BKHG | BLACK | \$135 |
| 550SBKHG | SERR BLACK | \$135 |
| 550BKHGOD | BLACK | \$135 |
| 550SBKHGOD | SERR BLACK | \$135 |
| 550BKHGSN | BLACK | \$135 |
| 550SBKHGSN | SERR BLACK | \$135 |
| 555HG | | \$110 |
| 555SHG | SERR | \$110 |
| 555BKHG | BLACK | \$125 |
| 555SBKHG | SERR BLACK | \$125 |
| 555BKHGOD | BLACK | \$125 |
| 555SBKHGOD | SERR BLACK | \$125 |
| 555BKHGSN | BLACK | \$125 |
| 555HG-YEL | | \$110 |
| 555HG-BLU | | \$110 |
| 555HG-PNK | | \$110 |

553/557 Griptilian®



BLADE STYLE Tanto



553SBK

557
Mini

| | 553 | 557 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.45" (8.76cm) | 2.91" (7.39cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.100" (2.54mm) |
| OPEN | 8.07" (20.50cm) | 6.78" (17.22cm) |
| CLOSED | 4.62" (11.73cm) | 3.87" (9.83cm) |
| WEIGHT | 3.89oz (110.28g) | 2.79oz (79.10g) |
| HANDLE THICKNESS | 0.64" (16.26mm) | 0.51" (12.95mm) |

CONFIGURATIONS/MSRP

| | | |
|----------|------------|-------|
| 553 | | \$120 |
| 553S | SERR | \$120 |
| 553BK | BLACK | \$135 |
| 553SBK | SERR BLACK | \$135 |
| 553SBKOD | SERR BLACK | \$135 |
| 553SBKSN | SERR BLACK | \$135 |
| 557 | | \$110 |
| 557S | SERR | \$110 |
| 557BK | BLACK | \$125 |
| 557SBK | SERR BLACK | \$125 |
| 557BKOD | BLACK | \$125 |
| 557SBKOD | SERR BLACK | \$125 |
| 557BKSN | BLACK | \$125 |
| 557SBKSN | SERR BLACK | \$125 |

G10 GRIPTILIAN® FAMILY

PARDUE DESIGN • U.S.A.



551-1/556-1 550-1/555-1



The Griptilian® in layered G10 with upgraded blade steel.

MECHANISM AXIS® lock

BLADE STYLE 551-1/556-1: Drop-point; 550-1/555-1: Sheepfoot

BLADE STEEL CPM-20CV premium stainless steel (59-61HRC)

HANDLE Gray and blue layered G10

EXTRA Blue aluminum barrel spacers and reversible tip-up pocket clip



CONFIGURATIONS/MSRP

| | | |
|----------|------------|-------|
| 551-1 | | \$210 |
| 551S-1 | SERR | \$210 |
| 551BK-1 | BLACK | \$225 |
| 551SBK-1 | SERR BLACK | \$225 |
| 556-1 | | \$195 |
| 556S-1 | SERR | \$195 |
| 556BK-1 | BLACK | \$210 |
| 556SBK-1 | SERR BLACK | \$210 |
| 550-1 | | \$210 |
| 550S-1 | SERR | \$210 |
| 550BK-1 | BLACK | \$225 |
| 550SBK-1 | SERR BLACK | \$225 |
| 555-1 | | \$195 |
| 555S-1 | SERR | \$195 |
| 555BK-1 | BLACK | \$210 |
| 555SBK-1 | SERR BLACK | \$210 |

| | 551-1 | 556-1 | 550-1 | 555-1 |
|-------------------------|------------------|-----------------|------------------|-----------------|
| BLADE LENGTH | 3.45" (8.76cm) | 2.91" (7.39cm) | 3.45" (8.76cm) | 2.91" (7.39cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.100" (2.54mm) | 0.115" (2.92mm) | 0.100" (2.54mm) |
| OPEN | 8.07" (20.50cm) | 6.78" (17.22cm) | 8.07" (20.50cm) | 6.78" (17.22cm) |
| CLOSED | 4.62" (11.73cm) | 3.87" (9.83cm) | 4.62" (11.73cm) | 3.87" (9.83cm) |
| WEIGHT | 4.17oz (118.22g) | 2.90oz (82.21g) | 4.13oz (117.08g) | 2.88oz (81.65g) |
| HANDLE THICKNESS | 0.61" (15.49mm) | 0.55" (13.97mm) | 0.61" (15.49mm) | 0.55" (13.97mm) |

551H2O **GRIP TILIAN**[®]

PARDUE DESIGN • U.S.A.



Designed specifically for marine environments.

MECHANISM AXIS[®] lock

BLADE STYLE Drop-point

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE Safety orange Grivory[®] with stainless steel liners

EXTRA Full satin hardware and reversible tip-up pocket clip



551H2O

551 H2O

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.45" (8.76cm) |
| BLADE THICKNESS | 0.115" (2.92mm) |
| OPEN | 8.07" (20.50cm) |
| CLOSED | 4.62" (11.73cm) |
| WEIGHT | 3.88oz (110.00g) |
| HANDLE THICKNESS | 0.64" (16.26mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 551H2O | | \$140 |
| 551SH2O | SERR | \$140 |

112 **H2O FIXED**

BENCHMADE DESIGN • U.S.A.



This dive knife was originally developed for an elite military program.

MECHANISM Fixed blade

BLADE STYLE Opposing bevel with blunt tip and integrated rescue hook

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE 112S-YEL: High-vis yellow textured Santoprene[®]; 112S-BLK: Black textured Santoprene[®]

SHEATH Molded thermoplastic with thumb release



112S-BLK

112S-YEL

Sheath included

112

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 3.50" (8.90cm) |
| BLADE THICKNESS | 0.124" (3.15mm) |
| OVERALL LENGTH | 8.07" (20.50cm) |
| WEIGHT | 3.20oz (90.72g) |
| HANDLE THICKNESS | 0.59" (14.99mm) |
| SHEATH WEIGHT | 1.04oz (29.48g) |

CONFIGURATIONS/MSRP

| | | |
|----------|------|-------|
| 112S-BLK | SERR | \$120 |
| 112S-YEL | SERR | \$120 |



153 JUNGLE BOLO & 154 JUNGLE CLIP-POINT

BENCHMADE DESIGN • U.S.A.



**Designed for brush clearing
in jungle warfare situations.**

MECHANISM Fixed blade

BLADE STYLE 153: Bolo;
154: Clip-point

BLADE STEEL 1095 spring
steel (57-59HRC)

HANDLE Orange textured
Santoprene®

SHEATH Leather with belt
loop



153BK

154BK



153BK

Sheath included

154BK

| | 153 | 154 |
|-------------------------|-------------------|-------------------|
| BLADE LENGTH | 9.69" (24.61cm) | 9.69" (24.61cm) |
| BLADE THICKNESS | 0.195" (4.95mm) | 0.195" (4.95mm) |
| OVERALL LENGTH | 14.29" (36.30cm) | 14.29" (36.30cm) |
| WEIGHT | 11.82oz (335.09g) | 10.90oz (309.01g) |
| HANDLE THICKNESS | 0.89" (22.61mm) | 0.89" (22.61mm) |
| SHEATH WEIGHT | 3.47oz (98.37g) | 3.50oz (99.22g) |

CONFIGURATIONS/MSRP

| | | |
|-------|------------|-------|
| 153BK | BOLO | \$130 |
| 154BK | CLIP-POINT | \$130 |

162 BUSHCRAFTER & 162-1 BUSHCRAFTER EOD

SIBERT DESIGN • U.S.A.



Unsurpassed reliability for planned (or unplanned) adventures.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 162: Hand-blended green and red, contoured G10; 162-1: Hand-blended sand, contoured G10

SHEATH 162: Full-grain leather with belt loop and D-ring; 162-1: Molded Kydex® with reversible belt loop

EXTRA Pressed titanium handle tubing



162-1: A survival knife designed in partnership with the world's foremost explosive ordnance technicians. Start a signal fire or cut some C4. It's your call.



Sheath included

| | 162 | 162-1 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 4.40" (11.18cm) | 4.40" (11.18cm) |
| BLADE THICKNESS | 0.164" (4.17mm) | 0.164" (4.17mm) |
| OVERALL LENGTH | 9.15" (23.24cm) | 9.15" (23.24cm) |
| WEIGHT | 7.72oz (218.86g) | 7.72oz (218.86g) |
| HANDLE THICKNESS | 0.92" (23.37mm) | 0.92" (23.37mm) |
| SHEATH WEIGHT | 2.70oz (76.54g) | 1.86oz (52.73g) |

CONFIGURATIONS/MSRP

| | | |
|-------|-------|-------|
| 162 | GREEN | \$215 |
| 162-1 | TAN | \$215 |



© 2012 BENCHMADE LLC. ALL RIGHTS RESERVED. BENCHMADE™

HUNT.



15001 SADDLE MOUNTAIN SKINNER & 15003 SADDLE MOUNTAIN SKINNER W/HOOK



BENCHMADE DESIGN • U.S.A.



**"With the Saddle Mountain Skinner
I feel like I can breakdown game or
fight off a bear."** -Benchmade Pro, Nate Simmons

MECHANISM Fixed blade

BLADE STYLE 15001: Skinner;
15003: Skinner with hook

BLADE STEEL CPM-S30V premium
stainless steel (58-60HRC)

HANDLE 15001-1 and 15003-1:
Gray and black contoured and textured G10;
15001-2 and 15003-2: Contoured stabilized wood

SHEATH 15001-1 and 15003-1: Molded
Kydex® with reversible belt loop;
15001-2 and 15003-2: Pressure fit,
rich leather with integrated guard



15003-2

15001-1

15001-1
15003-1

15001-2
15003-2

Sheath included

| | 15001 | 15003 |
|-------------------------|---|---|
| BLADE LENGTH | 4.17" (10.59cm) | 4.17" (10.59cm) |
| BLADE THICKNESS | 0.140" (3.56mm) | 0.140" (3.56mm) |
| HOOK OPENING | - | 0.375" (9.52mm) |
| OVERALL LENGTH | 8.73" (22.17cm) | 8.73" (22.17cm) |
| WEIGHT | 5.13oz (145.43g) G10 4.65oz (131.83g) Wood | 5.18oz (146.85g) G10 4.70oz (133.24g) Wood |
| HANDLE THICKNESS | 0.58" (14.73mm) | 0.58" (14.73mm) |
| SHEATH WEIGHT | 1.85oz (52.45g) Kydex® 1.42oz (40.26g) Leather | 1.85oz (52.45g) Kydex® 1.42oz (40.26g) Leather |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15001-1 | G10 | \$155 |
| 15001-2 | Wood | \$155 |
| 15003-1 | G10 | \$165 |
| 15003-2 | Wood | \$165 |

YOU DON'T KNOW A GOOD KNIFE UNTIL YOU NEED A GOOD KNIFE.

Preparation, pain, grit, frustration, excitement, anxiety and the overwhelming sense of accomplishment when you arrive at your quarry, knowing you are self-reliant and fully understand the meaning of the word "meat." And when the celebration turns to work for the last time, a great knife can't pack meat, but it sure makes it easier to get.

15007 SADDLE MOUNTAIN HUNTER

BENCHMADE DESIGN • U.S.A.



The same great handle design as the Skinner, but with a more traditional hunting blade style.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15007-1: Gray and black, contoured and textured G10; 15007-2: Contoured stabilized wood

SHEATH 15007-1: Molded Kydex® with reversible belt loop; 15007-2: Pressure fit, rich leather with integrated guard



| 15007 | |
|------------------|---|
| BLADE LENGTH | 4.05" (10.29cm) |
| BLADE THICKNESS | 0.120" (3.05mm) |
| OVERALL LENGTH | 8.59" (21.82cm) |
| WEIGHT | 4.08oz (115.67g) G10 3.58oz (101.49g) Wood |
| HANDLE THICKNESS | 0.56" (14.22mm) |
| SHEATH WEIGHT | 1.85oz (52.45g) Kydex® 1.42oz (40.26g) Leather |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15007-1 | G10 | \$150 |
| 15007-2 | Wood | \$150 |

15016 HIDDEN CANYON HUNTER

BENCHMADE DESIGN • U.S.A.



A compact knife for those who are looking to save space, it's truly about as much knife as you'll ever need.

MECHANISM Fixed blade

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15016-1: Gray and black, contoured and textured G10; 15016-2: Contoured stabilized wood

SHEATH 15016-1: Molded Kydex® with ambidextrous, horizontal carry, leather belt loop; 15016-2: Pressure fit, rich leather with ambidextrous, horizontal carry, belt loop



| 15016 | |
|------------------|---|
| BLADE LENGTH | 2.67" (6.78cm) |
| BLADE THICKNESS | 0.140" (3.56mm) |
| OVERALL LENGTH | 6.32" (16.05cm) |
| WEIGHT | 3.53oz (100.07g) G10 3.19oz (90.43g) Wood |
| HANDLE THICKNESS | 0.58" (14.73mm) |
| SHEATH WEIGHT | 1.38oz (39.12g) Kydex® 1.06oz (30.05g) Leather |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15016-1 | G10 | \$135 |
| 15016-2 | Wood | \$135 |

15008 STEEP COUNTRY & 15009 STEEP COUNTRY W/ HOOK

BENCHMADE DESIGN • U.S.A.



BENCHMADE HUNT.



Designed to hit a hunter's preferences for shape and feel dead center.

MECHANISM Fixed blade

BLADE STYLE 15008: Drop-point; 15009: Drop-point with hook

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15008-ORG and 15009-ORG: Orange textured high-vis Santoprene®; 15008-BLK and 15009-BLK: Black textured Santoprene®

SHEATH Molded Kydex® with multiple carry positions



15009-BLK

15008-ORG



15008 15009

Sheath included

| | 15008 | 15009 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.50" (8.89cm) | 3.50" (8.89cm) |
| BLADE THICKNESS | 0.140" (3.56mm) | 0.140" (3.56mm) |
| HOOK OPENING | - | 0.375" (9.52mm) |
| OVERALL LENGTH | 7.65" (19.43cm) | 7.65" (19.43cm) |
| WEIGHT | 3.71oz (105.18g) | 3.85oz (109.15g) |
| HANDLE THICKNESS | 0.62" (15.75mm) | 0.62" (15.75mm) |
| SHEATH WEIGHT | 1.88oz (53.30g) | 1.88oz (53.30g) |

CONFIGURATIONS/MSRP

| | | |
|-----------|--------|-------|
| 15008-BLK | BLACK | \$115 |
| 15008-ORG | ORANGE | \$115 |
| 15009-BLK | BLACK | \$125 |
| 15009-ORG | ORANGE | \$125 |

15100 NESTUCCA CLEAVER

BENCHMADE DESIGN • U.S.A.



Based on the Alaskan ulu, this unique cleaver makes short work of big game.

MECHANISM Fixed blade

BLADE STYLE Cleaver

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Orange contoured and textured G10

SHEATH Brown leather sheath



15100

| | |
|-------------------------|------------------|
| BLADE LENGTH | 4.41" (11.20cm) |
| BLADE THICKNESS | 0.140" (3.56mm) |
| OVERALL LENGTH | 6.58" (16.71cm) |
| WEIGHT | 4.95oz (140.33g) |
| HANDLE THICKNESS | 0.57" (14.48mm) |
| SHEATH WEIGHT | 1.25oz (35.44g) |

CONFIGURATION/MSRP

15100-1

\$150

15080 CROOKED RIVER

BENCHMADE DESIGN • U.S.A.



A traditional profile with modern technology and style that pushes the preconceived notions of what a hunting knife should be.

MECHANISM AXIS® lock

BLADE STYLE Clip-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15080-1: Gray contoured G10 with anodized aluminum bolsters and stainless steel liners; 15080-2: Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners

EXTRA Orange G10 backspacer, orange anodized aluminum pivot ring and reversible tip-up pocket clip



15080-1

15080-2

15080

| | |
|-------------------------|------------------|
| BLADE LENGTH | 4.00" (10.16cm) |
| BLADE THICKNESS | 0.124" (3.15mm) |
| OPEN | 9.30" (23.62cm) |
| CLOSED | 5.33" (13.54cm) |
| WEIGHT | 5.41oz (153.37g) |
| HANDLE THICKNESS | 0.60" (15.24mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15080-1 | G10 | \$230 |
| 15080-2 | Wood | \$230 |

15060-2 GRIZZLY CREEK

BENCHMADE DESIGN • U.S.A.



The total package for a hunting folder: the **AXIS®** lock, the perfect blade size and shape, and a folding gut hook that's there when you need it.

MECHANISM AXIS® lock with folding gut hook

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Stabilized wood

EXTRA Tip-up pocket clip



15060-2

| | |
|------------------|------------------|
| BLADE LENGTH | 3.50" (8.89cm) |
| BLADE THICKNESS | 0.124" (3.145mm) |
| HOOK OPENING | 0.50" (12.70mm) |
| OPEN | 7.84" (19.91cm) |
| CLOSED | 4.34" (11.02cm) |
| WEIGHT | 4.76oz (134.94g) |
| HANDLE THICKNESS | 0.56" (14.22mm) |

CONFIGURATION/MSRP

15060-2

\$195

15031 NORTH FORK

BENCHMADE DESIGN • U.S.A.



A compact folding **AXIS®** hunting knife with a recurved blade to assist with processing duties.

MECHANISM AXIS® lock

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 15031-1: Gray and black textured G10; 15031-2: Contoured stabilized wood

EXTRA Reversible tip-up pocket clip



15031-1

15031-2

15031

| | |
|-------------------------|---|
| BLADE LENGTH | 2.97" (7.54cm) |
| BLADE THICKNESS | 0.114" (2.90mm) |
| OPEN | 6.87" (17.45cm) |
| CLOSED | 3.90" (9.91cm) |
| WEIGHT | 3.41oz (96.67g) G10 3.16oz (89.58g) Wood |
| HANDLE THICKNESS | 0.53" (13.46mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15031-1 | G10 | \$165 |
| 15031-2 | Wood | \$165 |

15051 BIG SUMMIT LAKE & 15056 SMALL SUMMIT LAKE

BENCHMADE DESIGN • U.S.A.



Recalls the day you were taught how to skin a buck...but with better blade steel.

MECHANISM Lock-back

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Contoured stabilized wood with stainless steel liners

EXTRA Tip-up pocket clip



15051-2

15056-2

15051

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.77" (9.58cm) |
| BLADE THICKNESS | 0.124" (3.15mm) |
| OPEN | 8.34" (21.18cm) |
| CLOSED | 4.57" (11.61cm) |
| WEIGHT | 4.59oz (130.12g) |
| HANDLE THICKNESS | 0.57" (14.48mm) |

15056

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 2.89" (7.34cm) |
| BLADE THICKNESS | 0.114" (2.90mm) |
| OPEN | 6.54" (16.61cm) |
| CLOSED | 3.65" (9.27cm) |
| WEIGHT | 3.04oz (86.18g) |
| HANDLE THICKNESS | 0.45" (11.43mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------|-------|
| 15051-2 | Wood | \$150 |
| 15056-2 | Wood | \$140 |

Photo By: Lance Cpl. Garrett White



BLACKCLASS



3300BK-1701 INFIDEL® **NEW** 10-YEAR ANNIVERSARY

MCHENRY & WILLIAMS DESIGN • U.S.A.



Celebrating 10 years of high-speed performance...that we can't tell you about.

MECHANISM Double-action out-the-front automatic

BLADE STYLE Double-edge dagger

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Silver bright dip, 6061-T6 billet aluminum

EXTRA Commemorative Challenge Coin and deep-carry tip-down pocket clip



Infidel® Challenge Coin Included

Back

3300BK-1701

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.91" (9.93cm) |
| BLADE THICKNESS | 0.118" (2.997mm) |
| OPEN | 8.91" (22.63cm) |
| CLOSED | 5.00" (12.7cm) |
| WEIGHT | 4.90oz (138.91g) |
| HANDLE THICKNESS | 0.59" (14.99mm) |

CONFIGURATION/MSRP

3300BK-1701 BLACK \$550

YOU'LL NEVER SEE PERFECTION.



If something works perfectly...it just works, perfectly. Perfection is invisible. Perfection works in secret. Perfection is automatic.

It's an extension of your instincts. It allows you to operate without another thought about it, even when lives are on the line.

Perfection has no ego. Perfection doesn't need a pat on the back. Perfection is perfectly happy not existing.

It's been an honor to provide automatic, flawless performance—the closest to perfection that we've created so far. So you can do your job.

No, you'll never see perfection. But that's the way we like it.

Here's to another 10 years of equipping the invisible.

3300/3350



An incredibly fast, reliable tactical out-the-front, the Infidel has a cool factor that's hard to describe without experiencing it.

MECHANISM Double-action out-the-front automatic

BLADE STYLE Double-edge dagger

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Cordura® with snap retention and MALICE CLIP®

EXTRA Deep-carry pocket clip



3350

3300



Sheath with MALICE CLIP® included

| | 3300 | 3350 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.91" (9.93cm) | 3.96" (10.06cm) |
| BLADE THICKNESS | 0.118" (2.99mm) | 0.100" (2.54mm) |
| OPEN | 8.91" (22.63cm) | 8.96" (22.76cm) |
| CLOSED | 5.00" (12.70cm) | 5.00" (12.70cm) |
| WEIGHT | 4.90oz (138.91g) | 5.11oz (144.87g) |
| HANDLE THICKNESS | 0.59" (14.99mm) | 0.60" (15.24mm) |

| CONFIGURATIONS/MSRP | | |
|----------------------------|-------|-------|
| 3300 | | \$480 |
| 3300BK | BLACK | \$495 |
| 3350 | | \$410 |
| 3350BK | BLACK | \$425 |

3320 PAGAN® & 3321 PAGAN® SINGLE-EDGE

BENCHMADE DESIGN • U.S.A.



BLACK CLASS



The same incredible mechanism of the Infidel® with smooth handles and a chisel-ground blade.

MECHANISM Double-action out-the-front automatic

BLADE STYLE 3320: Chisel-ground, double-edge dagger; 3321: Chisel-ground, single-edge spear-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Cordura® with snap retention and MALICE CLIP®

EXTRA Deep-carry pocket clip



Sheath with MALICE CLIP® included

| | 3320 | 3321 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.96" (10.06cm) | 3.96" (10.06cm) |
| BLADE THICKNESS | 0.100" (2.54mm) | 0.100" (2.54mm) |
| OPEN | 8.96" (22.76cm) | 8.96" (22.76cm) |
| CLOSED | 5.00" (12.70cm) | 5.00" (12.70cm) |
| WEIGHT | 5.11oz (144.87g) | 5.11oz (144.87g) |
| HANDLE THICKNESS | 0.60" (15.24mm) | 0.60" (15.24mm) |

| CONFIGURATIONS/MSRP | |
|---------------------|-------|
| 3320 | \$430 |
| 3320BK BLACK | \$445 |
| 3321 | \$430 |
| 3321BK BLACK | \$445 |

4600/4600-1 PHAETON™ NEW

BENCHMADE DESIGN • U.S.A.



The new spine-fire OTF combines speed and style in a semi-tactical every day carry.

MECHANISM Double-action out-the-front automatic

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 4600: Black anodized, 6061-T6 billet aluminum; 4600-1: Dark Earth anodized 6061-T6 billet aluminum

EXTRA Reversible deep-carry pocket clip



4600

4600DLC-1

4600/4600-1

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.45" (8.76cm) |
| BLADE THICKNESS | 0.112" (2.845mm) |
| OPEN | 8.08" (20.52cm) |
| CLOSED | 4.63" (11.76cm) |
| WEIGHT | 3.01oz (85.33g) |
| HANDLE THICKNESS | 0.47" (11.938mm) |

CONFIGURATIONS/MSRP

| | |
|----------------------------|-------|
| 4600 | \$350 |
| 4600DLC BLACK | \$370 |
| 4600-1 DARK EARTH | \$350 |
| 4600DLC-1 BLACK DARK EARTH | \$370 |

4700 PRECIPICE™ **NEW**

BENCHMADE DESIGN • U.S.A.



The new, sleek, spine-fire OTF.
Stealth-like handles and rock-solid
performance.

MECHANISM Double-action
out-the-front automatic

BLADE STYLE Spear-point

BLADE STEEL CPM-S30V premium
stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6
billet aluminum

EXTRA Reversible deep-carry
pocket clip



4700

4700

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.45" (8.76cm) |
| BLADE THICKNESS | 0.124" (3.149mm) |
| OPEN | 8.23" (20.9cm) |
| CLOSED | 4.78" (12.14cm) |
| WEIGHT | 3.31oz (93.84g) |
| HANDLE THICKNESS | 0.47" (11.938mm) |

CONFIGURATIONS/MSRP

| | |
|---------|-------------|
| 4700 | \$355 |
| 4700DLC | BLACK \$375 |

275/2750 ADAMAS®

SIBERT DESIGN • U.S.A.



MOLLE®
COMPATIBLE



The strongest **AXIS®** knives ever made.

MECHANISM 275: **AXIS®** lock;
2750: Auto **AXIS®** lock with integrated safety

BLADE STYLE Drop-point

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Sand or black G10 with stainless steel liners

SHEATH Cordura® with snap retention and **MALICE CLIP®**

EXTRA Reversible tip-up deep-carry pocket clip



275BK

275SBKSN

Sheath with **MALICE CLIP®** included

175 CBK

BENCHMADE DESIGN • U.S.A.



A tool designed for combat-type applications.

MECHANISM Fixed blade

BLADE STYLE
Chisel-ground, double-edge dagger

BLADE STEEL 440C (58-60HRC)

HANDLE Rubber-dipped

SHEATH Injection molded

EXTRA Multi-position carry



175BKSN

175BK

175BK Sheath

| | 175 | 275/2750 | 375 |
|-------------------------|-----------------|---|------------------|
| BLADE LENGTH | 2.50" (6.35cm) | 3.82" (9.70cm) | 4.20" (10.67cm) |
| BLADE THICKNESS | 0.125" (3.18mm) | 0.160" (4.06mm) | 0.170" (4.32mm) |
| OVERALL LENGTH | 5.47" (13.89cm) | 8.70" (22.10cm) | 9.03" (22.94cm) |
| CLOSED | - | 4.88" (12.40cm) | - |
| WEIGHT | 2.32oz (65.77g) | 7.68oz (217.72g) 275 7.54oz (213.76g) 2750 | 5.60oz (158.76g) |
| HANDLE THICKNESS | 0.25" (6.35mm) | 0.73" (18.54mm) | 0.17" (4.32mm) |
| SHEATH WEIGHT | 1.70oz (48.19g) | | 1.11oz (31.47g) |



A portion of the proceeds from the 175BKSN benefit the Three Rangers and Navy SEAL Foundations.

375 ADAMAS® FIXED BLADE

SIBERT DESIGN • U.S.A.



Includes a paracord handle wrap, molded jump-rated sheath and Tek-Lok™ attachment system.

MECHANISM Fixed blade

BLADE STYLE Drop-point with serrations on spine

BLADE STEEL D2 tool steel (60-62HRC)

HANDLE Black or sand coated and skeletonized with optional paracord wrap included

SHEATH Injection molded with tension screw, removable locking strap and eight position Tek-Lok™



Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Three Rangers Foundation and Navy SEAL Foundation.



375SN

375BK



Tek-Lok™ included



CORD WRAP

To view video, scan code below or visit: www.benchmade.com/375

CONFIGURATIONS/MSRP

| | | |
|-----------|------------|-------|
| 275BK | BLACK | \$230 |
| 275SBK | SERR BLACK | \$230 |
| 275BKSN | BLACK | \$230 |
| 275SBKSN | SERR BLACK | \$230 |
| 275OBK | BLACK | \$275 |
| 275OSBK | SERR BLACK | \$275 |
| 275OBKSN | BLACK | \$275 |
| 275OSBKSN | SERR BLACK | \$275 |
| 375SN | SAND | \$180 |
| 375BKSN | BLACK | \$180 |
| 375BK | BLACK | \$180 |
| 175BK | BLACK | \$105 |
| 175BKSN | BLACK | \$105 |

TRIAGE®/AUTO TRIAGE® FAMILY

BENCHMADE DESIGN • U.S.A.



915/916

9170/9160



A triple utility tool that includes a knife, safety hook and glass breaker.

MECHANISM 915 & 916: AXIS® lock; 9170 & 9160: Auto AXIS® lock with integrated safety

BLADE STYLE 915: Sheepsfoot; 916 & 9160: Opposing bevel; 9170: Drop-point

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE 915 & 916: Textured G10 (available in black or safety orange) with stainless steel liners; 9170 & 9160: Black anodized, 6061-T6 billet aluminum with textured G10 inlays (available in black or safety orange)

EXTRA 915 & 916: 440C rescue hook (58-60HRC), carbide glass breaker and reversible tip-up deep-carry pocket clip; 9170 & 9160: 440C automatic-opening rescue hook (58-60HRC), carbide glass breaker and tip-up deep-carry pocket clip



CONFIGURATIONS/MSRP

| | | |
|-------------|------------|-------|
| 915 | | \$180 |
| 915S | SERR | \$180 |
| 915BK | BLACK | \$195 |
| 915SBK | SERR BLACK | \$195 |
| 915-ORG | | \$180 |
| 915S-ORG | SERR | \$180 |
| 915BK-ORG | BLACK | \$195 |
| 915SBK-ORG | SERR BLACK | \$195 |
| 916SBK | SERR BLACK | \$195 |
| 916SBK-ORG | SERR BLACK | \$195 |
| 9170BK | BLACK | \$300 |
| 9170SBK | SERR BLACK | \$300 |
| 9170BK-ORG | BLACK | \$300 |
| 9170SBK-ORG | SERR BLACK | \$300 |
| 9160SBK | SERR BLACK | \$300 |



Carbide glass breaker

| | 915 | 916 | 9170 | 9160 |
|-------------------------|------------------|------------------|------------------|------------------|
| BLADE LENGTH | 3.50" (8.89cm) | 3.40" (8.64cm) | 3.58" (9.09cm) | 3.35" (8.51cm) |
| HOOK OPENING | 0.50" (12.70mm) | 0.50" (12.70mm) | 0.50" (12.70mm) | 0.50" (12.70mm) |
| BLADE THICKNESS | 0.124" (3.15mm) | 0.124" (3.15mm) | 0.124" (3.15mm) | 0.124" (3.15mm) |
| OPEN | 8.35" (21.21cm) | 8.25" (20.96cm) | 8.31" (21.11cm) | 8.08" (20.52cm) |
| CLOSED | 4.85" (12.32cm) | 4.85" (12.32cm) | 4.73" (12.01cm) | 4.73" (12.01cm) |
| WEIGHT | 5.10oz (144.58g) | 5.24oz (148.55g) | 5.75oz (163.01g) | 5.58oz (158.19g) |
| HANDLE THICKNESS | 0.45" (11.43mm) | 0.45" (11.43mm) | 0.58" (14.73mm) | 0.58" (14.73mm) |

570 MANUAL PRESIDIO® II & NEW 5700 AUTO PRESIDIO® II



BENCHMADE DESIGN • U.S.A.

570

5700



A combat legend receives significant ergonomic and performance upgrades. Faster. Better. Stronger.

MECHANISM 570: AXIS® Lock; 5700: Auto AXIS® lock with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH 5700: Codura® with snap retention and MALICE CLIP®

EXTRA Reversible tip-up deep-carry pocket clip



5700SBK

570

| | 570 | 5700 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.72" (9.45cm) | 3.72" (9.45cm) |
| BLADE THICKNESS | 0.124" (3.149mm) | 0.124" (3.149mm) |
| OPEN | 8.72" (22.15cm) | 8.72" (22.15cm) |
| CLOSED | 5.00" (12.70cm) | 5.00" (12.70cm) |
| WEIGHT | 6.10oz (173.20g) | 6.32oz (179.20g) |
| HANDLE THICKNESS | 0.63" (16.00mm) | 0.63" (16.00mm) |

CONFIGURATIONS/MSRP

| | |
|--------------------|-------|
| 570 | \$205 |
| 570SBK SERR BLACK | \$220 |
| 5700 | \$270 |
| 5700SBK SERR BLACK | \$285 |

860 MANUAL BEDLAM® & 8600 AUTO BEDLAM®

BENCHMADE DESIGN • U.S.A.



Looks like a scimitar because it was originally designed for the security forces of a king.

MECHANISM 860: AXIS® lock; 8600: Auto AXIS® with integrated safety

BLADE STYLE Scimitar

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured and textured G10 with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



860

8600SBK

| | 860 | 8600 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 4.00" (10.16cm) | 4.00" (10.16cm) |
| BLADE THICKNESS | 0.121" (3.07mm) | 0.121" (3.07mm) |
| OPEN | 9.76" (24.79cm) | 9.76" (24.79cm) |
| CLOSED | 5.76" (14.63cm) | 5.76" (14.63cm) |
| WEIGHT | 7.20oz (204.12g) | 7.30oz (206.95g) |
| HANDLE THICKNESS | 0.60" (15.24mm) | 0.60" (15.24mm) |

CONFIGURATIONS/MSRP

| | | | |
|---------|------|-------|-------|
| 860 | | | \$230 |
| 860SBK | SERR | BLACK | \$245 |
| 8600BK | | BLACK | \$290 |
| 8600SBK | SERR | BLACK | \$290 |

6800 AUTO APB

BENCHMADE DESIGN • U.S.A.



The first-ever ambidextrous push-button automatic allows for access from almost any carry position.

MECHANISM Ambidextrous push-button automatic

BLADE STYLE Clip-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum with stainless steel liners

EXTRA Carbide glass breaker and reversible tip-up deep-carry pocket clip



6800SBK

Carbide glass breaker

6800

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.52" (8.94cm) |
| BLADE THICKNESS | 0.124" (3.15mm) |
| OPEN | 8.64" (21.95cm) |
| CLOSED | 5.12" (13.00cm) |
| WEIGHT | 6.28oz (178.04g) |
| HANDLE THICKNESS | 0.63" (16.00mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------------|-------|
| 6800 | | \$285 |
| 6800BK | BLACK | \$300 |
| 6800SBK | SERR BLACK | \$300 |

9051/9052 **AFO II**

BENCHMADE DESIGN • U.S.A.



The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE 9051: Drop-point; 9052: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Multi-positions reversible, tip-up or tip-down pocket clip

SHEATH Cordura® with snap retention and MALICE CLIP®



9052

9051SBK

Sheath included

| | 9051 | 9052 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.56" (9.04cm) | 3.56" (9.04cm) |
| BLADE THICKNESS | 0.124" (3.15mm) | 0.124" (3.15mm) |
| OPEN | 8.51" (21.62cm) | 8.51" (21.62cm) |
| CLOSED | 4.95" (12.57cm) | 4.95" (12.57cm) |
| WEIGHT | 5.80oz (164.43g) | 5.71oz (161.88g) |
| HANDLE THICKNESS | 0.60" (15.24mm) | 0.60" (15.24mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------------|-------|
| 9051 | | \$255 |
| 9051S | SERR | \$255 |
| 9051BK | BLACK | \$270 |
| 9051SBK | SERR BLACK | \$270 |
| 9052 | | \$255 |
| 9052S | SERR | \$255 |
| 9052BK | BLACK | \$270 |
| 9052SBK | SERR BLACK | \$270 |

9101 **AUTO STRYKER®** & 9501 **MINI-AUTO STRYKER®**

BENCHMADE DESIGN • U.S.A.



The next generation Auto Strykers® are upgraded for increased function and reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA 9101: Multi-position tip-up or tip-down pocket clip; 9501: Tip-up pocket clip



9101BK

9501SBK Mini

| | 9101 | 9501 |
|-------------------------|------------------|-----------------|
| BLADE LENGTH | 3.60" (9.14 cm) | 2.95" (7.49cm) |
| BLADE THICKNESS | 0.124" (3.15mm) | 0.098" (2.49mm) |
| OPEN | 8.30" (21.08cm) | 7.21" (18.31cm) |
| CLOSED | 4.70" (11.94cm) | 4.26" (10.82cm) |
| WEIGHT | 4.20oz (119.07g) | 2.91oz (82.50g) |
| HANDLE THICKNESS | 0.50" (12.70mm) | 0.47" (11.94mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------------|-------|
| 9101BK | BLACK | \$270 |
| 9101SBK | SERR BLACK | \$270 |
| 9501BK | BLACK | \$230 |
| 9501SBK | SERR BLACK | \$230 |

2551 MINI REFLEX II

BENCHMADE DESIGN • U.S.A.



The Reflex gets an upgrade with an enlarged button and increased reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Tip-up pocket clip



2551

2551

| | |
|------------------|-----------------|
| BLADE LENGTH | 3.17" (8.05cm) |
| BLADE THICKNESS | 0.097" (2.46mm) |
| OPEN | 7.34" (18.64cm) |
| CLOSED | 4.17" (10.59cm) |
| WEIGHT | 2.58oz (73.14g) |
| HANDLE THICKNESS | 0.48" (12.19mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------------|-------|
| 2551 | | \$215 |
| 2551S | SERR | \$215 |
| 2551BK | BLACK | \$230 |
| 2551SBK | SERR BLACK | \$230 |

3551 STIMULUS

PARDUE DESIGN • U.S.A.



The 3550 gets an upgrade with an enlarged button and increased reliability.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Spear-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

EXTRA Tip-up or tip-down pocket clip



3551

3551

| | |
|------------------|-----------------|
| BLADE LENGTH | 2.99" (7.59cm) |
| BLADE THICKNESS | 0.088" (2.24mm) |
| OPEN | 7.09" (18.00cm) |
| CLOSED | 4.10" (10.41cm) |
| WEIGHT | 2.71oz (76.83g) |
| HANDLE THICKNESS | 0.46" (11.68mm) |

CONFIGURATIONS/MSRP

| | | |
|---------|------------|-------|
| 3551 | | \$215 |
| 3551S | SERR | \$215 |
| 3551BK | BLACK | \$230 |
| 3551SBK | SERR BLACK | \$230 |

4300/4300-1 CLA

BENCHMADE DESIGN • U.S.A.



A classy, all-purpose G10 auto for any occasion; formal to tactical.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE 4300: Black contoured G10; 4300-1: Green and black contoured and textured G10

EXTRA Reversible tip-up deep-carry pocket clip



4300SBK

4300-1

| | 4300 | 4300-1 |
|-------------------------|-----------------|------------------|
| BLADE LENGTH | 3.40" (8.64cm) | 3.40" (8.64cm) |
| BLADE THICKNESS | 0.114" (2.90mm) | 0.114" (2.90mm) |
| OPEN | 7.85" (19.94cm) | 7.85" (19.94cm) |
| CLOSED | 4.45" (11.30cm) | 4.45" (11.30cm) |
| WEIGHT | 3.47oz (98.37g) | 3.60oz (102.06g) |
| HANDLE THICKNESS | 0.49" (12.45mm) | 0.49" (12.45mm) |

CONFIGURATIONS/MSRP

| | | | |
|-----------|------|-------|-------|
| 4300 | | | \$240 |
| 4300S | SERR | | \$240 |
| 4300BK | | BLACK | \$255 |
| 4300SBK | SERR | BLACK | \$255 |
| 4300-1 | | | \$240 |
| 4300SBK-1 | SERR | BLACK | \$255 |

4400/4400-1 CASBAH™ NEW

BENCHMADE DESIGN • U.S.A.



Quick auto-action in a high traction, lightweight, composite handle.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 4400: Black textured Grivory® with stainless steel liners
4400-1: Blue textured Grivory® with stainless steel liners

EXTRA Reversible tip-up deep-carry pocket clip



4400-1

4400SBK

4400/4400-1

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 3.40" (8.64cm) |
| BLADE THICKNESS | 0.114" (2.90mm) |
| OPEN | 7.80" (19.81cm) |
| CLOSED | 4.40" (11.18cm) |
| WEIGHT | 3.43oz (97.24g) |
| HANDLE THICKNESS | 0.59" (14.99mm) |

CONFIGURATIONS/MSRP

| | | |
|-----------|------------|-------|
| 4400 | | \$175 |
| 4400S | SERR | \$175 |
| 4400BK | BLACK | \$190 |
| 4400SBK | SERR BLACK | \$190 |
| 4400-1 | | \$175 |
| 4400SBK-1 | SERR BLACK | \$190 |

3150 IMPEL®

LERCH DESIGN • U.S.A.



This small automatic gent knife is packed with premium features.

MECHANISM Push-button automatic with integrated safety

BLADE STYLE Drop-point

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE 6061-T6 billet aluminum with black textured G10 inlays

EXTRA Tip-down pocket clip



3150

3150

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 1.98" (5.03cm) |
| BLADE THICKNESS | 0.100" (2.54mm) |
| OPEN | 5.04" (12.80cm) |
| CLOSED | 3.06" (7.77cm) |
| WEIGHT | 1.39oz (39.41g) |
| HANDLE THICKNESS | 0.35" (8.89mm) |

CONFIGURATIONS/MSRP

| | |
|--------|-------------|
| 3150 | \$175 |
| 3150BK | BLACK \$190 |

320 PRECINCT

BUTCH BALL DESIGN • U.S.A.



A compact Butch Ball-designed flipper with textured G10 and finger relief for exceptional grip.

MECHANISM Liner lock flipper

BLADE STYLE Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black textured G10 with stainless steel liner

EXTRA Thrust bearing washers and reversible tip-up deep-carry pocket clip



320

320

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 3.30" (8.38cm) |
| BLADE THICKNESS | 0.124" (3.15mm) |
| OPEN | 7.78" (19.76cm) |
| CLOSED | 4.48" (11.38cm) |
| WEIGHT | 3.42oz (96.96g) |
| HANDLE THICKNESS | 0.48" (12.07mm) |

CONFIGURATIONS/MSRP

| | |
|--------|------------------|
| 320 | \$145 |
| 320S | SERR \$145 |
| 320BK | BLACK \$160 |
| 320SBK | SERR BLACK \$160 |

808 LOCO

BENCHMADE DESIGN • U.S.A.



A truly robust tactical knife with refined, custom-styled hardware.

MECHANISM AXIS® lock

BLADE STYLE Reverse tanto

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black G10 with stainless steel liners

EXTRA Custom-styled hardware and reversible tip-up deep-carry pocket clip



808SBK

808

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.68" (9.35cm) |
| BLADE THICKNESS | 0.160" (4.06mm) |
| OPEN | 8.62" (21.89cm) |
| CLOSED | 4.94" (12.55cm) |
| WEIGHT | 6.56oz (185.97g) |
| HANDLE THICKNESS | 0.67" (17.02mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 808 | | \$240 |
| 808BK | BLACK | \$255 |
| 808SBK | SERR BLACK | \$255 |

950 MANUAL RIFT® & 9555 AUTO RIFT®

OSBORNE DESIGN • U.S.A.



950

9555



A reverse tanto, large-bellied blade for strength and utility, and textured G10 handle scales for a secure grip.


MECHANISM 950: AXIS® lock; 9555: Auto AXIS® with integrated safety

BLADE STYLE Reverse tanto

BLADE STEEL 154CM stainless steel blade (58-61HRC)

HANDLE 950: Gray and black textured G10 with stainless steel liners; 9555: Black textured G10 with stainless steel liners

EXTRA Reversible tip-up pocket clip



9555SBK

950

| | 950 | 9555 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 3.67" (9.32cm) | 3.67" (9.32cm) |
| BLADE THICKNESS | 0.114" (2.90mm) | 0.114" (2.90mm) |
| OPEN | 8.27" (21.01cm) | 8.27" (21.01cm) |
| CLOSED | 4.60" (11.68cm) | 4.60" (11.68cm) |
| WEIGHT | 4.80oz (136.08g) | 4.95oz (140.33g) |
| HANDLE THICKNESS | 0.56" (14.22mm) | 0.56" (14.22mm) |

CONFIGURATIONS/MSRP

| | | | |
|---------|-------|-------|-------|
| 950 | | | \$200 |
| 950BK | BLACK | | \$215 |
| 950SBK | SERR | BLACK | \$215 |
| 9555 | | | \$260 |
| 9555SBK | SERR | BLACK | \$275 |

810 CONTEGO

OSBORNE DESIGN • U.S.A.



A large, aggressively styled tactical knife with a glass breaker on the pommel.

MECHANISM AXIS® lock

BLADE STYLE Reverse tanto

BLADE STEEL CPM-M4 super steel (62-64HRC)

HANDLE Black textured G10 with stainless steel liners

EXTRA Carbide glass breaker and reversible tip-up deep-carry pocket clip



810SBK



Carbide glass breaker

810

| | |
|-------------------------|------------------|
| BLADE LENGTH | 3.98" (10.11cm) |
| BLADE THICKNESS | 0.156" (3.96mm) |
| OPEN | 9.28" (23.57cm) |
| CLOSED | 5.30" (13.46cm) |
| WEIGHT | 5.92oz (167.83g) |
| HANDLE THICKNESS | 0.55" (13.97mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 810 | GRAY | \$230 |
| 810BK | BLACK | \$230 |
| 810SBK | SERR BLACK | \$230 |

183 FIXED CONTEGO

OSBORNE DESIGN • U.S.A.



Thick steel and a reverse tanto blade make for great tip strength and good all-around performance.

MECHANISM Fixed blade

BLADE STYLE Reverse tanto

BLADE STEEL CPM-S30V premium stainless steel (58-60HRC)

HANDLE Black contoured G10

SHEATH Injection molded with tension screw and MALICE CLIP®



183

183SBK

Sheath included

183

| | |
|-------------------------|------------------|
| BLADE LENGTH | 4.97" (12.62cm) |
| BLADE THICKNESS | 0.166" (4.22mm) |
| OVERALL LENGTH | 10.18" (25.86cm) |
| WEIGHT | 7.14oz (202.42g) |
| HANDLE THICKNESS | 0.62" (15.75mm) |
| SHEATH WEIGHT | 2.32oz (65.77g) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 183 | | \$200 |
| 183BK | BLACK | \$215 |
| 183SBK | SERR BLACK | \$215 |

119 ARVENSIS

SIBERT DESIGN • U.S.A.



A big, heavy-duty tactical knife that Shane Sibert designed to be well balanced with a "light hand feel."

MECHANISM Fixed blade

BLADE STYLE Clip-point


BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black contoured G10

SHEATH Black Boltaron®

EXTRA Pressed titanium handle tubing

BLACK CLASS



119SBK

119



Sheath included

119

| | |
|-------------------------|-------------------|
| BLADE LENGTH | 6.42" (16.31cm) |
| BLADE THICKNESS | 0.193" (4.90mm) |
| OVERALL LENGTH | 11.70" (29.72cm) |
| WEIGHT | 11.74oz (332.82g) |
| HANDLE THICKNESS | 0.75" (19.05mm) |
| SHEATH WEIGHT | 4.25oz (120.49g) |

CONFIGURATIONS/MSRP

| | | |
|--------|------------|-------|
| 119 | | \$220 |
| 119S | SERR | \$220 |
| 119BK | BLACK | \$235 |
| 119SBK | SERR BLACK | \$235 |

140/141 NIMRAVUS®

BENCHMADE DESIGN • U.S.A.



Our all-time best-selling combat fixed blade.

MECHANISM Fixed blade

BLADE STYLE 140: Drop-point;
141: Tanto

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Black anodized, 6061-T6 billet aluminum

SHEATH Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®



141SBK

140BK



Black

Coyote (SN)

| | 140 | 141 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 4.50" (11.43cm) | 4.50" (11.43cm) |
| BLADE THICKNESS | 0.115" (2.92mm) | 0.115" (2.92mm) |
| OVERALL LENGTH | 9.45" (24.00cm) | 9.45" (24.00cm) |
| WEIGHT | 6.20oz (175.77g) | 5.86oz (166.13g) |
| HANDLE THICKNESS | 0.58" (14.73mm) | 0.58" (14.73mm) |
| SHEATH WEIGHT | 5.00oz (141.75g) | 5.00oz (141.75g) |

CONFIGURATIONS/MSRP

| | | |
|----------|------------|-------|
| 140BK | BLACK | \$190 |
| 140SBK | SERR BLACK | \$190 |
| 140BKSN | BLACK | \$205 |
| 140SBKSN | SERR BLACK | \$205 |
| 141BK | BLACK | \$190 |
| 141SBK | SERR BLACK | \$190 |
| 141SBKSN | SERR BLACK | \$205 |

167/169 PROTAGONIST

BENCHMADE DESIGN • U.S.A.



Designed for military and law enforcement, the Protagonist is easily integrated into a kit.

MECHANISM Fixed blade

BLADE STYLE 167: Tanto;

169: Drop-point

BLADE STEEL 154CM stainless steel (58-61HRC)

HANDLE Grivory® with black Versaflex® over-mold and olive drab accent

SHEATH Black injection molded with tension screw, ballistic nylon removable belt loop and removable locking strap. MOLLE® compatible with MALICE CLIP®. Also compatible with Tek-Lok™ (not included)



169BK

167SBK



Sheath included

| | 167 | 169 |
|-------------------------|------------------|------------------|
| BLADE LENGTH | 4.54" (11.53cm) | 4.54" (11.53cm) |
| BLADE THICKNESS | 0.124" (3.15mm) | 0.124" (3.15mm) |
| OVERALL LENGTH | 9.12" (23.16cm) | 9.12" (23.16cm) |
| WEIGHT | 4.23oz (119.92g) | 4.20oz (119.07g) |
| HANDLE THICKNESS | 0.54" (13.72mm) | 0.54" (13.72mm) |

CONFIGURATIONS/MSRP

| | | |
|--------|-------|-------------|
| 167BK | BLACK | \$160 |
| 167SBK | SERR | BLACK \$160 |
| 169BK | BLACK | \$160 |
| 169SBK | SERR | BLACK \$160 |

BLACK CLASS

SOCP FAMILY

THOMPSON DESIGN • U.S.A.



176/178 179



Designed for the Special Operations Combatives Program, it's the optimal tool for self-defense.

MECHANISM Fixed blade

BLADE STYLE 176: Dagger; 178: Spear-point; 179: Rescue hook with carbide glass breaker and oxygen wrench

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Coated single-piece tool with finger ring

SHEATH MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and dip-coated clip

EXTRA Combo kits with trainer available



176BK

178SBK

CONFIGURATIONS/MSRP

| | | |
|--|------------|-------|
| 176BK Dagger & black sheath | BLACK | \$110 |
| 176BKSN Dagger & sand sheath | BLACK | \$110 |
| 176BK-COMBO Dagger & black sheath with trainer | BLACK | \$150 |
| 176BKSN-COMBO Dagger & sand sheath with trainer | BLACK | \$150 |
| 176T Trainer with sheath | RED | \$70 |
| 178SBK Spear-point & black sheath | SERR BLACK | \$120 |
| 178SBKSN Spear-point & sand sheath | SERR BLACK | \$120 |
| 178SBK-COMBO Spear-point & black sheath with trainer | SERR BLACK | \$150 |
| 178SBKSN-COMBO Spear-point & sand sheath with trainer | SERR BLACK | \$150 |
| 179GRY Hook & black sheath | GRAY | \$95 |
| 179GRYSN Hook & sand sheath | GRAY | \$95 |
| 179GRY-COMBO Hook & black sheath with trainer | GRAY | \$135 |
| 179GRYSN-COMBO Hook & sand sheath with trainer | GRAY | \$135 |



176T



179GRY



179 Rescue Tool

Sheath included



Carbide glass breaker

| | 176 DAGGER | 178 SPEAR-POINT | 176 TRAINER | 179 HOOK |
|-----------------------|-----------------|-----------------|-----------------|-----------------|
| BLADE LENGTH | 3.22" (8.18cm) | 3.22" (8.18cm) | 2.78" (7.06cm) | 0.375" (9.52mm) |
| HANDLE LENGTH | 4.03" (10.24cm) | 4.03" (10.24cm) | 4.03" (10.24cm) | 4.03" (10.24cm) |
| OVERALL LENGTH | 7.25" (18.42cm) | 7.25" (18.42cm) | 6.81" (17.30cm) | 6.75" (17.15cm) |
| THICKNESS | 0.175" (4.45mm) | 0.175" (4.45mm) | 0.175" (4.45mm) | 0.175" (4.45mm) |
| WEIGHT | 2.12oz (60.10g) | 2.04oz (57.83g) | 2.58oz (73.14g) | 1.88oz (53.30g) |
| SHEATH WEIGHT | 1.04oz (29.48g) | 1.04oz (29.48g) | 1.04oz (29.48g) | 1.04oz (29.48g) |

125 AZERIA™ NEW

BENCHMADE DESIGN • U.S.A.



When bad days get worse, it's good to have back-up plans.

MECHANISM Fixed blade

BLADE STYLE Wharncliffe with angled profile

BLADE STEEL N680 ultra stainless steel (57-59HRC)

HANDLE Black Grivory®

SHEATH Low-profile, molded with ambidextrous clip designed for duty belts; features anti-assailant retention device



125BK



Sheath reverse

125BK

| | |
|-------------------------|-----------------|
| BLADE LENGTH | 2.90" (7.37cm) |
| BLADE THICKNESS | 0.114" (2.89mm) |
| OVERALL LENGTH | 5.64" (14.33cm) |
| WEIGHT | 2.37oz (67.19g) |
| HANDLE THICKNESS | 0.55" (13.97cm) |
| SHEATH WEIGHT | 1.81oz (51.30g) |

CONFIGURATION/MSRP

125BK BLACK \$90

RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.



Cut quickly in an emergency situation.

A recent performance study found hooked cutting devices to be as much as 363% faster than scissors in clothing removal. (Use of a Hooked Cutting Device Compared With Scissors for the Emergency Exposure of Critically Ill and Injured Patients Nelson Tanga\, Matthew J. Levy, Jeffrey Harrow and Nina Bingham Prehospital and Disaster Medicine, FirstView Article, pp. 1-4 Copyright © 2013 World Association for Disaster and Emergency Medicine)

8 BLKW/8 BLKW MED



MECHANISM Rescue hook

BLADE STYLE Opening: 0.50" (12.70mm)

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Coated skeletonized

SHEATH Black nylon with MALICE CLIP®

Alternative sheath colors are available separately (see page 88)



| | 8 BLKW | 8 BLKW MED |
|-----------------------|-----------------|-----------------|
| HOOK OPENING | 0.50" (12.70cm) | 0.50" (12.70cm) |
| OVERALL LENGTH | 6.50" (16.51cm) | 6.50" (16.51cm) |
| WEIGHT | 1.43oz (40.54g) | 1.86oz (52.73g) |
| SHEATH WEIGHT | 0.88oz (24.95g) | 0.88oz (24.95g) |

| CONFIGURATIONS/MSRP | | |
|---------------------|-------|------|
| 8 BLKW | BLACK | \$45 |
| 8 BLKW MED | BLACK | \$45 |

10 BLK RESCUE HOOK **NEW**

BENCHMADE DESIGN • U.S.A.



A versatile rescue instrument designed originally for corrections officers, the enlarged hook gap allows cutting of rope up to 1" thick and other larger diameter woven materials. The sheath provides ambidextrous carry in both vertical and horizontal positions.

MECHANISM Rescue hook

BLADE STYLE Hook

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Coated skeletonized

SHEATH Boltaron® with MOLLE® compatible clip

EXTRA Hook fits in sheath from both sides and has removable retention strap



Sheath reverse

10 BLK

| | |
|-----------------------|-----------------|
| HOOK OPENING | 1.00" (2.54cm) |
| OVERALL LENGTH | 6.05" (15.37cm) |
| WEIGHT | 2.05oz (58.12g) |
| SHEATH WEIGHT | 2.37oz (67.19g) |

CONFIGURATION/MSRP

| | | |
|--------|-------|------|
| 10 BLK | BLACK | \$75 |
|--------|-------|------|

RESCUE HOOK FAMILY

BENCHMADE DESIGN • U.S.A.



7 BLKW/5 BLKW



Whether treating serious injury, locating contraband or extracting someone from a vehicle, these compact rescue hooks are an essential tool for the armed professional.

MECHANISM Rescue hook

BLADE STYLE Hook

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE 5 BLKW: Single piece handle; 7 BLKW: Single piece dip coated handle

SHEATH Nylon MOLLE® compatible with included MALICE CLIP®



7 BLKW

5 BLKW

| | 5 BLKW | 7 BLKW |
|----------------|-----------------|-----------------|
| HOOK OPENING | 0.50" (12.70cm) | 0.50" (12.70cm) |
| OVERALL LENGTH | 2.90" (7.37cm) | 4.30" (10.92cm) |
| WEIGHT | 1.20oz (34.02g) | 1.50oz (42.52g) |
| SHEATH WEIGHT | 0.74oz (20.98g) | 0.95oz (26.93g) |

CONFIGURATIONS/MSRP

| | | |
|--------|-------|------|
| 5 BLKW | BLACK | \$40 |
| 7 BLKW | BLACK | \$45 |

9 CB RESCUE HOOK

BENCHMADE DESIGN • U.S.A.



Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.

MECHANISM Rescue hook

BLADE STYLE Hook

BLADE STEEL 440C stainless steel (58-60HRC)

HANDLE Injection molded handle with carabiner clip and bottle opener

EXTRA Retractable blade cover



9 CB HOOK

| | |
|-----------------------|-----------------|
| HOOK OPENING | 0.50" (12.70cm) |
| OVERALL LENGTH | 5.19" (13.18cm) |
| WEIGHT | 0.80oz (22.68g) |

CONFIGURATIONS/MSRP

| | | |
|----------|--------|------|
| 9 CB-BLK | BLACK | \$40 |
| 9 CB-YEL | YELLOW | \$40 |

BENCHMADE 1100 SERIES PENS

BENCHMADE DESIGN • U.S.A.



Precision crafted writing tools.

- Ergonomic knurling patterns
- Anodized aluminum, titanium, stainless steel or Damascus bodies
- Caps securely snap open and closed
- Fisher Space Pen® ink cartridges

ALUMINUM



TITANIUM



STAINLESS STEEL



DAMASCUS PATTERN



REFILLS

- 984864F Black Ink Refill
984865F Blue Ink Refill



| | 1100 |
|------------------|-----------------|
| PEN DIAMETER | 0.50" (12.70mm) |
| OPEN WITHOUT CAP | 5.10" (12.95cm) |
| CLOSED WITH CAP | 5.33" (13.54cm) |
| ALUMINUM WEIGHT | 1.30oz (36.85g) |
| TITANIUM WEIGHT | 1.89oz (53.58g) |
| STAINLESS WEIGHT | 3.20oz (90.72g) |
| DAMASCUS WEIGHT | 3.20oz (90.72g) |

CONFIGURATIONS/MSRP

| | |
|---------------------------|----------------|
| Aluminum | \$125 |
| Aluminum with Carbide Tip | \$140 |
| Stainless Steel | \$185 |
| Titanium | \$215 |
| Damascus | \$300 |
| Black Ink Refill | 984864F \$5.50 |
| Blue Ink Refill | 984865F \$5.50 |

HATS



Tan Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro®
COLOR Tan
MATERIAL 100% Cotton
FIT Unstructured with Velcro® closure
SIZE One size fits most - 987908F
PRICE \$20.00



Gray Tactical Hat

STYLE 2"x3" front and 1"x1" top loop Velcro®
COLOR Gray
MATERIAL 100% Cotton
FIT Unstructured with Velcro® closure
SIZE One size fits most - 98796F
PRICE \$20.00



Solid Steel Trucker Hat

STYLE Classic weathered-style patch logo
COLOR Black
MATERIAL 55% Cotton, 45% Polyester
FIT Structured with snapback closure
SIZE One size fits most - 988162F
PRICE \$20.00



Black Flexfit® Hat

STYLE Raised embroidered Benchmade logo
COLOR Black
MATERIAL 83% Acrylic, 15% Wool, 2% Spandex
FIT Structured FlexFit
SIZE S/M - 983881F
L/XL - 983798F
PRICE \$20.00



Reverse

Bali-Song® Legend Fitted Hat

STYLE Bali-Song shield logo on front
COLOR Black
MATERIAL 15% Wool, 85% Acrylic
FIT Fitted cap
SIZE 7-1/8 - 100087F
7-1/4 - 100088F
7-3/8 - 100089F
7-1/2 - 100090F
PRICE \$30.00



Reverse

Bali-Song® Legend Cadet Hat

STYLE Bali-Song shield patch on front
COLOR Gray
MATERIAL 97% Cotton, 3% Spandex
FIT Elastic
SIZES One size fits most - 100091F
PRICE \$20.00

APPAREL

NEW



HUNT. Shirt

Go. Now.

STYLE T-Shirt

COLOR Burnt Orange

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES S, M, L, XL, 2X, 3X

PRICE \$22.00

NEW



Oregon Shirt

Where Benchmade's are born.

STYLE T-Shirt

COLOR Green Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

SIZES S, M, L, XL, 2X, 3X

PRICE \$22.00

NEW



FOOD. WATER. KNIVES. Shirt

Don't forget your essentials.

STYLE T-Shirt

COLOR Steel Blue Triblend

MATERIAL 50% Poly, 25% Cotton, 25% Rayon

ORIGIN Printed in the USA with imported fabric

SIZES S, M, L, XL, 2X, 3X

PRICE \$22.00

APPAREL



The Infidel® Shirt

We could tell you, but...

STYLE T-Shirt

COLOR Dark Heather Gray

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES S, M, L, XL, 2X, 3X, 4X

PRICE \$22.00



True Blue Shirt

Our classic butterfly logo.

STYLE T-Shirt

COLOR Benchmade Blue

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES Men's - S, M, L, XL, 2X, 3X, 4X

Women's - S, M, L, XL, 2X, 3X

PRICE \$22.00



Bali-Song® Legend Shirt

The best in Bali-Song since 1987.

STYLE T-Shirt

COLOR Navy

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES Men's - S, M, L, XL, 2X, 3X, 4X

Women's - S, M, L, XL, 2X, 3X

PRICE \$22.00



APPAREL



OD Patriot Shirt

Proudly made in the USA.

STYLE T-Shirt

COLOR Olive Drab

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES S, M, L, XL, 2X, 3X, 4X

PRICE \$22.00



Pinwheel Blades Shirt

Ladies exclusive.

STYLE T-Shirt

COLOR Ice Gray

MATERIAL 100% Premium Cotton

ORIGIN Made in the USA

SIZES Women's - S, M, L, XL, 2X, 3X

PRICE \$22.00



HQ Hoodie

Stay warm in this comfortable hoodie.

STYLE Pull-over hoodie

COLOR Gray

MATERIAL 50% Cotton, 50% Poly

ORIGIN Printed in the USA with imported fabric

SIZES M, L, XL, 2X

PRICE \$40.00

ACCESSORIES



Benchmade Coffee Mug

Black on black on black.

STYLE Coffee Mug

COLOR Matte Black with Gloss Black logo, handle, rim

MATERIAL Ceramic

SKU 989133F

PRICE \$12.00



Benchmade Pint Glass

For when the time comes to pocket the knife and raise a pint.

STYLE Pint Glass

COLOR Clear with Blue Benchmade butterfly logo

MATERIAL Glass

SKU 988053F

PRICE \$10.00



Pro-Model Bottle Opener

High-speed beverage entry tool.

STYLE Bottle Opener

COLOR Gray Steel

MATERIAL Stainless Steel with wordmark cutout

SKU 1000000

PRICE \$15.00

NEW



Benchmade Water Bottle

Stanley and Benchmade team up to bring you this exclusive water bottle.

STYLE Double-walled vacuum-sealed water bottle

COLOR Blue with White Bali-Song® design

MATERIAL 18/8 Stainless Steel

SPECS 18 oz., keeps drinks cold for 28 hours

SKU 100725F

PRICE \$22.00

STANLEY
A BRAND OF FPM

SHARPENERS

NEW



Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads and more.

STYLE Field Sharpener

ABRASIVES Ceramic, Diamond, Leather

SERRATIONS Dual ceramic rods fit most sizes

SKU 100604F

PRICE \$40.00



Tactical and Mini-Tactical Pro Sharpener

Easy every day carry with a ceramic honing surface.

STYLE Field Sharpener

MATERIAL Ceramitized coating and Duromite® cutters

SKU 983902F - Tactical Pro

983903F - Mini-Tactical Pro

PRICE \$25.00 - Tactical Pro

\$20.00 - Mini-Tactical Pro



Combo Sharpener

Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75".

STYLE Field Sharpener

MATERIAL Ceramitized coating and Duromite® cutters

SKU 985547F

PRICE \$30.00

MAINTENANCE



Folding Tool Kit

Keep your Benchmade knife in tune with this 14-piece folding tool kit plus sharpener. Carry case included.

SKU 985995F

PRICE \$35.00



Blue Box Tool Kit

T6, T8, and T10 Torx bits with a bit holder/extension all in a molded plastic case that doubles as the handle.

SKU 981084F

PRICE \$20.00



Bluelube™ Lubricant Bluelube™ Cleanser

Clean, lubricate and protect your Benchmade.


SKU 983901F - Bluelube™ Cleanser

983900F - Bluelube™ Lubricant

PRICE \$10.00 - Bluelube™ Cleanser
(4oz bottle)

\$8.00 - Bluelube™ Lubricant
(1.25oz bottle w/nozzle)

DISPLAYS



Magnetic Knife Display
Hinged magnetic display, holds up to nine open knives. 24" W x 18" D x 8" H
989797F..... \$250.00

NEW



Benchmade Counter Mat
Transparent flexible counter mat with Benchmade 30th Anniversary logo. 10"x12"
100724F..... \$10.00



Blue Acrylic Knife Rack
Holds seven knives. 10"D x 3 3/4"W x 3"H
985567F..... \$25.00



Large Display Case
Rotatable shelf, multi-drawer, 6' tall floor display. Holds 50+ knives.
989136F..... \$2,000.00
Call for shipping.



Single Knife Holder
Transparent plastic; each one holds a single knife in the open position.
1000005..... \$2.50



2-Piece Display Case
2-piece, 4' tall floor display. Holds 24+ knives. (Base features exchangeable side panels.)
989605F - Top..... \$500.00
989604F - Base..... \$500.00
Call for shipping.

SHEATHS

Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- MOLLE® Folder Pouch.....\$25.00
 A. 984818F - Black for models 3300, 3320 and 9051/9052
 B. 984094F - Black for models 5000, 915/916 and 9170
 C. 984093F - Coyote for models 5000, 915/916 and 9170



140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with MALICE CLIP® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

- MOLLE® Fixed Soft Sheath.....\$50.00
 D. 983468F - Black
 E. 983469F - Coyote



Tek-Lok™

Multiple position options with compatible sheath.

- F. 981609F - Tek-Lok™, large size.....\$15.00



MALICE CLIPS®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop-style carry. Clips securely closed with a snap-lock.

- G. 983551F - Large MALICE CLIP® (4.75" size).....\$2.00
 H. 983550F - Small MALICE CLIP® (3" size).....\$1.50



5 Hook/7 Hook/8 Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- MOLLE® 5 Hook Pouch.....\$8.00
 I. 981494F - Black
 J. 983856F - Foliage Green



- MOLLE® 7 Hook Pouch.....\$10.00
 K. 984166F - Black
 L. 984205F - Foliage Green
 M. 984204F - Coyote



- MOLLE® 8 Hook Pouch.....\$12.00
 N. 985398F - Black
 O. 985570F - Foliage Green
 P. 985569F - Coyote



Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- Q. 981086F - Soft Sheath, small (1.625" W x 5" D), black.....\$10.00
 981087F - Soft Sheath, large (2" W x 5.25" D), black.....\$10.00
 981717F - Soft Sheath, 4" Bali-Song® Series, black.....\$10.00



SPECIAL SERVICES



LIFESHARP SERVICE



We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warranted repairs and “tune” the knife for optimum performance. Ship the knife to Benchmade, postage-paid and insured. Please enclose your return shipping address.
www.benchmade.com/lifesharp



PERSONALIZED LASER MARKING

Make any Benchmade your Benchmade. Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed on the blade or, for some models, on the handle. If you're interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.



COMMITTED TO EXCELLENCE

For over 30 years, Benchmade has been designing and manufacturing world-class products for world-class customers.

When Benchmade was founded, the mission was to create something better; something exceptional. Today, we continue to innovate with the goal of taking performance and reliability to the next level. To exceed what is expected.

Whether you're using a Griptilian® for every day duties or taking the fight to the enemy with the Infidel®, our knives are built to perform. When you choose to purchase a Benchmade, you do so because you want the best. You demand it. And programs like our LifeSharp Lifetime Service and Warranty are the foundation of our commitment to excellence.



DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



Mel Pardue The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHenry & Williams

Bill McHenry & Jason Williams It runs in the family... Bill and son-in-law Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.



Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.



Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentleman's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.



Shane Sibert Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



Ken Steigerwalt In 1978, at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knife-making was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style. He describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one of his innovations, the Nitrous® Assist mechanism.

LERCH

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations.



Bob Lum Growing up in the Pacific Northwest with a passion for Eastern cultures gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.



Greg Thompson Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC.



Butch Ball Butch developed a passion for knives at a very early age. After building a few fixed blades in the early '90s, he decided in 2000 to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, re-creates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanically or ergonomically. The results of this process are designs that are as robust as they are innovative.



LOCKING MECHANISMS

It seems simple enough: you open the knife, you close the knife. But it's the mechanics of motion that happen in the process of opening and closing that can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

AXIS®

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100 percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar that rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, AXIS® Assist or Auto AXIS® configurations.

AXIS® ASSIST

Easily opened, quickly and with one hand, this evolution of the AXIS® includes a spring that helps fire the blade into the open position once the user pushes it beyond a certain point manually. The AXIS® lock also has the added benefit of "suck-back," which encourages the blade to stay in the closed position. AXIS® Assist knives also feature integrated safety lock systems.

LINER LOCK

The basic principle is an integral locking bar, resulting from the knife liner being stress-bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right- or left-hand-specific). And with a modified locking-liner you get a patented feature that helps enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made, and also the quality of the materials used. With Benchmade, you get the best of both.

MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one and the same as the knife handle, and thus the handle is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced, with the opening finger never crossing the blade's path.

NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed, the two torsion arms that run the length of the handle liners are secured in place and make contact with the blade tang. When opening, the user rotates

the blade open to a 30-degree angle, where the torsion arms take over and continue the blade-opening process on their own. The huge advantage of the Nitrous® design over other similar concepts is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song®, or butterfly knife, is of Filipino ancestry, dating back to nearly AD 800. Its basic form consists of a pin-hinged, two-piece handle which, when closed, encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility-capable.

AUTOMATICS

Sometimes restricted to Active-Duty Military, Law Enforcement and Public Safety, these automatic knives utilize either push-button, slide-release or dual-action mechanisms. Benchmade autos take full advantage of powerful springs coupled with our precisely machined lock mechanisms, providing the most reliable automatic systems available in the industry. Our patented integrated safety mechanism, located on the handle spine in all push-button automatics, can also ensure that the blade will not inadvertently deploy, or close once it is locked open.

AXIS® AUTOMATIC

Auto AXIS® — strong, reliable, fast and an AXIS® lock through and through, this locking mechanism fires the blade open 100% mechanically when the AXIS® bar is pulled downward. Auto AXIS® also features integrated safety mechanisms and the added safety of "suck-back."

AXIS® DUAL-ACTION AUTOMATIC

Dual-action knives come in multiple forms, but only one group features the strength and ambidextrous versatility of the AXIS® lock. The AXIS® Dual Action automatic mechanism allows the user to open the knife like a regular AXIS®, but there's a secret: pull the AXIS® bar farther down in its stroke and a spring takes over and fires the blade automatically.

PUSH-BUTTON AUTOMATIC

Push the button and the blade fires into the open position. Our push-button mechanisms are not only fast and convenient, they're also extremely strong. Most also feature integrated safety mechanisms.

AMBIDEXTROUS PUSH-BUTTON AUTOMATIC

While push-button automatics have traditionally been single-sided, Benchmade also has pioneered the first-ever ambidextrous push-button autos that feature push-buttons on both sides.

OUT-THE-FRONT (OTF) AUTOMATIC

Our OTF mechanisms are mechanical masterpieces. Slide the lock button towards the top and the blade fires straight out. Pull the button back to the bottom and the blade returns into the handle.

BLADE STEELS

Benchmade uses a variety of modern materials selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a premium-quality performance cutting tool, then it only makes sense to build it with premium-materials.

KEY

E Edge Retention

S Strength

C Corrosion Resistance

T Toughness

How long a blade can maintain its sharpened edge

Maximum stress withstood before a blade breaks or fails

Resistance of a blade to oxidization and chemical attack

Resistance of a blade to fracture and chipping

STEELS



CPM-S30V HRC: 58-60

A premium steel created especially for knives, it is a powder steel creating uniform carbide distribution and clean steel properties. As a blade material it offers excellent corrosion resistance and superb edge qualities. This stainless steel is extremely well balanced, making it one of the best all-around choices for daily tasks.



CPM-M4 HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. Due to its lower level of chrome content it may require additional care to avoid corrosion.



CPM-20CV HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel, however, they meet here in CPM-20CV. A powder metal steel that takes a fine edge and maintains it, 20CV is a great choice for someone looking for low maintenance and superior cutting performance.



CPM-S90V HRC: 59-61

A true super steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2. Extremely high carbon and vanadium content gives this premium stainless powder-metal alloy the ultimate in edge retention while maintaining great strength and toughness properties.



440C HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry. A high-chromium stainless steel with balanced hardness and corrosion resistance, 440C takes a fine edge and is fairly easy to re-sharpen. An excellent value-priced steel for its performance.



1095 HRC: 55-58

A high carbon steel that has been used for knife blades for over a century. Excellent strength and toughness allow this steel to take a beating that would leave other blades in pieces. Poor corrosion resistance and edge retention means you have to take a little extra care to keep the blade clean and sharp.



D2 HRC: 60-62

A high carbon, high chrome tool steel provides better edge retention than 440C and 154CM, however, it has less toughness and corrosion resistance than either of these alloys. The original "go-to" tool steel for knife blades, D2 provides great edge retention but requires a little extra care to keep the rust off.



M390 HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance. Given its uniform microstructure, M390 is often used in surgical cutting instruments and other applications that require a high finish. Extremely high carbon and chrome content also give this premium stainless powder-metal alloy the best corrosion resistance of any martensitic stainless alloy.



Damasteel HRC: 58-60

With alternating layers of RWL34 and RPM27, this powder metal "Damascus" steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness while affording edge retention comparable to that of 440C. Used in special applications due to its high cost and artistic nature.



N680 HRC: 57-59

A special application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel, with edge retention between 420HC and 440C.



154CM HRC: 58-61

A premium grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.

HEAT TREATMENT

Over the years we have developed a "special recipe" for heat treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and superior performance. All steels may be created equal, but when it comes to Benchmade, that's where it stops.

COATINGS, HANDLES, LINERS, SHEATHS

COATINGS

CERAKOTE®

A spray-on ceramic coating with excellent wear and corrosion resistance. Used frequently in the firearms industry and available in a wide variety of colors.

DLC

'Diamond-like Carbon,' is a thin layer of carbon atoms that is slowly built up on the surface, providing a sleek black look, a hardness similar to natural diamond and excellent abrasion resistance. DLC is also used as a coating in machining, stamping and molding tools as well as engine components.

ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

HANDLES

CARBON FIBER

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin which is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

STABILIZED WOOD

A composite material backfilled with resin, stabilized wood is much more resistant to environmental hardships than natural wood.

6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

MICARTA

Layers of linen cloths soaked in resin and compressed together. Most commonly used on more stylish knives due to its rich color and finish qualities.

6061-T6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.

GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

LINERS

6AL-4V TITANIUM

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel that offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well.

SHEATHS

BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

LEATHER

A natural material dating back to humans' earliest beginnings in the knife world. It can be easily dyed and tooled for a desired visual effect. Offers traditionally accepted levels of performance and design capability.

KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

BOLTARON®

A proprietary, fire retardant PVC/acrylic alloy sheet, black in color, offering a UL Standard 94 V-0 fire rating, excellent impact strength, abrasion resistance, chemical resistance and thermoformability. Manufactured using recycled resin, it is a cost-effective alternative to other general-purpose flame retardant materials.

The following are registered trademarks of their respective companies: Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Klerdex Company; Noryl GTX® and Valox®, General Electric Company; Santoprene®, Advanced Elastomer Systems; Grivory®, EMS-Grivory; Boltaron®, Boltaron Performance Products, LLC.





485-171
P.6



32
P.13



51
P.13



62
P.12



63
P.12



67
P.12



87
P.10

BLUE CLASS PAGES 8-35



112H20
P.33



153
P.34



154
P.34



162
P.35



162-1
P.35



3005N
P.28



300-1
P.28



470-1
P.16



477
P.16



477-1
P.16



482
P.22



484
P.23



484-1
P.23



485
P.22



490
P.17



530
P.25



531
P.25



550
P.31



550-1
P.32



551
P.30



551H20
P.33



551-1
P.32



553
P.31



555
P.31



555-1
P.32



556
P.30



556-1
P.32



557
P.30



560
P.19



580
P.14



580-2
P.15



581
P.15



583
P.14



585
P.14



585-2
P.15



590
P.19



698
P.24



761
P.20



765
P.20



781
P.21



890
P.18



928
P.29



940
P.26



940-1
P.27



940-2
P.27



943
P.26



1000001
P.18



⊕ 15001 P.38 ⊕ 15003 P.38 ⊕ 15007 P.40 ⊕ 15008 P.41 ⊕ 15009 P.41 ⊕ 15016 P.40 ⊕ 15031 P.45 ⊕ 15051 P.45 ⊕ 15056 P.45 ⊕ 15060 P.44 ⊕ 15080 P.43 ⊕ 15100 P.42

BLACK CLASS PAGES 46-77



⊕ 119 P.69 ⊕ 125 P.73 ⊕ 140 P.70 ⊕ 141 P.70 ⊕ 167 P.71 ⊕ 169 P.71 ⊕ 175 P.54 ⊕ 176 P.72 ⊕ 178 P.72 ⊕ 179 P.72 ⊕ 183 P.68 ⊕ 275 P.54



⊕ 320 P.64 ⊕ 375 P.55 ⊕ 570 P.56 ⊕ 808 P.65 ⊕ 810 P.67 ⊕ 860 P.58 ⊕ 915 P.57 ⊕ 916 P.57 ⊕ 950 P.66 ⊕ 2551 P.61 ⊕ 2750 P.54 ⊕ 3150 P.64



⊕ 3300 P.50 ⊕ 3300BK-1701 / P.53 ⊕ 3320 P.51 ⊕ 3321 P.51 ⊕ 3350 P.50 ⊕ 3551 P.61 ⊕ 4300 P.62 ⊕ 4300-1 P.62 ⊕ 4400 P.63 ⊕ 4400-1 P.63 ⊕ 4600 P.52 ⊕ 4600-1 P.52



⊕ 4700 P.53 ⊕ 5700 P.57 ⊕ 6800 P.59 ⊕ 8600 P.58 ⊕ 9051 P.60 ⊕ 9052 P.60 ⊕ 9101 P.60 ⊕ 9501 P.60 ⊕ 9160 P.56 ⊕ 9170 P.56 ⊕ 9555 P.66



⊕ 5 P.76 ⊕ 7 P.76 ⊕ 8 P.74 ⊕ 8 MED P.74 ⊕ 9 CB P.77 ⊕ 10 P.75 ⊕ 1100 P.78

RESCUE HOOKS PAGES 74-77

PENS

WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for warranty work and found to be defective by Benchmade, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife (button or slide activated spring-opening) returned for Warranty service from outside of Oregon must also include a signed Automatic Knife Opening Acknowledgement ("AKOA") form, or be returned through the authorized Benchmade dealer. Any automatic knife sent by you to us without a signed AKOA form will not be returned to you. To obtain an AKOA form, please visit www.benchmade.com. NO EXCEPTIONS WILL BE MADE.

"The Benchmade Lifetime Warranty only applies to genuine Benchmade products from authorized Benchmade dealers. Knives purchased on the internet through discount websites, mail order outlets, or through any other unauthorized source, and knives which are determined by Benchmade to be counterfeit are not entitled to our warranty coverage."

WHAT IS COVERED?

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED?

This Warranty does not cover normal wear; non-factory re-sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool) or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any product by any person other than Benchmade's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20 PLUS PARTS.

Repair or replacement, as provided under this Warranty, is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, indirect, special, punitive, exemplary, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any and all circumstances is limited to the purchase price paid by you for the product. Some states do not allow exclusion or limitation of certain types of damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon. The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives outside of the state of Oregon must be preceded by the submission of an AKOA form.

The Benchmade AKOA form can be found at:
www.benchmade.com/media/forms/ako_acknowledgment.pdf

SHIPPING OF AUTOMATIC KNIVES

All automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped

through the U.S. Postal Service. Also, please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.). It is our policy that all automatic knives shipped out of state require a signed AKOA form. We will not ship automatic knives out of state until we receive a signed AKOA form.

ARE BENCHMADE ASSIST-OPEN KNIVES LEGAL?

Because of the way the Benchmade assist-open knives are designed and built, they are not considered automatic or switchblade knives under federal interpretations.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas.

COMPLIANCE WITH LAWS, ASSUMPTION OF RISK, RELEASE OF LIABILITY, INDEMNITY

The purchase, use, and ownership of knives is subject to a wide variety of federal, state, and local laws and regulations. Knife laws and regulations are subject to local interpretations and may change frequently. It is the responsibility of the buyer to be aware of and to comply with the laws that govern the buyer in the buyer's specific area, pertaining to owning, carrying, transporting, shipping, and using the product.

We encourage responsible ownership.

THE KNIFE IS VERY SHARP. USE WITH CARE. BE SMART AND SAFE. KEEP OUT OF REACH OF CHILDREN. MISUSE OF THE PRODUCT OR FAILURE TO PROPERLY MAINTAIN YOUR PRODUCT CAN CAUSE MECHANISMS IN THE PRODUCT TO NOT FUNCTION PROPERLY AND COULD CAUSE DAMAGE TO THE PRODUCT AND/OR SERIOUS INJURY OR EVEN DEATH.

You expressly release Benchmade from, and you expressly agree to indemnify and hold harmless Benchmade for, all claims, damages, liabilities, losses, and expenses (including reasonable attorneys' fees) resulting directly or indirectly from your purchase, ownership, transportation, shipment, use, or misuse of your product in violation of any federal, state, or local law, rule, or regulation. Except for the express product Warranty provided herein, Benchmade will not be held responsible or liable for your purchase, ownership, transportation, shipment, use, or misuse of any Benchmade product purchased, either directly from Benchmade or from any retail dealer.

PRICING

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice. Visit www.benchmade.com for the latest information.



Benchmade is proud to be a charter member of AKTI. Get involved. Help protect your knife freedoms. Join AKTI today!

877.752.8770 or www.akti.org

The following are trademarks or registered trademarks of Benchmade Knife Company, Inc. or trademarks or registered trademarks of Mentor Group, L.L.C. and used under license: 87; Adamas; Anthem; Arcane; AXIS; Azeria; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmade (wordmark logo); Benchmade HUNT. (wordmark logo); BlueLube; Boost; Break; Cut. Escape.; Butterfly (wordmark logo); Coalition; Casbah; Custom Knife Builder (wordmark logo); Emissary; Freek; Genuine AXIS Mechanics (logo); Griptilian; Houdini; Impel; Infidel; Megumi; Morpho; Nak-Lok; Nimravus; Nitrous; Pagan; Phaeton; Precipice; Presidio; Pro (bullseye logo); Rift; Rukus; Stryker; Torrent; Triage. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the patents found at www.benchmade.com/patents



Millions of options
to create your
perfect knife.



BENCHMADE
CUSTOM KNIFE BUILDER

CUSTOMKNIFE.BENCHMADE.COM

BENCHMADE®

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

TELEPHONE
800.800.7427
503.655.6004

CUSTOMER SERVICE FAX
503.496.1896

EMAIL
INFO@BENCHMADE.COM

WEB
BENCHMADE.COM



#MYBENCHMADE

PRST STD
US POSTAGE

PAID

OREGON CITY, OR
PERMIT NO. 25

